


STATE OF
RHODE ISLAND AND PROVIDENCE PLANTATIONS

VITAL STATISTICS

ANNUAL REPORT

2000



The Honorable Donald L. Carcieri, Governor

Division of Vital Records

RHODE ISLAND DEPARTMENT OF HEALTH

Patricia A. Nolan, MD, MPH

Director of Health

**STATE OF
RHODE ISLAND AND PROVIDENCE PLANTATIONS**


DEPARTMENT OF HEALTH

VITAL STATISTICS

ANNUAL REPORT

2000

The Honorable Donald L. Carcieri, Governor



Patricia A. Nolan, MD, MPH
Director of Health

Roberta A. Chevoya
State Registrar of Vital Records

PREFACE

The Rhode Island Department of Health is pleased to issue this Vital Statistics Annual Report. It contains data for the year 2000 that has been derived from certificates filed in the Division of Vital Records, as required by state law, for vital events such as births, deaths, marriages, divorces and fetal deaths occurring in Rhode Island. Information was also extracted from transcripts of certificates filed in other states for births and deaths occurring to Rhode Island residents in other locales.

The prompt and accurate recording of vital events is a complicated and time-consuming task that serves two purposes. First, these vital records are collected, kept secure and confidential, and made available to individuals when needed for documentation of the events in which they were personally involved. Second, the data derived from vital records provides information about health and social changes occurring in our state.

The publication of data in this book is the final stage of a long process. The data collection is a highly cooperative effort in which many people, e.g., city/town clerks, physicians, funeral directors, hospital personnel, and the courts play an important part. The Division of Vital Records manages the system of vital statistics covering the entire population of Rhode Island. The office converts the data to machine readable form and edits the information prior to publication. These efforts are partially supported by a contract with the National Center for Health Statistics that enables the Rhode Island Department of Health to participate in the Vital Statistics Cooperative Program in the United States.

The report is intended primarily for reference. Information of general interest is published here, however, more detailed data may be available. Inquiries should be addressed to the Division of Vital Records, 3 Capitol Hill, Room 101, Providence, Rhode Island 02908-5097. A copy of this report will be available on the HEALTH web site at www.health.ri.gov

Patricia A. Nolan, MD, MPH
Director of Health

January 28, 2005

ACKNOWLEDGEMENTS

Publication of the Annual Report of Vital Statistics requires the efforts of many individuals. Special thanks are extended to Bill Smith, Geri Palazzo and Thony Vongchampa in the Office of Vital Records; Janice Fontes in the Office of Health Statistics, and to Ray Gelsomino and his staff in the Print Shop for their assistance in creating this document.

TABLE OF CONTENTS

2000 Annual Report

Definitions of Terms	Page i
Technical Notes: Step-by-Step Instructions	iii

INTRODUCTION

VITAL STATISTICS SUMMARY	1
---------------------------------------	----------

Table A	Vital Statistics Summary: Rhode Island, 1996-2000 and 1986-1990.....	1
Figure 1	Population Densities of Rhode Island Cities and Towns According to 2000 Census.....	2
Figure 1A	Rhode Island Population by Age and Sex, 2000	3
Figure 1B	Rhode Island Population by Age and Sex, 1990	4

TABLES

Table 1	United States Census Population of Rhode Island by Race, Spanish Origin and Sex, and Age by Sex, 2000 and 1990	5
Table 1A	Race and Ethnicity of Rhode Island (State, County, City & Town) 2000	6
Table 2	Population of Rhode Island Cities and Towns by County: Census of 1990 and 2000 Estimate	8
Table 3	Number of Live Births, Deaths, and Marriages, with Rates by City and Town: Rhode Island, 2000	9
Table 4	Population, Live Births, Deaths, Marriages, and Divorces with Rates per 1,000 Population: Rhode Island,	

	1971--2000	10
Table 5	Number of Infant, Neonatal, Perinatal, and Maternal Deaths with Rates, Rhode Island Residents, 1971-2000.....	11
Table 6	Resident Deaths by City or Town of Residence by Age, Race, and Sex, Rhode Island, 2000	12
Table 7	Deaths and Death Rates for Leading Causes in 2000 and 1999, (ICD-10), and for Leading Causes in 1994-98, (ICD-9), with Comparability Ratios.....	18
Table 8	Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-Year Totals with Average Rates, 1996-2000.....	19
Table 9	Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island 1977-2000 (Rhode Island Residents)	22
Table 10	Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island, 1999-2000.....	22
Table 11	Replaced by Table 11A	
Table 11A	Resident Live Births by Race and Age of Mother, Sex and Live Birth Order of Child, Rhode Island, 2000	23
Table 12	Replaced by Table 12A	
Table 12A	Resident Births Out of Wedlock by Race and Age of Mother, Sex and Live Birth Order of Child, Rhode Island, 2000	27
Table 13	Replaced by Table 13A	
Table 13A	Resident Live Births by Age and Race of Mother, and Birth Weight of Child, Rhode Island, 2000	31
Table 14	Replaced by Table 14A	

Table 14A	Resident Plural Live Births by Age and Race of Mother, and Birth Weight of Child, Rhode Island, 2000	34
Table 15	Replaced by Table 15A	
Table 15A	Resident Live Births Out of Wedlock by Age and Race of Mother, and Birth Weight of Child, Rhode Island, 2000	37
Table 16	Replaced by Table 16A	
Table 16A	Births by City or Town, Race of Mother, and Selected Characteristics, Rhode Island, 2000	40
Table 17	Resident Live Births by City or Town by Month, Rhode Island, 2000	41
Table 18	Selected Natality Data by City or Town by Census Tract, Rhode Island Residents, 2000.....	42
Table 18A	Births Out of Wedlock, 2000: All Ages and Under Age 20, by City or Town of Residence.....	50
Table 19A	Fetal Deaths Occurring in Rhode Island by Race of Mother, Weeks of Uterogestation, and Mode of Delivery, 2000	51
Table 19B	Fetal Deaths Occurring in Rhode Island by Month of Delivery by Weeks of Uterogestation, 2000.....	51
Table 20	Resident Fetal Deaths Occurring in Rhode Island by Mode of Delivery by City or Town and Census Tract of Mother's Residence by Marital Status of Mother, 2000	52
Table 21	Induced Fetal Deaths, Rhode Island Occurrences, 2000, by Age and Marital Status of Mother and by Number and Nature of Previous Deliveries to Mother	60
Table 21A	Induced Fetal Deaths, Rhode Island Residents, 2000, by Age and Marital Status of Mother and by Number and Nature of Previous Deliveries to Mother	66

Table 22A	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 2000	71
Table 22B	All Spontaneous Fetal Deaths Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 2000	72
Table 22C	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation for Rhode Island Residents by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 2000	73
Table 22D	All Spontaneous Fetal Deaths for Rhode Island Residents by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 2000	74
Table 23	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Weight of Fetus and Age of Mother, 2000	75
Table 23A	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation for Rhode Island Residents by Weight of Fetus and Age of Mother, 2000	76
Table 24	All Fetal Deaths Occurring in Rhode Island by Selected Cause of Death (ICD-10), 2000	77
Table 25	Resident Deaths from 113 Selected Causes by Race, Age and Sex: Rhode Island, 2000	78
Table 26	Resident Deaths by City or Town by Month, Rhode Island, 2000	92
Table 27	Resident Infant Deaths from 130 Selected Causes (ICD-10) by Age, Rhode Island, 2000	93

Table 28	Resident Accidental Deaths by Sex and Age, with Non-Motor Vehicle Accidents Shown by New England Standard Locations by Sex and Age: Rhode Island, 2000	95
Table 29A	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 2000 NOT PUBLISHED	
Table 29B	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 2000 NOT PUBLISHED	
Table 30	Resident Accidental Deaths by Type and Age: Rhode Island, 2000	97
Table 31	Ten Leading Causes of Death, by Sex, with Rates: Rhode Island, 2000	99
Table 32	Five Leading Causes of Death in Specified Age Groups: Rhode Island, 2000	100
Table 33-38	No Longer Published.	
Table 39	Divorces by County (Rhode Island Occurrences), 2000	101
Table 40	Divorces by Month (Rhode Island Occurrences), 2000	101
Table 41	Marriages by Month of Occurrence, Rhode Island, 2000	102

**DEFINITIONS
OF TERMS**

DEFINITIONS OF TERMS

1. *Cause of Death*

The *underlying cause of death*, by which all deaths are classified, may be defined as (a) the disease or injury which initiated the train of morbid events leading directly to death, or (b) the circumstances of the accident or violence which produced the fatal injury. It is the responsibility of the certifying physician or medical examiner to indicate the underlying cause. It is the responsibility of the nosologists in the Division of Vital Records to assign the proper code number from the Tenth Revision, International Classification of Diseases, so that deaths may be classified by underlying cause. Because of the classification revision, cause-of-death figures beginning with 1999 data are not entirely comparable with those of earlier years (see “Changes to Mortality Data Classifications: ICD-9 to ICD-10” in the Technical Notes section of this report).

2. *Birth* or *live birth* is defined as the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

3. *Census Tract*

The U.S. Census Bureau defines a census tract as “a small, relatively permanent statistical subdivision of a county delineated by a local committee of census data users for the purpose of presenting data. Census tract boundaries normally follow visible features, but may follow governmental unit boundaries and other non-visible features in some instances; they always nest within counties. Designed to be relatively homogeneous units with respect to population characteristics, economic status, and living conditions at the time of establishment, census tracts average about 4,000 inhabitants.” (Source: www.census.gov)

In 1990, some Rhode Island census tracts were redrawn so that they crossed town lines. The majority of 2000 census tracts have been corrected for this problem, and fall within town boundaries. Many 2000 census tracts, however, have been moved, shifted, split, or combined relative to the 1990 tracts. We recommend that data coded to 1990 census tracts not be compared to data coded to 2000 census tracts, unless you are aware of how the tract has changed, even if its number has remained the same. Additional Census 2000 and census tract information is available at www.census.gov.

4. ***Fetal death***

The definition used in this state is that of the World Health Organization, which is as follows: "Fetal death means death prior to complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as the beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles." This category includes both induced terminations and spontaneous fetal deaths.

Induced termination is a fetal death where the pregnancy has been deliberately terminated with the purpose of producing a nonviable fetus. Molar and ectopic pregnancies are excluded.

A spontaneous fetal death is a fetal death that is not an induced abortion and includes miscarriages, stillbirths, and ectopic pregnancies.

5. ***Infant death*** is defined as a death occurring within the first year of life.

Neonatal deaths are infant deaths that occurred prior to the 28th day of life.

Post-neonatal deaths are infant deaths which occurred between the 28th day of life and before the first birthday.

6. ***Low birth weight infants*** are those weighing 2500 grams (5 lbs. 8 oz.) or less.

7. ***Maternal death*** is defined by the International Classification of Diseases, 9th Revision, as "the death of any woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management but not from accidental or incidental causes". This definition is used in Rhode Island for classifying maternal deaths.

8. ***Perinatal mortality***, as used in this report, refers to fetal deaths of 28 weeks or more uterogestation combined with deaths that occurred before the seventh day of life.

9. ***Residence*** is the city or town where the deceased resided for a death, where the mother resided for a birth, or where the patient resided for a spontaneous fetal death or induced abortion.

**TECHNICAL
NOTES**

Technical Notes: Step-By-Step Instructions*

Data users are diverse, including public-health officials evaluating a program by using death data, demographers projecting school enrollments with birth data, and business people deciding to open a formal-wear shop based on marriage data. Many of these users have a thorough knowledge of statistics. But others find the entire subject-matter confusing and intimidating. For either group, a misunderstanding of what vital statistics mean can lead to wrong conclusions. Therefore, this section is included to provide an overview of how to use vital statistics. It is addressed to the person looking at vital events for the first time, but the experienced user may also find a review helpful.

STEP 1: FINDING THE CORRECT NUMBER

The first step is to determine how many of a particular vital event took place during the year. This involves asking two questions:

Which event or events are appropriate?

DEATHS
INFANT DEATHS
NEONATAL DEATHS
POST-NEONATAL DEATHS
FETAL DEATHS
LOW BIRTH WEIGHT INFANTS
PREGNANCIES
INDUCED ABORTIONS
MARRIAGES
DIVORCES

This may not be as simple as it sounds. For one thing, examining more than one type of event may be required. For example, a researcher who is concerned with teenage pregnancies will have to consider abortions and fetal deaths, not simply the number of births.

Deciding which events to use is important since sometimes the choice of one event over another can lead to vastly different conclusions.

*Technical Notes reprinted, in part, courtesy of the Oregon Center for Health Statistics; illustrative examples were changed to reflect Rhode Island data. Effective with the 1999 Annual Report, the Comparability Ratios section has been updated to reflect changes to mortality data classifications from ICD-9 to ICD-10.

Who should be counted?

If you are a hospital planner who is deciding to expand or contract delivery services, you want to count the number of births which occurred in your area, regardless of where the parents live. If you are projecting school enrollment, you want to count only how many children will potentially be residing in your area. Fortunately, vital events are usually reported so that both of these data needs can be met.

OCCURRENCE DATA

The event (the death, birth, marriage, etc.) actually took place in the city or town. The person participating in the event may have lived in Podunk, New York.

RESIDENCE DATA

The person involved in the event lived in the geographic region mentioned, but the event itself may have taken place anywhere in the United States or Canada. In other words, a resident of Providence who died in an accident while on vacation in Michigan has been added to the city of Providence resident death figure.

When in doubt about which type of data to use, resident figures are usually the best choice. Most birth and death data are published by residence, which means that comparisons with other states or the United States as a whole will be easier. Exceptions to this rule are listed in the individual sections.

Once the right event has been determined, and the choice between occurrence and residence data has been made, the statistician can find the correct figures in the table(s) in this book. If the needed table is not listed, contact the Office of Vital Records for more information.

STEP 2: MAKING THE NUMBER MEANINGFUL WITH RATES AND RATIOS

In many instances simply knowing the number of events is not sufficient. A. Bradford Hill expressed this important statistical concept:

"It is well recognized that white sheep eat more
than black sheep—because there are more of them."

For example, we know more people died in Providence than in New Shoreham, because Providence has a much larger population. But what is the likelihood of dying in each municipality?

In order to answer this question, statisticians calculate rates. This means that the number of events which occurred is compared to the population for which that event could have occurred, and the figure is then standardized to some number (such as 1,000 or 100,000) for convenience.

Here is an example:

$$\text{CRUDE DEATH RATE} = \frac{\text{DEATHS}}{\text{POPULATION}} \times 1,000$$

The number of
people who could
have died

The number picked by
vital statisticians to
eliminate decimal points

The more specifically a statistician can define the "population at risk" (the denominator or bottom part of the formula), the more meaningful the rate is. For example, the crude birth rate, which compares the number of births to the population, is not nearly as informative as the fertility rate, which uses only the number of women of childbearing age (15-44) for comparative purposes. The fertility rate is not distorted by changes in the number of men or pre-pubescent or post-menopausal women in the population. (The turn of the century notion that only married women between the age of 15 and 44 would be considered at risk of pregnancy has been abandoned for obvious reasons.)

Unfortunately, we do not always have the correct denominator for the equation. In these situations a substitute is used. For example, how many people are at risk of getting divorced? The number of married people is only available for census years. As a substitute, the crude divorce rate is calculated using the total population regardless of marital status. In other situations, the event is simply compared to another related number. For instance, the abortion ratio compares the number of abortions to the number of births. This is easier and more accurate than trying to determine the true denominator, which is the total number of pregnant women.

When calculating rates and ratios, great care must be taken to make certain that the appropriate time periods, geographical boundaries, and populations are used.

STEP 3: COMPARING TWO OR MORE NUMBERS

Numbers are more meaningful when they are converted into rates and ratios. But problems can arise when rates or ratios are compared for different geographical areas, different time periods, or different categories such as men versus women.

Taking Age, Sex, And Race Into Account

Before comparing two places or two time periods, always compare the population characteristics, such as age, sex, and race, first. If discrepancies are noted in any relevant variables, then the rates should be adjusted or standardized in order to make the comparisons free of differences in the structure of the populations.

Chance variation

Statisticians expect a certain amount of chance variation and have methods to take this into account. The confidence interval uses the number of cases and their distributions to determine what the rate "really is". If two rates have overlapping confidence intervals, then the difference between them may be due to this chance variation. In other words, the difference is not statistically significant. When comparing rates and ratios, differences should be tested for statistical significance.

Small numbers

Chance variation is a common problem when the numbers being used to calculate rates are extremely small. Large swings often occur in the rates, which do not reflect real changes. Consider Rhode Island's non-white infant mortality rates for a five-year period, shown below:

<u>Year</u>	<u>Non-White Births</u>	<u>Non-White Infant Deaths</u>	<u>Non-White Infant Death Rates</u>
1984	1313	18	13.7
1985	1337	12	9.0
1986	1456	20	13.7
1987	1571	17	10.8
1988	1698	22	13.0
1984-88	7375	89	12.1

The rates may vary widely from year to year. Note the difference in the 1984 non-white infant death rate, even though there was only one more infant death occurring in 1984 than there was in 1987.

Many rates based on small numbers are published in this book because readers demand them. But anyone preparing to make important decisions based on these rates should be very cautious. Consider this rule of thumb: a rate based on 20 cases has a 95% confidence interval about as wide as itself (the interval for a rate of 50 is between 25 and 75). Even large differences between two rates based on 20 cases or less are probably not statistically significant.

If 20 are too few, how many cases are sufficient to say that a true difference exists? Unfortunately we have no easy rules for this. To be safe, the vital statistician should always try to combine several years of data or consolidate geographical areas. Confidence intervals should be calculated, and differences should be tested for statistical significance.

Changes in measurement

Another problem is that the numbers being compared have not always been based on the same type of measurement. Definitions, population estimates, certificates, and coding procedures change from time to time as the need arises, e.g., the change in cause-of-death classification from the International Rules for the Classification of Diseases ICD-9 to the ICD-10. This can create "artificial" differences and can disguise "real" differences. The cause-of-death item provides an excellent example of changes in comparability:

In 1998, 383 people died
due to Influenza & Pneumonia

RATE = 38.8 PER 100,000
POPULATION

In 1999, 301 people died
due to this cause.

RATE = 30.4 PER 100,000
POPULATION

It appears that the incidence of Influenza & Pneumonia decreased. Actually, a change to coding and classification rules in the ICD-10 made it much less likely that Influenza & Pneumonia would be selected as the underlying cause of death (see explanation below):

Changes to Mortality Data Classifications: ICD-9 to ICD-10 Comparability Ratios

Effective with 1999 deaths, the Tenth Revision of the International Classification of Diseases (ICD-10) replaced the ICD-9, which had been used since 1979. The first ICD was developed in 1900 to promote international comparability and standards in the collection, classification, processing and presentation of health statistics. It represented a collaborative effort of the World Health Organization (WHO), the National Center for Health Statistics (NCHS) in the US Department of Health and Human Services and nine other international centers. The United States is required to use the ICD under an agreement with WHO.

It is important to revise the ICD periodically to reflect advances in medical science and changes in medical diagnoses. While such revisions are essential to monitor the population's health, such changes have implications for mortality trend analysis.

The ICD-10 differs substantially from ICD-9 in the following ways:

- ICD-10 includes much more detail - 8,000 categories vs. 4,000 in ICD-9.
- ICD-10 uses alphanumeric codes, rather than the numeric codes used in the past
- Cause-of-death titles have been changed, e.g., “Chronic obstructive pulmonary disease” has been re-titled “Chronic lower respiratory disease”
- Medical conditions have been transferred to other classifications, e.g., “Drugs causing adverse effects in therapeutic use” has been removed from the category “Accidents” and placed in a new category entitled “Complications of medical and surgical care”
- Some coding and classification rules have been changed, e.g., “Pneumonia” is much less likely to be selected as the cause of death under ICD-10 rules.

For the above-listed reasons, direct comparisons of causes of death between 1999 and previous years are problematic. To assist data users in understanding these discontinuities, NCHS has developed comparability ratios that can be applied to mortality data from 1994-1998 for most causes of death. In cases where ratios were considered unreliable, NCHS did not publish comparability ratios. For more information on comparability ratios, see “National Vital Statistics Reports, Volume 49, Number 2, May 18, 2001” available on the NCHS web site <http://www2.cdc.gov/nchs>

The purpose of a comparability ratio is to measure whether the difference in the number of deaths in a particular cause-of-death category is a reflection of a true change or a result of the change in the classification system. While most causes have a comparability ratio of 1.00 indicating a close match, others, e.g., Alzheimer’s Disease (1.55) and Influenza & Pneumonia (0.6982) have less comparable ratios. The larger the variance from 1.00, the greater the discontinuity in the trend for the specific public health problem causing the death.

In order to compare death rates from certain causes for the years 1999-forward with the death rates for a year or years during the period 1979-1998, the estimated number of deaths from those causes during the early period must be derived by the use of comparability ratios, which were computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. The comparability ratios are the number of deaths classified to a given cause by the Tenth Revision divided by the number of deaths classified to that cause by the Ninth Revision. Comparability ratios have been published by the National Center for Health Statistics in the *National Vital Statistics Report*, Vol. 49, No. 2, May 18, 2001 and appear in *Table 7 of the Rhode Island Annual Report of Vital Statistics*.

STEP 4: ANALYZING THE DATA

The first three steps have been fairly mechanical:

- (1) Choose the correct events and the correct group to determine the number of events which took place for the geographical areas and time periods.
- (2) Calculate the rates.
- (3) Compare these rates to determine if the differences are statistically significant.

NOW the vital statistician must begin to ask the difficult questions. If we find that two rates are statistically significantly different, how can we find out why they are different? If the differences which we expected did not prove to be significant, is there another item which perhaps is masking an actual difference? Frequently the statistician has to refine the research question and begin all over again.

INTRODUCTION

2000

VITAL STATISTICS SUMMARY

Table A, shown below, compares vital statistics data and average rates for the five-year period 1996-2000 with average rates for the years 1986-1990. Rates averaged over five years reduce the effect of random fluctuations that may occur when comparing single years.

TABLE A - VITAL STATISTICS SUMMARY: RHODE ISLAND, 1996-2000 and 1986-1990 (Birth and Mortality Data are for RI Residents; Fetal Death, Marriage and Divorce Data are for RI Occurrences)					
	1996-2000		1986-1990		Percent change in rate
	Number	Rate	Number	Rate	
Live Births#	12,512	12.7	14,301	14.4	-11.8
Deaths#	9,741	9.9	9,653	9.7	2.1
Infant Mortality*	78	6.2	127	8.9	-30.3
Neonatal Mortality*	60	4.8	92	6.4	-28.1
Perinatal Mortality**	93	7.4	130	9.1	-18.7
Maternal Mortality***	1	0.8	1	0.7	14.3
Fetal Deaths (of 28 weeks or more Uterogestation)*	40	3.2	52	3.6	-11.1
Marriages#	7,859	8.0	8,194	8.3	-3.6
Divorces#	3,115	3.2	3,708	3.7	-13.5
Population 1998 and 1988 (Estimated)	987,704		993,000		
# Rate per 1,000 Population * Rate per 1,000 Live Births ** Rate per 1,000 Live Births plus Fetal Deaths of 28 Weeks or more Gestation *** Rate per 10,000 Live Births					

Figure 1




Figure 1A - RI Population by Age & Sex, 2000





Figure 1B - RI Population by Age & Sex, 1990



TABLES

2000

TABLE 1 -- UNITED STATES CENSUS: POPULATION OF RHODE ISLAND BY RACE, HISPANIC ORIGIN, AND SEX; AND AGE BY SEX, 2000 AND 1990									
Characteristic	Total Population		Percent Change	Male		Percent Change	Female		
	2000	1990		2000	1990		2000	1990	Percent Change
RACE									
Total	1,048,319	1,003,464	4.5	503,635	481,496	4.6	544,684	521,968	4.4
White	858,433	917,375	-6.4	410,143	438,524	-6.5	448,290	478,851	-6.4
Black	41,922	38,861	7.9	21,106	19,448	8.5	20,816	19,413	7.2
American Indian/Eskimo/Aleut	4,181	4,071	2.7	2,024	1,966	3.0	2,157	2,105	2.5
Asian	23,416	*	*	11,413	*	*	12,003	*	*
Pacific Islander	320	*	*	158	*	*	162	*	*
Other Race	8,411	*	*	3,996	*	*	4,415	*	*
Two or More Races	20,816	*	*	10,030	*	*	10,786	*	*
Hispanic Origin**	90,820	45,752	98.5	44,765	22,849	95.9	46,055	22,903	101.1
AGE IN YEARS									
All Ages	1,048,319	1,003,464	4.5	503,635	481,496	4.6	544,684	521,968	4.4
Under 5	63,896	66,969	-4.6	32,602	34,384	-5.2	31,294	32,585	-4.0
Under 1	12,206	11,668	4.6	6,195	5,977	3.6	6,011	5,691	5.6
1 - 4	51,690	55,301	-6.5	26,407	28,407	-7.0	25,283	26,894	-6.0
5 - 9	71,905	63,731	12.8	36,910	32,916	12.1	34,995	30,815	13.6
10 - 14	71,370	59,406	20.1	36,766	30,261	21.5	34,604	29,145	18.7
15 - 19	75,445	70,862	6.5	38,199	35,764	6.8	37,246	35,098	6.1
20 - 24	71,813	85,080	-15.6	35,595	42,946	-17.1	36,218	42,134	-14.0
25 - 29	64,732	85,852	-24.6	31,792	42,980	-26.0	32,940	42,872	-23.2
30 - 34	75,594	87,772	-13.9	36,821	43,387	-15.1	38,773	44,385	-12.6
35 - 39	85,364	78,576	8.6	41,812	38,891	7.5	43,552	39,685	9.7
40 - 44	84,946	69,041	23.0	41,452	34,329	20.7	43,494	34,712	25.3
45 - 49	75,429	53,383	41.3	36,702	25,984	41.2	38,727	27,399	41.3
50 - 54	66,434	43,042	54.3	32,660	20,597	58.6	33,774	22,445	50.5
55 - 59	49,982	42,077	18.8	24,024	19,842	21.1	25,958	22,235	16.7
60 - 64	39,007	47,126	-17.2	18,298	21,571	-15.2	20,709	25,555	-19.0
65 - 69	36,023	47,210	-23.7	16,408	20,821	-21.2	19,615	26,389	-25.7
70 - 74	37,661	38,406	-1.9	16,143	15,773	2.3	21,518	22,633	-4.9
75 - 79	34,076	29,669	14.9	13,637	10,964	24.4	20,439	18,705	9.3
80 - 84	23,745	19,246	23.4	8,392	6,036	39.0	15,353	13,210	16.2
85 & over	20,897	16,016	30.5	5,422	4,050	33.9	15,475	11,966	29.3
Median Age	36.7	33.9	8.3	35.4	32.4	9.3	38.0	35.4	7.3
65 Years & Over	152,402	150,547	1.2	60,002	57,644	4.1	92,400	92,903	-0.5
* Comparable statistics not available for 1990									
** Persons of Hispanic Origin may be of any race and are not included in total									

Table 1A - RACE AND ETHNICITY RHODE ISLAND (STATE, COUNTY, CITY & TOWN) 2000

Cities and Towns, by County	Total Population	Race								Hispanic or Latino (of any race)
		One Race							Two or more races	
		Total	White	Black or African American	American Indian & Alaska Native	Asian	Native Hawaiian and other Pacific Islander	Some other race		
Barrington	16,819	16,683	16,209	115	19	297	0	43	136	177
Bristol	22,469	22,238	21,826	140	37	151	10	74	231	289
Warren	11,360	11,213	10,999	94	26	57	4	33	147	106
Bristol County	50,648	50,134	49,034	349	82	505	14	150	514	572
Coventry	33,668	33,342	32,859	131	50	187	9	106	326	385
East Greenwich	12,948	12,842	12,383	89	8	324	1	37	106	117
Warwick	85,808	84,706	81,695	996	213	1,281	15	506	1,102	1,372
West Greenwich	5,085	5,035	4,968	14	12	29	0	12	50	35
West Warwick	29,581	29,025	27,740	328	105	420	7	425	556	918
Kent County	167,090	164,950	159,645	1,558	388	2,241	32	1,086	2,140	2,827
Jamestown	5,622	5,575	5,484	44	12	22	0	13	47	50
Little Compton	3,593	3,570	3,548	2	7	8	3	2	23	31
Middletown	17,334	16,912	15,448	819	62	378	19	186	422	508
Newport	26,475	25,564	22,272	2,053	225	353	23	638	911	1,467
Portsmouth	17,149	16,969	16,432	201	33	234	6	63	180	249
Tiverton	15,260	15,140	14,952	65	26	59	5	33	120	104
Newport County	85,433	83,730	78,136	3,184	365	1,054	56	935	1,703	2,409
Burrillville	15,796	15,712	15,569	34	31	34	4	40	84	132
Central Falls	18,928	17,532	10,820	1,101	108	128	8	5,367	1,396	9,041
Cranston	79,269	78,025	70,703	2,926	236	2,599	33	1,528	1,244	3,613
Cumberland	31,840	31,547	30,803	180	25	264	8	267	293	667
East Providence	48,688	46,724	42,111	2,445	225	559	23	1,361	1,964	922
Foster	4,274	4,216	4,157	9	10	25	4	11	58	34
Glocester	9,948	9,880	9,797	34	15	24	0	10	68	65

Table 1A - RACE AND ETHNICITY RHODE ISLAND (STATE, COUNTY, CITY & TOWN) 2000 (continued)

Cities and Towns, by County	Total Population	Race								Hispanic or Latino (of any race)
		One Race							Two or more races	
		Total	White	Black or African American	American Indian & Alaska Native	Asian	Native Hawaiian and other Pacific Islander	Some other race		
Johnston	28,195	27,948	27,254	184	37	304	14	155	247	533
Lincoln	20,898	20,661	19,967	176	16	366	2	134	237	343
North Providence	32,411	31,842	29,812	859	55	598	7	511	569	1,247
North Smithfield	10,618	10,570	10,440	45	22	55	0	8	48	50
Pawtucket	72,958	69,059	55,004	5,334	217	621	42	7,841	3,899	10,141
Providence	173,618	163,063	94,666	25,243	1,975	10,432	270	30,477	10,555	52,146
Scituate	10,324	10,264	10,131	30	7	60	3	33	60	77
Smithfield	20,613	20,468	20,066	165	25	183	3	26	145	191
Woonsocket	43,224	41,865	35,935	1,920	139	1,755	14	2,102	1,359	4,030
Providence County	621,602	599,376	487,235	40,685	3,143	18,007	435	49,871	22,226	83,232
Charlestown	7,859	7,786	7,565	30	99	48	2	42	73	87
Exeter	6,045	5,967	5,825	40	36	45	1	20	78	77
Hopkinton	7,836	7,760	7,587	48	70	34	0	21	76	83
Narragansett	16,361	16,132	15,680	122	148	124	3	55	229	204
New Shoreham	1,010	1,005	988	6	0	8	0	3	5	12
North Kingstown	26,326	25,996	25,196	256	145	251	9	139	330	465
Richmond	7,222	7,144	7,003	29	66	32	0	14	78	89
South Kingstown	27,921	27,403	25,440	437	449	859	15	203	518	493
Westerly	22,966	22,685	21,857	164	130	457	0	77	281	270
Washington County	123,546	121,878	117,141	1,132	1,143	1,858	30	574	1,668	1,780
State Total	1,048,319	1,020,068	891,191	46,908	5,121	23,665	567	52,616	28,251	90,820

Source: U.S. Bureau of the Census

Table 2

POPULATION OF RHODE ISLAND BY STATE, COUNTY AND CITY & TOWN RHODE ISLAND, 1990 & 2000				
Cities and Towns, by County	1990 Population	2000 Population	Numeric Change	Percentage Change
Barrington	15,849	16,819	970	6.1%
Bristol	21,625	22,469	844	3.9%
Warren	11,385	11,360	-25	-0.2%
Bristol County	48,859	50,648	1,789	3.7%
Coventry	31,083	33,668	2,585	8.3%
East Greenwich	11,865	12,948	1,083	9.1%
Warwick	85,427	85,808	381	0.4%
West Greenwich	3,492	5,085	1,593	45.6%
West Warwick	29,268	29,581	313	1.1%
Kent County	161,135	167,090	5,955	3.7%
Jamestown	4,999	5,622	623	12.5%
Little Compton	3,339	3,593	254	7.6%
Middletown	19,460	17,334	-2,126	-10.9%
Newport	28,227	26,475	-1,752	-6.2%
Portsmouth	16,857	17,149	292	1.7%
Tiverton	14,312	15,260	948	6.6%
Newport County	87,194	85,433	-1,761	-2.0%
Burrillville	16,230	15,796	-434	-2.7%
Central Falls	17,637	18,928	1,291	7.3%
Cranston	76,060	79,269	3,209	4.2%
Cumberland	29,038	31,840	2,802	9.6%
East Providence	50,380	48,688	-1,692	-3.4%
Foster	4,316	4,274	-42	-1.0%
Glocester	9,227	9,948	721	7.8%
Johnston	26,542	28,195	1,653	6.2%
Lincoln	18,045	20,898	2,853	15.8%
North Providence	32,090	32,411	321	1.0%
North Smithfield	10,497	10,618	121	1.2%
Pawtucket	72,644	72,958	314	0.4%
Providence	160,728	173,618	12,890	8.0%
Scituate	9,796	10,324	528	5.4%
Smithfield	19,163	20,613	1,450	7.6%
Woonsocket	43,877	43,224	-653	-1.5%
Providence County	596,270	621,602	25,332	4.2%
Charlestown	6,478	7,859	1,381	21.3%
Exeter	5,461	6,045	584	10.7%
Hopkinton	6,873	7,836	963	14.0%
Narragansett	14,985	16,361	1,376	9.2%
New Shoreham	836	1,010	174	20.8%
North Kingstown	23,786	26,326	2,540	10.7%
Richmond	5,351	7,222	1,871	35.0%
South Kingstown	24,631	27,921	3,290	13.4%
Westerly	21,605	22,966	1,361	6.3%
Washington County	110,006	123,546	13,540	12.3%
State Total	1,003,464	1,048,319	44,855	4.5%

Source: U.S. Bureau of the Census

Table created by Mark G. Brown
Rhode Island Statewide Planning

TABLE 3 - NUMBER OF LIVE BIRTHS, DEATHS, AND MARRIAGES WITH RATES BY CITY AND TOWN RHODE ISLAND, 2000 (Rates per 1,000 estimated population)								
	LIVE BIRTHS			DEATHS			MARRIAGES	
	Number		Resident	Number		Resident	Occurrences	
City or Town	Occurrences	Residents	Rate	Occurrences	Residents	Rate	Number	Rate
STATE TOTAL	13,180	12,498	11.9	10,142	10,028	9.6	8,010	7.6
Barrington	1	170	10.1	23	110	6.5	64	3.8
Bristol	0	214	9.5	151	254	11.3	249	11.1
Burrillville	0	159	10.1	138	148	9.4	75	4.7
Central Falls	2	375	19.8	103	188	9.9	72	3.8
Charlestown	0	88	11.2	10	49	6.2	81	10.3
Coventry	1	420	12.5	200	335	10.0	156	4.6
Cranston	1	823	10.4	301	769	9.7	402	5.1
Cumberland	0	327	10.3	113	263	8.3	216	6.8
E Greenwich	0	116	9.0	21	98	7.6	84	6.5
E Providence	1	515	10.6	392	670	13.8	368	7.6
Exeter	0	70	11.6	22	31	5.1	13	2.2
Foster	0	37	8.7	13	32	7.5	26	6.1
Glocester	0	91	9.1	14	60	6.0	48	4.8
Hopkinton	0	77	9.8	12	56	7.1	51	6.5
Jamestown	0	40	7.1	11	41	7.3	103	18.3
Johnston	0	308	10.9	189	331	11.7	103	3.7
Lincoln	0	188	9.0	84	196	9.4	75	3.6
Little Compton	0	38	10.6	12	43	12.0	63	17.5
Middletown	0	224	12.9	121	179	10.3	186	10.7
Narragansett	0	122	7.5	33	116	7.1	178	10.9
Newport	695	318	12.0	343	222	8.4	736	27.8
New Shoreham	0	4	4.0	5	14	13.9	169	167.3
N Kingstown	0	293	11.1	138	212	8.1	206	7.8
N Providence	0	324	10.0	614	390	12.0	114	3.5
N Smithfield	0	104	9.8	95	136	12.8	84	7.9
Pawtucket	766	999	13.7	575	742	10.2	516	7.1
Portsmouth	1	173	10.1	36	120	7.0	160	9.3
Providence	8,934	2,801	16.1	3,457	1,439	8.3	1,342	7.7
Richmond	0	100	13.8	10	35	4.8	38	5.3
Scituate	0	89	8.6	32	70	6.8	50	4.8
Smithfield	0	159	7.7	185	241	11.7	146	7.1
S Kingstown	560	246	8.8	296	184	6.6	158	5.7
Tiverton	1	153	10.0	38	146	9.6	80	5.2
Warren	0	117	10.3	97	164	14.4	69	6.1
Warwick	1,195	917	10.7	1,181	961	11.2	715	8.3
Westerly	455	246	10.7	351	236	10.3	278	12.1
W Greenwich	0	41	8.1	3	18	3.5	36	7.1
W Warwick	1	434	14.7	111	280	9.5	229	7.7
Woonsocket	566	578	13.4	612	449	10.4	271	6.3

**TABLE 4 - POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES WITH
RATES PER 1,000 POPULATION: RHODE ISLAND, 1971-2000**

Year	Population Estimates (Except Census Years)	Resident Live Births Number	Rate	Resident Total Deaths Number	Rate	Rhode Island Occurrences			
						Marriages Number	Rate	Divorces Number	Rate
1971	960,000	14,903	15.5	9,377	9.8	7,589	7.9	1,803	1.9
1972	968,000	13,288	13.7	9,519	9.8	7,858	8.1	2,018	2.1
1973	967,000	12,275	12.7	9,476	9.8	7,715	8.0	2,409	2.5
1974	940,300	11,337	12.1	9,089	9.7	7,255	7.7	2,522	2.7
1975	927,000	10,724	11.6	8,866	9.6	6,695	7.2	2,658	2.9
1976	927,000	10,786	11.6	9,168	9.9	6,905	7.4	3,276	3.5
1977	935,000	11,617	12.4	9,034	9.7	7,114	7.6	3,420	3.7
1978	935,000	11,515	12.3	8,847	9.5	7,277	7.8	3,475	3.7
1979	929,300	11,860	12.8	9,060	9.7	7,366	7.9	3,603	3.9
1980	947,154	12,166	12.8	9,300	9.8	7,490	7.9	3,593	3.8
1981	952,000	12,430	13.1	9,138	9.6	7,559	7.9	3,413	3.6
1982	958,000	12,499	13.0	8,975	9.4	7,885	8.2	3,619	3.8
1983	955,000	12,576	13.2	9,286	9.7	8,053	8.4	3,525	3.7
1984	961,881	12,647	13.1	9,422	9.8	7,971	8.3	3,642	3.8
1985	968,200	12,996	13.4	9,636	10.0	8,011	8.3	3,698	3.8
1986	975,000	13,324	13.7	9,712	10.0	8,103	8.3	3,684	3.8
1987	986,000	14,041	14.2	9,702	9.8	8,056	8.2	3,684	3.7
1988	993,000	14,179	14.3	9,724	9.8	8,410	8.5	3,794	3.8
1989	998,000	14,769	14.8	9,550	9.6	8,266	8.3	3,626	3.6
1990	1,003,464	15,190	15.1	9,578	9.5	8,134	8.1	3,754	3.7
1991	1,003,464	14,732	14.7	9,391	9.4	7,538	7.5	3,335	3.3
1992	1,001,344	14,500	14.5	9,468	9.5	7,260	7.3	3,581	3.6
1993	999,579	13,974	14.0	9,779	9.8	7,131	7.1	3,359	3.4
1994	996,112	13,467	13.7	9,406	9.4	6,990	7.0	3,235	3.2
1995	991,701	12,765	12.9	9,653	9.7	7,390	7.5	3,674	3.7
1996	990,225	12,649	12.8	9,544	9.6	7,933	8.0	3,234	3.3
1997	987,263	12,450	12.6	9,820	9.9	8,074	8.2	3,171	3.2
1998	987,704	12,598	12.8	9,607	9.7	7,508	7.6	3,263	3.3
1999	990,819	12,364	12.5	9,706	9.8	7,769	7.8	2,841	2.9
2000	1,048,319	12,498	11.9	10,028	9.6	8,010	7.6	3,066	2.9

**TABLE 5 - NUMBER OF INFANT, NEONATAL, PERINATAL AND MATERNAL DEATHS WITH RATES
RHODE ISLAND RESIDENTS, 1971-2000**

	INFANT DEATHS (Under One Year)		NEONATAL DEATHS (Under 28 Days)		PERINATAL DEATHS						MATERNAL DEATHS	
					Early Infants (Under 7 Days)		Late Fetal Deaths (28 Weeks & Over)		Total Perinatal			
Year	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate#
1971	289	19.4	231	15.5	210	14.1	113	7.6	323	21.5	2	1.3
1972	257	19.3	194	14.6	176	13.2	93	7.0	269	20.1	0	---
1973	206	16.8	164	13.4	154	12.5	72	5.9	226	18.3	1	0.8
1974	176	15.5	137	12.1	124	10.9	79	7.0	203	17.8	1	0.9
1975	156	14.5	108	10.1	93	8.7	81	7.6	174	16.1	1	0.9
1976	155	14.4	121	11.2	106	9.8	74	6.9	180	16.6	1	0.9
1977	139	12.0	94	8.1	77	6.6	70	6.0	147	12.6	0	---
1978	158	13.7	121	10.5	99	8.6	61	5.3	160	13.8	2	1.7
1979	167	14.1	119	10.0	101	8.5	74	6.2	175	14.7	0	---
1980	133	10.9	102	8.4	86	7.1	72	5.9	158	12.9	2	1.6
1981	145	11.7	114	9.2	96	7.7	63	5.1	159	12.7	0	---
1982	125	10.0	100	8.0	86	6.9	58	4.6	144	11.5	1	0.8
1983	145	11.5	113	9.0	98	7.8	51	4.1	149	11.8	1	0.8
1984	125	9.9	89	7.0	74	5.9	57	4.5	131	10.3	1	0.8
1985	106	8.2	78	6.0	63	4.8	57	4.4	120	9.2	0	---
1986	125	9.4	87	6.5	71	5.3	57	4.3	128	9.6	1	0.8
1987	118	8.4	85	6.1	71	5.1	48	3.4	119	8.4	0	---
1988	116	8.2	87	6.1	71	5.0	51	3.6	122	8.6	1	0.7
1989	151	10.2	113	7.6	96	6.5	66	4.5	162	10.9	1	0.7
1990	123	8.1	90	5.9	81	5.3	40	2.6	121	7.9	1	0.7
1991	118	8.0	83	5.6	65	4.4	43	2.9	108	7.3	0	---
1992	107	7.4	79	5.4	69	4.8	56	3.9	125	8.6	1	0.7
1993	102	7.3	69	4.9	60	4.3	51	3.6	111	7.9	0	---
1994	68	5.0	49	3.6	44	3.3	45	3.3	89	6.6	0	---
1995	91	7.1	73	5.7	57	4.5	33	2.6	90	7.0	1	0.8
1996	66	5.2	50	4.0	43	3.4	37	2.9	80	6.3	0	---
1997	88	7.1	70	5.6	61	4.9	34	2.7	95	7.6	2	1.6
1998	88	7.0	64	5.1	59	4.7	46	3.6	105	8.3	0	---
1999	70	5.7	53	4.3	48	3.9	35	2.8	83	6.7	2	1.6
2000	79	6.3	63	5.0	57	4.6	47	3.8	104	8.3	1	0.8

* Rate per 1,000 Live Births

** Rate per 1,000 Live Births combined with Late Fetal Deaths

Rate per 10,000 Live Births

Table 6 - Resident Deaths by City or Town of Residence by Age, Race and Sex
Rhode Island - 2000

All																		
City or Town	Total*	Under																
Rhode Island	10028	One	1- 4	5- 9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
		79	8	13	12	39	50	98	309	513	360	416	651	1012	1514	1677	1638	1635
Barrington	110	0	0	0	0	0	2	2	3	4	2	4	8	13	21	19	18	14
Bristol	254	2	0	0	0	1	0	1	5	6	7	7	16	36	45	40	47	41
Burrillville	148	1	0	1	0	0	2	4	8	10	5	8	7	19	16	20	26	21
Central Falls	188	3	0	0	0	0	0	4	7	13	4	11	12	15	19	30	30	40
Charlestown	49	0	0	0	0	0	0	0	2	4	0	3	5	1	12	12	8	2
Coventry	335	1	1	2	0	1	1	2	9	18	12	12	18	34	59	69	51	45
Cranston	769	1	0	0	0	1	3	4	24	35	23	40	54	72	118	131	138	125
Cumberland	263	4	0	0	0	0	1	1	7	8	4	8	18	28	50	50	43	41
East Greenwich	98	1	0	0	0	0	0	1	1	4	5	6	7	11	12	19	14	17
East Providence	670	0	0	0	0	2	2	1	23	27	19	17	39	64	104	125	118	129
Exeter	31	0	0	1	0	0	0	0	0	4	3	2	1	1	3	3	3	10
Foster	32	1	0	0	0	0	0	0	2	1	1	2	2	4	5	3	6	5
Glocester	60	0	0	0	0	1	1	1	0	1	8	5	2	10	10	6	8	7
Hopkinton	56	0	0	0	0	0	1	1	2	3	1	3	6	3	15	5	7	9
Jamestown	41	0	0	0	0	1	0	0	2	6	0	1	2	5	5	12	4	3
Johnston	331	3	0	0	0	2	1	1	10	17	10	8	22	29	49	54	51	74
Lincoln	196	2	0	0	0	0	0	3	4	8	4	6	13	21	41	37	31	26
Little Compton	43	1	0	0	0	0	0	0	0	1	2	3	6	7	4	7	8	4
Middletown	179	2	0	0	0	1	1	1	6	10	7	7	10	17	21	20	28	48
Narragansett	116	1	0	0	0	1	0	2	1	5	8	5	11	18	17	19	15	13
Newport	222	0	0	1	0	1	0	3	6	12	12	8	7	21	32	43	37	39
New Shoreham	14	0	0	0	0	0	0	0	1	0	1	1	1	1	1	5	3	0
North Kingstown	212	0	0	0	1	0	0	2	3	12	9	6	16	22	38	33	31	39
North Providence	390	3	1	0	0	0	1	3	10	18	12	19	28	40	63	76	68	48
North Smithfield	136	0	0	0	0	0	0	0	2	4	2	7	6	10	20	27	22	36
Pawtucket	742	8	1	1	0	3	6	11	32	44	18	32	51	77	126	107	115	110
Portsmouth	120	1	1	0	0	1	0	3	1	5	7	11	7	17	18	16	17	15
Providence	1439	28	2	6	4	15	18	26	67	102	62	57	96	121	175	195	230	231
Richmond	35	0	0	0	0	1	1	1	2	1	2	3	1	3	6	6	5	3
Scituate	70	0	0	0	1	1	0	0	3	3	4	2	6	10	14	11	5	10
Smithfield	241	0	0	0	0	1	1	1	7	10	5	9	8	16	40	40	63	40
South Kingstown	184	1	0	0	0	0	1	2	2	4	8	9	10	18	33	34	25	37
Tiverton	146	0	1	0	0	0	0	1	4	5	4	5	16	22	24	26	18	20
Warren	164	2	0	0	1	0	0	2	2	8	4	6	11	15	29	30	25	29
Warwick	961	6	1	1	2	0	3	6	25	40	48	38	62	96	146	169	167	151
Westerly	236	1	0	0	1	2	1	6	6	11	11	5	12	22	27	44	48	39
West Greenwich	18	0	0	0	0	0	0	0	0	2	1	0	1	6	2	4	0	2
West Warwick	280	3	0	0	1	2	0	1	11	17	16	18	23	38	38	51	33	28
Woonsocket	449	3	0	0	1	1	3	1	9	30	9	22	30	49	56	79	72	84

* Total may include records with unknown age

Table 6 - Resident Deaths by City or Town of Residence by Age, Race and Sex
Rhode Island - 2000

White Males

City or Town	Total*	Under One	1- 4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Rhode Island	4376	37	2	6	7	25	28	57	177	272	187	218	345	541	768	723	597	386
Barrington	56	0	0	0	0	0	2	2	1	3	1	1	5	9	9	11	10	2
Bristol	138	1	0	0	0	1	0	1	3	4	3	6	12	27	27	21	21	11
Burrillville	62	0	0	0	0	0	2	4	5	6	2	7	3	7	7	7	10	2
Central Falls	73	1	0	0	0	0	0	3	3	8	4	8	7	8	7	11	7	6
Charlestown	20	0	0	0	0	0	0	0	1	3	0	1	3	1	5	5	1	0
Coventry	157	0	0	2	0	1	0	2	7	12	7	6	9	22	32	30	17	10
Cranston	334	1	0	0	0	0	3	1	13	16	15	16	32	38	57	58	59	25
Cumberland	123	3	0	0	0	0	1	1	5	5	1	7	10	15	24	23	19	9
East Greenwich	50	1	0	0	0	0	0	0	1	2	4	3	3	6	7	10	7	6
East Providence	268	0	0	0	0	1	1	1	11	17	7	9	19	33	45	56	43	25
Exeter	13	0	0	1	0	0	0	0	0	1	2	1	1	1	1	2	1	2
Foster	16	1	0	0	0	0	0	0	1	1	1	1	2	2	3	2	1	1
Glocester	31	0	0	0	0	0	0	0	0	1	6	4	1	7	6	2	3	1
Hopkinton	33	0	0	0	0	0	1	0	1	2	1	2	2	3	10	4	3	4
Jamestown	24	0	0	0	0	1	0	0	1	4	0	1	1	3	1	7	2	3
Johnston	139	3	0	0	0	0	1	0	5	7	6	5	9	12	31	26	22	12
Lincoln	91	0	0	0	0	0	0	1	3	6	2	4	9	12	23	15	12	4
Little Compton	17	0	0	0	0	0	0	0	0	1	1	0	3	4	3	2	2	1
Middletown	70	1	0	0	0	1	0	1	2	3	5	3	5	7	10	11	6	15
Narragansett	62	0	0	0	0	1	0	2	1	1	3	2	4	12	8	13	8	7
Newport	90	0	0	0	0	1	0	3	2	5	4	6	3	11	16	14	15	10
New Shoreham	8	0	0	0	0	0	0	0	1	0	0	0	1	1	1	4	0	0
North Kingstown	86	0	0	0	1	0	0	0	0	8	5	2	8	10	17	12	12	11
North Providence	183	2	0	0	0	0	0	2	5	13	7	11	17	20	32	33	31	10
North Smithfield	56	0	0	0	0	0	0	0	2	3	2	6	4	4	11	11	4	9
Pawtucket	315	4	0	1	0	3	2	8	18	23	11	14	27	30	62	51	37	24
Portsmouth	61	0	0	0	0	1	0	0	1	3	5	5	5	8	13	9	6	5
Providence	547	10	0	1	1	6	11	14	37	39	23	23	45	53	80	76	76	52
Richmond	19	0	0	0	0	1	1	0	1	1	1	2	1	3	3	2	2	1
Scituate	34	0	0	0	1	1	0	0	3	2	2	0	4	7	7	4	1	2
Smithfield	102	0	0	0	0	1	1	0	3	7	2	8	4	10	21	14	21	10
South Kingstown	80	0	0	0	0	0	0	2	1	1	3	6	5	11	16	15	14	6
Tiverton	81	0	1	0	0	0	0	0	2	4	4	2	10	18	14	13	9	4
Warren	70	2	0	0	1	0	0	1	2	3	2	3	6	9	13	13	7	8
Warwick	424	3	1	1	1	0	1	2	18	24	26	19	29	50	74	75	60	40
Westerly	120	1	0	0	1	2	0	4	4	5	5	4	7	13	18	19	19	18
West Greenwich	6	0	0	0	0	0	0	0	0	1	1	0	0	3	0	1	0	0
West Warwick	123	2	0	0	0	2	0	1	6	11	8	7	9	22	23	17	8	7
Woonsocket	194	1	0	0	1	1	1	1	7	16	5	13	20	29	31	24	21	23

*Total May Include Records with Unknown Age

Table 6 - Resident Deaths by City or Town of Residence by Age, Race and Sex
Rhode Island - 2000

White Females

City or Town	Total*	Under One	1- 4	5- 9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Rhode Island	5231	26	4	3	1	4	12	27	100	187	155	168	272	427	706	909	1014	1216
Barrington	53	0	0	0	0	0	0	0	1	1	1	3	3	4	12	8	8	12
Bristol	114	1	0	0	0	0	0	0	2	2	4	0	4	9	17	19	26	30
Burrillville	86	1	0	1	0	0	0	0	3	4	3	1	4	12	9	13	16	19
Central Falls	110	2	0	0	0	0	0	1	2	5	0	3	5	6	12	19	21	34
Charlestown	27	0	0	0	0	0	0	0	1	1	0	2	2	0	6	7	7	1
Coventry	175	1	1	0	0	0	1	0	2	6	5	5	8	12	27	38	34	35
Cranston	416	0	0	0	0	0	0	1	8	16	8	23	20	29	61	73	79	98
Cumberland	140	1	0	0	0	0	0	0	2	3	3	1	8	13	26	27	24	32
East Greenwich	45	0	0	0	0	0	0	1	0	2	0	3	3	5	4	9	7	11
East Providence	346	0	0	0	0	0	0	0	9	4	10	5	16	23	54	61	69	95
Exeter	18	0	0	0	0	0	0	0	0	3	1	1	0	0	2	1	2	8
Foster	16	0	0	0	0	0	0	0	1	0	0	1	0	2	2	1	5	4
Glocester	29	0	0	0	0	1	1	1	0	0	2	1	1	3	4	4	5	6
Hopkinton	21	0	0	0	0	0	0	1	1	1	0	1	4	0	4	1	4	4
Jamestown	17	0	0	0	0	0	0	0	1	2	0	0	1	2	4	5	2	0
Johnston	188	0	0	0	0	1	0	1	4	8	4	3	13	17	18	28	29	62
Lincoln	103	2	0	0	0	0	0	2	1	2	2	2	4	9	18	21	18	22
Little Compton	26	1	0	0	0	0	0	0	0	0	1	3	3	3	1	5	6	3
Middletown	105	1	0	0	0	0	1	0	4	5	2	4	5	10	11	9	21	32
Narragansett	50	1	0	0	0	0	0	0	0	3	4	3	6	6	9	6	6	6
Newport	117	0	0	0	0	0	0	0	4	5	8	2	4	7	11	27	21	28
New Shoreham	6	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	3	0
North Kingstown	121	0	0	0	0	0	0	2	3	3	4	3	8	12	20	19	19	28
North Providence	200	0	1	0	0	0	1	1	5	5	5	8	11	20	31	39	36	37
North Smithfield	78	0	0	0	0	0	0	0	0	1	0	1	1	6	9	15	18	27
Pawtucket	398	2	0	0	0	0	1	1	12	19	7	15	24	43	61	53	77	83
Portsmouth	59	1	1	0	0	0	0	3	0	2	2	6	2	9	5	7	11	10
Providence	664	7	1	2	0	2	2	3	10	31	27	18	30	45	77	99	142	168
Richmond	16	0	0	0	0	0	0	1	1	0	1	1	0	0	3	4	3	2
Scituate	35	0	0	0	0	0	0	0	0	1	2	2	2	3	7	6	4	8
Smithfield	138	0	0	0	0	0	0	1	4	3	3	1	4	6	18	26	42	30
South Kingstown	101	1	0	0	0	0	1	0	1	3	5	2	5	7	16	18	11	31
Tiverton	63	0	0	0	0	0	0	1	2	1	0	3	5	4	10	13	8	16
Warren	91	0	0	0	0	0	0	0	0	5	2	3	4	6	15	17	18	21
Warwick	529	1	0	0	0	0	1	4	7	16	21	18	33	46	71	94	107	110
Westerly	114	0	0	0	0	0	1	2	2	5	6	1	5	9	9	24	29	21
West Greenwich	12	0	0	0	0	0	0	0	0	1	0	0	1	3	2	3	0	2
West Warwick	156	1	0	0	1	0	0	0	5	6	7	11	14	16	15	34	25	21
Woonsocket	248	2	0	0	0	0	2	0	2	12	4	7	9	20	25	55	51	59

* Total May Include Records with Unknown Age

Table 6 - Resident Deaths by City or Town of Residence by Age, Race and Sex
Rhode Island - 2000

Non White Males

City or Town	Total*	Under One	1- 4	5- 9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Rhode Island	221	9	1	3	2	7	8	10	21	31	15	14	16	21	16	21	13	13
Barrington	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Bristol	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Burrillville	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Central Falls	4	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2	0
Charlestown	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Coventry	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Cranston	13	0	0	0	0	0	0	1	2	2	0	1	2	3	0	0	0	2
Cumberland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
East Greenwich	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
East Providence	28	0	0	0	0	0	1	0	1	5	2	2	2	4	0	6	3	2
Exeter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Foster	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Glocester	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hopkinton	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Jamestown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Johnston	3	0	0	0	0	1	0	0	0	2	0	0	0	0	0	0	0	0
Lincoln	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
Little Compton	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Middletown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Narragansett	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Newport	7	0	0	1	0	0	0	0	0	0	0	0	0	3	2	1	0	0
New Shoreham	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
North Kingstown	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
North Providence	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1
North Smithfield	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Pawtucket	17	1	0	0	0	0	3	1	1	0	0	2	0	3	2	2	0	2
Portsmouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Providence	116	6	1	2	2	6	3	8	14	18	9	5	8	8	10	5	7	4
Richmond	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Scituate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Smithfield	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
South Kingstown	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Tiverton	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Warren	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Warwick	6	2	0	0	0	0	1	0	0	0	1	1	0	0	1	0	0	0
Westerly	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
West Greenwich	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
West Warwick	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Woonsocket	5	0	0	0	0	0	0	0	0	2	0	2	1	0	0	0	0	0

* Total May Include Records with Unknown Age

Table 6 - Resident Deaths by City or Town of Residence by Age, Race and Sex
Rhode Island - 2000

Non White Females

City or Town	Total*	Under One	1- 4	5- 9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Rhode Island	186	6	1	1	1	2	2	4	11	21	3	16	16	23	23	24	13	19
Barrington	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bristol	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Burrillville	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Central Falls	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Charlestown	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Coventry	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Cranston	6	0	0	0	0	1	0	1	1	1	0	0	0	2	0	0	0	0
Cumberland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
East Greenwich	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
East Providence	25	0	0	0	0	0	0	0	2	1	0	1	1	4	5	2	2	7
Exeter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Foster	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Glocester	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hopkinton	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Jamestown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Johnston	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Little Compton	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Middletown	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1
Narragansett	3	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0
Newport	8	0	0	0	0	0	0	0	0	2	0	0	0	0	3	1	1	1
New Shoreham	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
North Kingstown	3	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0
North Providence	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
North Smithfield	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Pawtucket	12	1	1	0	0	0	0	1	1	2	0	1	0	1	1	1	1	1
Portsmouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Providence	105	4	0	1	1	1	2	1	6	13	3	11	13	15	7	15	5	7
Richmond	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Scituate	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Smithfield	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
South Kingstown	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
Tiverton	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Warren	3	0	0	0	0	0	0	1	0	0	0	0	1	0	1	0	0	0
Warwick	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Westerly	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
West Greenwich	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
West Warwick	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Woonsocket	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

* Total May Include Records with Unknown Age

Table 6 - Resident Deaths by City or Town of Residence by Age, Race and Sex
Rhode Island - 2000

Race and/or Sex
Unknown

City or Town	Total	Under One	1- 4	5- 9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Rhode Island	14	1	0	0	1	1	0	0	0	2	0	0	2	0	1	0	1	1
Barrington	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bristol	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Burrillville	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Central Falls	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Charlestown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Coventry	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cranston	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cumberland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
East Greenwich	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
East Providence	3	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	1	0
Exeter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Foster	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Glocester	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hopkinton	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Jamestown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Johnston	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Little Compton	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Middletown	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Narragansett	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Newport	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
New Shoreham	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
North Kingstown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
North Providence	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
North Smithfield	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pawtucket	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Portsmouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Providence	7	1	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
Richmond	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Scituate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Smithfield	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
South Kingstown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tiverton	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Warren	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Warwick	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Westerly	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
West Greenwich	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
West Warwick	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Woonsocket	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

* Total May Include Records with Unknown Age

TABLE 7 - DEATHS AND DEATH RATES FOR LEADING CAUSES IN 2000 (ICD-10, 1992)
AND FOR COMPARABLE CAUSES* (ICD-9) FOR 1995-1999
(Rhode Island Residents, Rates per 100,000 Population)

Rank	Cause of Death Category, ICD 10	2000 Number	2000 Rate	1999 Number	1999 Rate	Comparability Ratios*	1998 Number	1998 Rate	1997 Number	1997 Rate	1996 Number	1996 Rate	1995 Number	1995 Rate
1.	Diseases of Heart [I00-I09, I11, I13, I20-I51]	3114	297.0	3007	303.5	0.9858	3072	331.0	3264	329.8	3306	333.4	3306	333.4
2.	Malignant neoplasms [C00-C97]	2432	232.0	2466	248.9	1.0068	2482	251.3	2467	249.9	2518	254.3	2477	249.8
3.	Cerebrovascular diseases [I60-I69]	581	55.4	632	63.8	1.0588	593	60.0	685	69.4	590	59.6	641	64.6
4.	Chronic lower respiratory diseases [J40-J47]	499	47.6	497	50.2	1.0478	454	46.0	431	43.7	416	41.9	380	38.1
5.	Influenza and pneumonia [J10-J18]	343	32.7	301	30.4	0.6982	383	38.8	326	33.0	323	32.6	309	31.2
6.	Diabetes mellitus [E10-E14]	291	27.8	236	23.8	1.0082	261	26.4	275	27.9	266	26.9	244	24.6
7.	Alzheimer's disease [G30]	242	23.1	219	22.1	1.5536	127	12.9	113	11.4	100	10.1	121	12.2
8.	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	234	22.3	241	24.3	1.0305	241	24.4	241	24.3	207	20.9	214	21.6
9.	Septicemia [A40-A41]	139	13.3	85	8.6	1.1949	67	6.8	93	9.4	72	7.3	94	9.5
10.	Chronic liver disease & cirrhosis [K70, K73-K74]	128	12.2	119	12.0	1.0367	102	10.3	118	12.0	102	10.3	118	11.9
11.	Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]	122	11.6	109	11.0	1.2320	94	9.5	99	10.0	91	9.2	82	8.3
12.	Atherosclerosis [I70]	83	7.9	76	7.7	0.9637	67	6.8	64	6.5	47	4.7	70	7.1
13.	Pneumonitis due to solids and liquids [J69]	74	7.1	58	5.9	1.1185	40	4.0	46	4.7	36	3.6	35	3.5
13.	Intentional self-harm (suicide) [U03, X60-X84, Y87.0]	74	7.1	97	9.8	0.9962	86	8.7	71	7.2	88	8.9	89	9.0
15.	Aortic aneurysm & dissection [I71]	72	6.9	58	5.9	1.0012	63	6.4	80	8.1	86	8.7	60	6.1
16.	Certain conditions arising in the perinatal period [P00-P96]	55	5.2	40	4.0	1.2658	47	4.8	46	4.7	29	2.9	39	3.9
17.	Benign neoplasms**[D00-D48]	50	4.8	44	4.4	1.6744	30	3.0	34	3.4	34	3.4	30	3.0
18.	Parkinson's disease [G20-G21]	41	3.9	55	5.6	1.0012	67	6.8	38	3.8	49	4.9	38	3.8
18.	Essential (primary) hypertension & hypertensive renal disease [I10-I12]	41	3.9	52	5.2	1.1192	47	4.8	33	3.3	35	3.5	38	3.8
20.	Human immunodeficiency virus (HIV) Disease [B20-B24]	40	3.8	33	3.3	1.0637	26	2.6	41	4.2	67	6.8	99	10.0

*Caution should be observed in comparing 1999 cause-of-death numbers and rates with previous years because of major classification changes resulting from the adoption of the ICD-10 International Classification of Diseases. For an explanation of Changes to Mortality Classifications effective with 1999 data, refer to the Technical Notes section of this report.

**For complete category title, see Tenth Revision, International Classification of Diseases, 1992.

TABLE 8 - SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS*, WITH AVERAGE RATES, 1996-2000

Neighborhood by CITY or TOWN	Census Tracts**	2000 Population***	<u>DEATHS</u>		<u>INFANT DEATHS</u>		<u>LIVE BIRTHS</u>		<u>OUT OF WEDLOCK</u>		<u>LOW BIRTH WGHT</u>	
			Num.	Avg. Rate (A)	Num.	Avg. Rate (B)	Num.	Avg. Rate (A)	Num.	Ratio (B)	Num.	Ratio (B)
RHODE ISLAND	ALL	1,048,319	48,705	9.3	390	6.2	62,559	11.9	21,240	339.5	4,566	73.0
BARRINGTON	301-304	16,819	558	6.6	1	1.2	821	9.8	44	53.6	42	51.2
BRISTOL	307-309	22,469	1,171	10.4	5	4.4	1,129	10.0	222	196.6	80	70.9
BURRILLVILLE	129,130	15,796	686	8.7	5	6.2	802	10.2	179	223.2	56	69.8
CENTRAL FALLS	108-111	18,928	919	9.7	13	7.6	1,701	18.0	1,012	594.9	143	84.1
CHARLESTOWN	511	7,859	281	7.2	1	2.3 (C)	437	11.1	97	222.0 (C)	26	59.5 (C)
COVENTRY	206,207	33,668	1,501	8.9	4	2.0	1,954	11.6	405	207.3	123	62.9
CRANSTON	134-148	79,269	3,843	9.7	20	4.8	4,158	10.5	971	233.5	298	71.7
Edgewood-Pawtuxet	134-136	12,217	543	8.9	2	2.8	717	11.7	208	290.1	48	66.9
Auburn	137,138,140	17,584	918	10.4	6	5.8	1,031	11.7	238	230.8	72	69.8
Garden City-Dean Estates	139,143,144	11,919	730	12.2	0	0.0 (C)	465	7.8	42	90.3 (C)	35	75.3 (C)
Arlington-Knightsville	141,147	11,614	658	11.3	7	9.7	721	12.4	328	454.9	55	76.3
West Cranston	145,146,148	20,218	812	8.0	4	3.7	1,090	10.8	110	100.9	73	67.0
State Institutions-Pettaconsett	142	5,717	176	6.2	1	7.5 (C)	133	4.7	44	330.8 (C)	15	112.8 (C)
CUMBERLAND	112-114	31,840	1,260	7.9	11	6.6	1,676	10.5	268	159.9	113	67.4
North	114	18,265	684	7.5	2	2.2	926	10.1	85	91.8	56	60.5
South	112,113	13,575	576	8.5	9	12.0	750	11.0	183	244.0	57	76.0
EAST GREENWICH	209	12,948	440	6.8	3	5.2	572	8.8	66	115.4	36	62.9
EAST PROVIDENCE	101-107	50,380	3,136	12.4	14	5.5	2,550	10.1	785	307.8	170	66.7
North	101	7,319	397	10.8	5	12.9 (C)	387	10.6	66	170.5 (C)	39	100.8 (C)
North Center	102,103	11,120	884	15.9	2	3.5	573	10.3	205	357.8	38	66.3
South Center	104,105	16,540	1,073	13.0	4	4.5	889	10.7	311	349.8	59	66.4
South	106,107	13,709	781	11.4	3	4.3	700	10.2	203	290.0	34	48.6
EXETER	505	6,045	183	6.1	1	2.8 (C)	353	11.7	74	209.6 (C)	12	34.0 (C)
FOSTER	133	4,274	140	6.6 (F)	2	10.0 (C)	200	9.4 (F)	28	140.0 (C)	13	65.0 (C)
GLOCESTER	131	9,948	301	6.1	3	6.3 (C)	479	9.6	70	146.1 (C)	28	58.5 (C)
HOPKINTON	507	7,836	294	7.5	2	4.2 (C)	475	12.1	110	231.6 (C)	38	80.0 (C)
JAMESTOWN	413	5,622	221	7.9	0	0.0 (C)	200	7.1	16	80.0 (C)	15	75.0 (C)
JOHNSTON	122-125	28,195	1,551	11.0	9	5.9	1,527	10.8	328	214.8	111	72.7
LINCOLN	115-117	18,045	924	10.2	6	6.1	988	11.0	167	169.0	59	59.7
North	115	6,186	317	10.2	2	6.3 (C)	316	10.2	76	240.5 (C)	22	69.6 (C)
South	116,117	14,712	604	8.2	4	6.0	672	9.1	91	135.4	37	55.1

TABLE 8 - SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS*, WITH AVERAGE RATES, 1996-2000

Neighborhood by CITY or TOWN	Census Tracts**	2000 Population***	<u>DEATHS</u>		<u>INFANT DEATHS</u>		<u>LIVE BIRTHS</u>		<u>OUT OF WEDLOCK</u>		<u>LOW BIRTH WGT</u>	
			Num.	Avg. Rate (A)	Num.	Avg. Rate (B)	Num.	Avg. Rate (A)	Num.	Ratio (B)	Num.	Ratio (B)
LITTLE COMPTON	414	3,593	171	9.5 (F)	1	5.7 (C)	176	9.8 (F)	24	136.4 (C)	9	51.1 (C)
MIDDLETOWN	402-404	17,334	851	9.8	6	5.4	1,109	12.8	176	158.7	44	39.7
NARRAGANSETT	515	16,361	545	6.7	2	2.9	695	8.5	144	207.2	53	76.3
NEWPORT	405-412	26,475	1,183	8.9	7	4.3	1,635	12.4	688	420.8	105	64.2
North	405,406,410-412	14,761	599	8.1	3	2.7	1,125	15.2	591	525.3	74	65.8
South	407-409	11,714	580	9.9	4	7.9	506	8.6	96	189.7	31	61.3
NEW SHOREHAM	415	1,005	58	11.5 (F)	1	16.1 (C)	62	12.3 (F)	15	241.9 (C)	4	64.5 (C)
NORTH KINGSTOWN	501-504	26,326	1,038	7.9	3	2.0	1,511	11.5	261	172.7	75	49.6
NORTH PROVIDENCE	118-121	32,411	1,933	11.9	17	10.6	1,601	9.9	420	262.3	141	88.1
NORTH SMITHFIELD	128	10,618	607	11.4	1	1.9	534	10.1	79	147.9	42	78.7
PAWTUCKET	149-171**	72,644	3,525	9.7	42	8.3	5,050	13.9	2,493	493.7	392	77.6
Fairlawn	150,163	7,091	299	8.4	2	4.4 (C)	458	12.9	192	419.2 (C)	46	100.4 (C)
Woodlawn-Downtown	149,151,152,161,164	17,141	832	9.7	6	4.0	1,505	17.6	983	653.2	114	75.7
Oakhill	165,166	5,847	288	9.9	6	16.6 (C)	362	12.4	125	345.3 (C)	40	110.5 (C)
Pleasant View-East Side	153,154,160,167,171	15,696	665	8.5	14	11.0	1,274	16.2	695	545.5	108	84.8
North Darlington	155-159	17,257	775	9.0	11	11.0	1,003	11.6	382	380.9	56	55.8
South Darlington	168-170	9,798	662	13.5	3	6.7 (C)	446	9.1	115	257.8 (C)	28	62.8 (C)
PORTSMOUTH	401	17,149	574	6.7	4	4.2	954	11.1	107	112.2	54	56.6
PROVIDENCE	001-037**	173,618	7,102	8.2	132	9.8	13,489	15.5	7,566	560.9	1,207	89.5
Washington Park	001	9,986	144	2.9	5	12.2 (C)	409	8.2	208	508.6 (C)	40	97.8 (C)
Elmwood	002,003	13,823	317	4.6	12	12.4	970	14.0	589	607.2	104	107.2
So. Providence (D)	004-007	10,709	280	5.2	8	13.9	577	10.8	414	717.5	60	104.0
Federal Hill-Olneyville	008-011,019	15,768	498	6.3	9	10.9	826	10.5	530	641.6	72	87.2
West End	012-015	17,149	315	3.7	8	7.8	1,025	12.0	685	668.3	91	88.8
Annex-Manton	016-018,020	21,915	482	4.4	15	13.2	1,135	10.4	667	587.7	93	81.9
Elmhurst-Upper Mt. Pleasant	021,023,024	21,076	628	6.0	6	8.5	709	6.7	255	359.7	51	71.9
Smith Hill-Lower Mt. Pleasant	022,025,026	10,981	194	3.5	6	9.3	645	11.7	441	683.7	61	94.6
Eagle Park-Wanskuck	027-029	17,631	472	5.4	5	6.1	814	9.2	456	560.2	72	88.5
Hope	030-033	12,002	441	7.3	3	6.3 (C)	478	8.0	162	338.9 (C)	31	64.9 (C)
East Side	034,035	9,480	271	5.7	4	14.0 (C)	286	6.0	23	80.4 (C)	31	108.4 (C)
College Hill-Fox Point	036,037	13,098	159	2.4	0	0.0 (C)	125	1.9	36	288.0 (C)	11	88.0 (C)
Inner City (E)	003-007,009,014,019											
	025,026,031,037	46,107	2,219	9.6	51	9.6	5,321	23.1	3,555	668.1	474	89.1

TABLE 8 - SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS*, WITH AVERAGE RATES, 1996-2000

Neighborhood by CITY or TOWN	Census Tracts**	2000 Population***	<u>DEATHS</u>		<u>INFANT DEATHS</u>		<u>LIVE BIRTHS</u>		<u>OUT OF WEDLOCK</u>		<u>LOW BIRTH WGT</u>	
			Num.	Avg. Rate (A)	Num.	Avg. Rate (B)	Num.	Avg. Rate (A)	Num.	Ratio (B)	Num.	Ratio (B)
RICHMOND	506	7,222	190	5.3	2	4.2 (C)	480	13.3	81	168.8 (C)	26	54.2 (C)
SCITUATE	132	10,324	350	6.8	1	1.9	513	9.9	62	120.9	34	66.3
SMITHFIELD	126,127	20,613	1,050	10.2	1	1.2	853	8.3	109	127.8	41	48.1
SOUTH KINGSTOWN	512-514	27,921	953	6.8	6	4.5	1,326	9.5	238	179.5	78	58.8
TIVERTON	416,417	15,260	620	8.1	2	2.7	733	9.6	144	196.5	34	46.4
WARREN	305,306	11,360	693	12.2	3	5.0	595	10.5	154	258.8	48	80.7
WARWICK	210-224	85,808	4,774	11.1	28	6.2	4,529	10.6	994	219.5	316	69.8
Lakewood-Spring Green	210,212,213	16,825	986	11.7	8	8.8	907	10.8	168	185.2	59	65.0
Norwood-Hillsgrove	211,214	13,610	765	11.2	4	5.5	727	10.7	169	232.5	42	57.8
Greenwood-Pontiac	221,223	9,651	680	14.1	2	4.6 (C)	431	8.9	102	236.7 (C)	39	90.5 (C)
Buttonwoods	219	11,080	608	11.0	5	8.4	592	10.7	118	199.3	48	81.1
Oakland Beach-Warwick Neck	215-218	18,627	855	9.2	5	4.3	1,163	12.5	336	288.9	81	69.6
Cowesett-Potowomut	220,222,224	15,988	872	10.9	4	5.7	705	8.8	101	143.3	47	66.7
WESTERLY	508-510	22,966	1,160	10.1	4	2.9	1,380	12.0	365	264.5	78	56.5
WEST GREENWICH	208	5,085	106	4.2	0	0.0 (C)	303	11.9	38	125.4 (C)	12	39.6 (C)
WEST WARWICK	201-205	29,581	1,373	9.3	13	6.4	2,027	13.7	742	366.1	162	79.9
WOONSOCKET	172-185**	43,224	2,410	11.2	14	4.7	2,982	13.8	1,498	502.3	248	83.2
Fairmount-Central	172,174,176	7,215	390	10.8	2	2.9	684	19.0	420	614.0	55	80.4
Globe-North End	173,175	6,708	270	8.1	2	4.8 (C)	420	12.5	134	319.0 (C)	24	57.1 (C)
Bernon	177-179	9,545	597	12.5	7	11.4	613	12.8	283	461.7	54	88.1
Social	180-183	10,082	567	11.2	2	2.9	694	13.8	404	582.1	60	86.5
East Woonsocket	184,185	9,674	585	12.1	1	1.8	567	11.7	255	449.7	54	95.2

* THE SUM OF NEIGHBORHOOD FIGURES WILL NOT ALWAYS EQUAL THE CITY OR TOWN TOTAL BECAUSE TOTALS INCLUDE ITEMS WITH CENSUS TRACTS UNKNOWN

** CENSUS TRACTS 030, 149, AND 172 WERE ELIMINATED IN THE 2000 CENSUS

*** THE SUM OF POPULATION FIGURES WILL NOT ALWAYS EQUAL CITY OR TOWN TOTALS BECAUSE OF SAMPLING ERROR

(A) AVERAGE RATE PER 1,000 POPULATION ACCORDING TO THE 1990 CENSUS

(B) AVERAGE RATIO PER 1,000 LIVE BIRTHS 1993-1997

(C) RATE BASED ON A DENOMINATOR OF LESS THAN 500 LIVE BIRTHS AND MAY BE STATISTICALLY UNRELIABLE

(D) SOUTH PROVIDENCE IS ALSO REFERRED TO AS 'MODEL CITY AREA'

(E) PROVIDENCE 'INNER CITY' GROUPING INCLUDES CENSUS TRACTS THAT ALSO APPEAR IN OTHER NEIGHBORHOOD GROUPINGS

(F) RATE BASED ON A DENOMINATOR OF LESS THAN 5,000 POPULATION AND MAY BE STATISTICALLY UNRELIABLE

TABLE 9 - NUMBER OF BIRTHS OUT OF WEDLOCK, WITH RATIO PER 1,000 LIVE BIRTHS: RHODE ISLAND, 1977-2000 (RHODE ISLAND RESIDENTS)								
Year	Number	Ratio	Year	Number	Ratio	Year	Number	Ratio
1977	1,577	135.7	1985	2,543	195.7	1993	4,433	317.2
1978	1,623	140.9	1986	2,640	198.1	1994	4,320	320.8
1979	1,704	143.7	1987	3,050	217.2	1995	3,966	310.7
1980	1,904	156.5	1988	3,254	229.5	1996	4,203	332.3
1981	1,966	158.2	1989	3,685	249.5	1997	4,110	330.1
1982	2,009	160.7	1990	3,988	262.5	1998	4,259	338.1
1983	2,220	176.5	1991	4,078	276.8	1999	4,239	342.9
1984	2,241	177.2	1992	4,287	295.7	2000	4,429	354.4

TABLE 10 - RESIDENT BIRTHS OUT OF WEDLOCK, WITH RATIO PER 1,000 TOTAL BIRTHS IN SPECIFIED AGE GROUP: RHODE ISLAND 1991-2000							
Year		Total	AGE OF MOTHER IN YEARS				
			Under 20	20-24	25-29	30-34	35 and Up
1991	Number*	4,078	1,216	1,508	827	382	145
	Ratio	276.8	846.2	445.1	173.3	103.3	100.8
1992	Number*	4,287	1,212	1,666	813	412	183
	Ratio	295.7	859	504.5	179.7	111.9	115.7
1993	Number	4,433	1,295	1,645	871	434	188
	Ratio	317.2	887.6	546.3	207.2	118	116
1994	Number	4,320	1,271	1,587	850	418	194
	Ratio	320.8	890.1	556.5	213.5	117.8	117
1995	Number	3,966	1,160	1,391	779	404	232
	Ratio	310.7	897.8	550.2	213.1	113.7	133.6
1996	Number*	4,203	1,204	1,528	829	411	231
	Ratio	332.3	914.9	608	235.4	117.1	129.3
1997	Number	4,110	1,189	1,480	807	434	200
	Ratio	330.1	889.3	602.4	235.3	127	110.6
1998	Number	4,259	1,187	1,589	807	430	246
	Ratio	338.1	894.5	629.6	243.1	124.5	124.7
1999	Number	4,239	1,113	1,525	888	471	242
	Ratio	342.9	897.6	614.4	270	138.5	124
2000	Number	4,429	1,174	1,681	862	422	290
	Ratio	354.4	917.9	647	264.8	125.6	144.5

TABLE 11A - RESIDENT LIVE BIRTHS BY RACE AND AGE OF MOTHER, SEX
AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 2000

RACE & AGE OF MOTHER; SEX OF CHILD	LIVE BIRTH ORDER (NUMBER OF BIRTHS)									EIGHTH & OVER	UNKNOWN
	TOTAL*	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH			
ALL AGES											
TOTAL	12498	5127	4102	2022	694	257	98	39	33		126
WHITE MALE	5623	2338	1903	914	288	86	36	11	10		37
WHITE FEMALE	5097	2132	1711	802	267	94	33	15	12		31
NON-WHITE MALE	874	324	248	158	71	37	12	8	6		10
NON-WHITE FEMALE	838	323	231	142	67	40	15	5	5		10
UNKNOWN MALE	32	3	3	4	0	0	1	0	0		21
UNKNOWN FEMALE	34	7	6	2	1	0	1	0	0		17
UNDER 15 YEARS											
TOTAL	29	27	0	0	0	0	0	0	0		2
WHITE MALE	10	9	0	0	0	0	0	0	0		1
WHITE FEMALE	7	7	0	0	0	0	0	0	0		0
NON-WHITE MALE	7	7	0	0	0	0	0	0	0		0
NON-WHITE FEMALE	4	4	0	0	0	0	0	0	0		0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0		1
15 YEARS											
TOTAL	58	54	2	0	0	0	0	0	0		2
WHITE MALE	25	25	0	0	0	0	0	0	0		0
WHITE FEMALE	16	13	1	0	0	0	0	0	0		2
NON-WHITE MALE	9	8	1	0	0	0	0	0	0		0
NON-WHITE FEMALE	8	8	0	0	0	0	0	0	0		0
16 YEARS											
TOTAL	124	119	1	2	0	0	0	0	0		2
WHITE MALE	51	49	0	2	0	0	0	0	0		0
WHITE FEMALE	47	46	1	0	0	0	0	0	0		0
NON-WHITE MALE	19	17	0	0	0	0	0	0	0		2
NON-WHITE FEMALE	7	7	0	0	0	0	0	0	0		0
17 YEARS											
TOTAL	233	204	24	2	0	0	0	0	0		3
WHITE MALE	88	79	8	0	0	0	0	0	0		1
WHITE FEMALE	96	82	13	0	0	0	0	0	0		1
NON-WHITE MALE	26	23	2	0	0	0	0	0	0		1
NON-WHITE FEMALE	23	20	1	2	0	0	0	0	0		0

TABLE 11A - RESIDENT LIVE BIRTHS BY RACE AND AGE OF MOTHER, SEX
AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 2000

RACE & AGE OF MOTHER; SEX OF CHILD	LIVE BIRTH ORDER (NUMBER OF BIRTHS)									EIGHTH & OVER	UNKNOWN
	TOTAL*	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH			
18 YEARS											
TOTAL	360	272	66	17	3	1	0	0	0	0	1
WHITE MALE	146	104	36	6	0	0	0	0	0	0	0
WHITE FEMALE	136	109	16	7	3	1	0	0	0	0	0
NON-WHITE MALE	45	31	11	3	0	0	0	0	0	0	0
NON-WHITE FEMALE	31	27	3	1	0	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	1
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0	0
19 YEARS											
TOTAL	475	320	121	28	1	0	0	0	0	0	5
WHITE MALE	196	131	52	11	1	0	0	0	0	0	1
WHITE FEMALE	191	136	45	9	0	0	0	0	0	0	1
NON-WHITE MALE	36	22	10	4	0	0	0	0	0	0	0
NON-WHITE FEMALE	48	29	14	3	0	0	0	0	0	0	2
UNKNOWN MALE	1	0	0	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	3	2	0	0	0	0	0	0	0	0	1
20 YEARS											
TOTAL	486	295	138	41	7	2	0	0	0	0	3
WHITE MALE	216	133	56	21	4	0	0	0	0	0	2
WHITE FEMALE	167	106	48	11	0	2	0	0	0	0	0
NON-WHITE MALE	46	26	15	2	3	0	0	0	0	0	0
NON-WHITE FEMALE	54	29	18	7	0	0	0	0	0	0	0
UNKNOWN MALE	2	1	0	0	0	0	0	0	0	0	1
UNKNOWN FEMALE	1	0	1	0	0	0	0	0	0	0	0
21 YEARS											
TOTAL	510	260	163	66	15	5	0	0	0	0	1
WHITE MALE	219	113	66	33	7	0	0	0	0	0	0
WHITE FEMALE	196	110	58	21	6	1	0	0	0	0	0
NON-WHITE MALE	57	20	24	8	1	4	0	0	0	0	0
NON-WHITE FEMALE	37	17	15	4	1	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	1
22 YEARS											
TOTAL	498	237	167	63	19	6	0	0	1	1	5
WHITE MALE	214	96	82	28	6	0	0	0	0	0	2
WHITE FEMALE	188	98	58	21	6	3	0	0	0	0	2
NON-WHITE MALE	56	24	17	8	5	2	0	0	0	0	0
NON-WHITE FEMALE	38	19	9	6	2	1	0	0	1	1	0
UNKNOWN FEMALE	2	0	1	0	0	0	0	0	0	0	1

TABLE 11A - RESIDENT LIVE BIRTHS BY RACE AND AGE OF MOTHER, SEX
AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 2000

RACE & AGE OF MOTHER; SEX OF CHILD	TOTAL*	LIVE BIRTH ORDER (NUMBER OF BIRTHS)							EIGHTH & OVER	UNKNOWN
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH		
23 YEARS										
TOTAL	548	243	173	98	19	9	3	0	0	3
WHITE MALE	229	118	66	37	6	1	1	0	0	0
WHITE FEMALE	221	93	77	37	5	6	1	0	0	2
NON-WHITE MALE	46	14	15	12	3	1	1	0	0	0
NON-WHITE FEMALE	51	17	15	12	5	1	0	0	0	1
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
24 YEARS										
TOTAL	556	218	194	90	34	10	5	0	0	5
WHITE MALE	218	90	76	38	11	1	2	0	0	0
WHITE FEMALE	236	92	90	33	12	5	2	0	0	2
NON-WHITE MALE	49	15	11	10	8	2	1	0	0	2
NON-WHITE FEMALE	51	21	17	7	3	2	0	0	0	1
UNKNOWN MALE	1	0	0	1	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	1	0	0	0	0	0	0
25-29 YEARS										
TOTAL	3255	1326	1051	546	193	67	34	7	5	26
WHITE MALE	1449	613	492	216	80	22	15	2	2	7
WHITE FEMALE	1348	580	430	226	72	22	8	2	1	7
NON-WHITE MALE	232	66	66	59	23	10	4	2	2	0
NON-WHITE FEMALE	207	66	59	42	18	13	6	1	0	2
UNKNOWN MALE	10	1	1	2	0	0	0	0	0	6
UNKNOWN FEMALE	9	0	3	1	0	0	1	0	0	4
30-34 YEARS										
TOTAL	3359	1088	1279	635	205	68	21	15	10	38
WHITE MALE	1615	547	624	301	88	26	8	4	4	13
WHITE FEMALE	1406	466	553	258	85	21	8	5	2	8
NON-WHITE MALE	162	37	49	37	17	10	3	4	3	2
NON-WHITE FEMALE	160	37	52	39	15	11	2	2	1	1
UNKNOWN MALE	9	0	1	0	0	0	0	0	0	8
UNKNOWN FEMALE	7	1	0	0	0	0	0	0	0	6
35-39 YEARS										
TOTAL	1692	386	610	372	164	75	30	14	12	29
WHITE MALE	794	185	293	189	72	28	9	5	3	10
WHITE FEMALE	716	168	270	155	64	30	11	6	7	5
NON-WHITE MALE	68	13	21	9	11	6	3	1	1	3
NON-WHITE FEMALE	101	18	24	19	17	11	6	2	1	3
UNKNOWN MALE	6	0	1	0	0	0	1	0	0	4
UNKNOWN FEMALE	7	2	1	0	0	0	0	0	0	4

TABLE 11A - RESIDENT LIVE BIRTHS BY RACE AND AGE OF MOTHER, SEX
AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 2000

RACE & AGE OF MOTHER; SEX OF CHILD	LIVE BIRTH ORDER (NUMBER OF BIRTHS)									EIGHTH & OVER	UNKNOWN
	TOTAL*	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH			
40-44 YEARS											
TOTAL	302	73	111	61	33	13	4	2	4	1	
WHITE MALE	150	44	51	32	13	8	1	0	1	0	
WHITE FEMALE	120	25	50	23	13	2	2	2	2	1	
NON-WHITE MALE	15	1	6	6	0	2	0	0	0	0	
NON-WHITE FEMALE	16	3	4	0	6	1	1	0	1	0	
UNKNOWN FEMALE	1	0	0	0	1	0	0	0	0	0	
45-49 YEARS											
TOTAL	13	5	2	1	1	1	1	1	1	0	
WHITE MALE	3	2	1	0	0	0	0	0	0	0	
WHITE FEMALE	6	1	1	1	1	1	1	0	0	0	
NON-WHITE MALE	1	0	0	0	0	0	0	1	0	0	
NON-WHITE FEMALE	2	1	0	0	0	0	0	0	1	0	
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0	

* TOTALS MAY INCLUDED BIRTHS OF UNKNOWN SEX.

TABLE 12A - RESIDENT BIRTHS OUT OF WEDLOCK BY RACE AND AGE OF MOTHER; SEX
AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 2000

RACE & AGE OF MOTHER; SEX OF CHILD	LIVE BIRTH ORDER OF CHILD									
	TOTAL*	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	4429	2178	1113	637	255	111	53	16	19	47
WHITE MALE	1780	910	445	247	103	35	18	2	6	14
WHITE FEMALE	1638	841	419	228	82	31	13	6	6	12
NON-WHITE MALE	527	219	131	86	41	25	9	6	4	6
NON-WHITE FEMALE	461	203	113	72	29	20	12	2	3	7
UNKNOWN MALE	12	2	2	3	0	0	0	0	0	5
UNKNOWN FEMALE	11	3	3	1	0	0	1	0	0	3
UNDER 15 YEARS										
TOTAL	27	26	0	0	0	0	0	0	0	1
WHITE MALE	9	8	0	0	0	0	0	0	0	1
WHITE FEMALE	7	7	0	0	0	0	0	0	0	0
NON-WHITE MALE	7	7	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	4	4	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	57	53	2	0	0	0	0	0	0	2
WHITE MALE	24	24	0	0	0	0	0	0	0	0
WHITE FEMALE	16	13	1	0	0	0	0	0	0	2
NON-WHITE MALE	9	8	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	8	8	0	0	0	0	0	0	0	0
16 YEARS										
TOTAL	122	117	1	2	0	0	0	0	0	2
WHITE MALE	51	49	0	2	0	0	0	0	0	0
WHITE FEMALE	45	44	1	0	0	0	0	0	0	0
NON-WHITE MALE	19	17	0	0	0	0	0	0	0	2
NON-WHITE FEMALE	7	7	0	0	0	0	0	0	0	0
17 YEARS										
TOTAL	221	193	23	2	0	0	0	0	0	3
WHITE MALE	85	76	8	0	0	0	0	0	0	1
WHITE FEMALE	87	74	12	0	0	0	0	0	0	1
NON-WHITE MALE	26	23	2	0	0	0	0	0	0	1
NON-WHITE FEMALE	23	20	1	2	0	0	0	0	0	0

TABLE 12A - RESIDENT BIRTHS OUT OF WEDLOCK BY RACE AND AGE OF MOTHER; SEX
AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 2000

RACE & AGE OF MOTHER; SEX OF CHILD	LIVE BIRTH ORDER OF CHILD								EIGHTH & OVER	UNKNOWN
	TOTAL*	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH		
18 YEARS										
TOTAL	330	252	60	13	3	1	0	0	0	1
WHITE MALE	132	95	33	4	0	0	0	0	0	0
WHITE FEMALE	122	100	13	5	3	1	0	0	0	0
NON-WHITE MALE	44	30	11	3	0	0	0	0	0	0
NON-WHITE FEMALE	30	26	3	1	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
19 YEARS										
TOTAL	417	287	101	23	1	0	0	0	0	5
WHITE MALE	168	115	43	8	1	0	0	0	0	1
WHITE FEMALE	165	120	37	7	0	0	0	0	0	1
NON-WHITE MALE	34	21	9	4	0	0	0	0	0	0
NON-WHITE FEMALE	46	29	12	3	0	0	0	0	0	2
UNKNOWN MALE	1	0	0	1	0	0	0	0	0	0
UNKNOWN FEMALE	3	2	0	0	0	0	0	0	0	1
20 YEARS										
TOTAL	400	240	117	34	7	0	0	0	0	2
WHITE MALE	177	108	46	17	4	0	0	0	0	2
WHITE FEMALE	130	84	38	8	0	0	0	0	0	0
NON-WHITE MALE	42	23	14	2	3	0	0	0	0	0
NON-WHITE FEMALE	49	24	18	7	0	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	1	0	0	0	0	0	0	0
21 YEARS										
TOTAL	365	202	99	48	13	3	0	0	0	0
WHITE MALE	155	86	39	25	5	0	0	0	0	0
WHITE FEMALE	136	85	33	11	6	1	0	0	0	0
NON-WHITE MALE	47	17	19	8	1	2	0	0	0	0
NON-WHITE FEMALE	27	14	8	4	1	0	0	0	0	0
22 YEARS										
TOTAL	329	159	104	42	14	5	0	0	1	4
WHITE MALE	131	64	46	14	5	0	0	0	0	2
WHITE FEMALE	119	60	36	14	5	2	0	0	0	2
NON-WHITE MALE	48	20	14	8	4	2	0	0	0	0
NON-WHITE FEMALE	30	15	7	6	0	1	0	0	1	0
UNKNOWN FEMALE	1	0	1	0	0	0	0	0	0	0

TABLE 12A - RESIDENT BIRTHS OUT OF WEDLOCK BY RACE AND AGE OF MOTHER; SEX
AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 2000

RACE & AGE OF MOTHER; SEX OF CHILD	LIVE BIRTH ORDER OF CHILD									
	TOTAL*	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS										
TOTAL	323	134	93	67	16	9	2	0	0	2
WHITE MALE	128	63	34	23	6	1	1	0	0	0
WHITE FEMALE	125	52	41	22	3	6	0	0	0	1
NON-WHITE MALE	33	10	8	11	2	1	1	0	0	0
NON-WHITE FEMALE	37	9	10	11	5	1	0	0	0	1
24 YEARS										
TOTAL	264	96	83	52	20	7	4	0	0	2
WHITE MALE	87	31	26	21	6	1	2	0	0	0
WHITE FEMALE	107	39	41	17	7	2	1	0	0	0
NON-WHITE MALE	34	10	6	8	6	2	1	0	0	1
NON-WHITE FEMALE	36	16	10	6	1	2	0	0	0	1
25-29 YEARS										
TOTAL	862	248	245	199	89	37	25	5	4	10
WHITE MALE	331	111	90	64	37	11	11	1	1	5
WHITE FEMALE	324	98	96	84	27	9	5	1	1	3
NON-WHITE MALE	108	19	30	30	14	9	2	2	2	0
NON-WHITE FEMALE	92	19	28	18	11	8	6	1	0	1
UNKNOWN MALE	4	1	0	2	0	0	0	0	0	1
UNKNOWN FEMALE	3	0	1	1	0	0	1	0	0	0
30-34 YEARS										
TOTAL	422	97	115	100	54	26	7	7	8	8
WHITE MALE	183	43	51	47	25	10	2	1	3	1
WHITE FEMALE	146	37	43	37	17	4	2	3	2	1
NON-WHITE MALE	49	10	11	8	5	8	2	3	2	0
NON-WHITE FEMALE	38	7	9	8	7	4	1	0	1	1
UNKNOWN MALE	4	0	1	0	0	0	0	0	0	3
UNKNOWN FEMALE	2	0	0	0	0	0	0	0	0	2
35-39 YEARS										
TOTAL	249	64	61	48	32	18	12	3	6	5
WHITE MALE	100	31	25	18	13	8	2	0	2	1
WHITE FEMALE	96	24	25	21	11	6	3	2	3	1
NON-WHITE MALE	23	4	4	3	6	1	3	0	0	2
NON-WHITE FEMALE	29	5	6	6	2	3	4	1	1	1
UNKNOWN MALE	1	0	1	0	0	0	0	0	0	0

TABLE 12A - RESIDENT BIRTHS OUT OF WEDLOCK BY RACE AND AGE OF MOTHER; SEX
AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 2000

RACE & AGE OF MOTHER; SEX OF CHILD	LIVE BIRTH ORDER OF CHILD									UNKNOWN
	TOTAL*	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	
40-44 YEARS										
TOTAL	39	10	9	7	6	5	2	0	0	0
WHITE MALE	19	6	4	4	1	4	0	0	0	0
WHITE FEMALE	12	4	2	2	3	0	1	0	0	0
NON-WHITE MALE	3	0	2	1	0	0	0	0	0	0
NON-WHITE FEMALE	5	0	1	0	2	1	1	0	0	0
45-49 YEARS										
TOTAL	2	0	0	0	0	0	1	1	0	0
WHITE FEMALE	1	0	0	0	0	0	1	0	0	0
NON-WHITE MALE	1	0	0	0	0	0	0	1	0	0

* TOTALS MAY INCLUDE BIRTHS OF UNKNOWN SEX.

TABLE 13A - RESIDENT LIVE BIRTHS BY AGE AND RACE OF MOTHER, AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 2000

RACE AND AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	1000 OR LESS	1001- 1500	1501- 2000	BIRTH WEIGHT IN GRAMS*						
						2001- 2500	2501- 3000	3001- 3500	3501- 4000	4000- 4500	4501- 5000	5001- & OVER
ALL AGES												
TOTAL	12498	899	109	85	214	491	1897	4545	3740	1187	175	18
WHITE	10720	690	80	60	162	388	1559	3874	3299	1093	163	17
NON-WHITE	1712	201	27	23	49	102	333	648	422	91	11	1
RACE UNKNOWN	66	8	2	2	3	1	5	23	19	3	1	0
UNDER 15 YEARS												
TOTAL	29	1	1	0	0	0	9	9	7	1	0	0
WHITE	17	1	1	0	0	0	6	4	5	1	0	0
NON-WHITE	11	0	0	0	0	0	3	5	2	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
15 YEARS												
TOTAL	58	9	1	1	2	5	7	25	12	4	0	0
WHITE	41	2	1	0	0	1	6	16	12	4	0	0
NON-WHITE	17	7	0	1	2	4	1	9	0	0	0	0
16 YEARS												
TOTAL	124	18	1	3	3	11	33	42	21	6	2	0
WHITE	98	11	0	2	1	8	23	36	19	5	2	0
NON-WHITE	26	7	1	1	2	3	10	6	2	1	0	0
17 YEARS												
TOTAL	233	23	3	3	5	12	51	91	57	9	2	0
WHITE	184	18	2	2	3	11	46	65	47	7	1	0
NON-WHITE	49	5	1	1	2	1	5	26	10	2	1	0
18 YEARS												
TOTAL	360	35	9	3	1	22	80	133	85	22	2	1
WHITE	282	21	7	0	0	14	56	113	71	19	0	1
NON-WHITE	76	14	2	3	1	8	24	19	14	3	1	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	0	0	1	0

TABLE 13A - RESIDENT LIVE BIRTHS BY AGE AND RACE OF MOTHER, AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 2000

RACE AND AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	1000 OR LESS	1001- 1500	1501- 2000	BIRTH WEIGHT IN GRAMS*						
						2001- 2500	2501- 3000	3001- 3500	3501- 4000	4000- 4500	4501- 5000	5001- & OVER
19 YEARS												
TOTAL	475	40	6	2	11	21	81	200	122	30	2	0
WHITE	387	24	4	1	8	11	61	165	107	28	2	0
NON-WHITE	84	16	2	1	3	10	19	34	13	2	0	0
RACE UNKNOWN	4	0	0	0	0	0	1	1	2	0	0	0
20 YEARS												
TOTAL	486	41	4	3	8	26	102	186	123	29	3	0
WHITE	383	32	3	2	6	21	75	144	105	24	3	0
NON-WHITE	100	9	1	1	2	5	26	41	18	5	0	0
RACE UNKNOWN	3	0	0	0	0	0	1	1	0	0	0	0
21 YEARS												
TOTAL	510	37	4	5	6	22	83	223	126	34	5	0
WHITE	415	26	2	5	2	17	68	175	112	28	5	0
NON-WHITE	94	11	2	0	4	5	15	48	14	6	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
22 YEARS												
TOTAL	498	33	3	2	7	21	79	187	149	44	5	0
WHITE	402	27	1	0	6	20	61	153	118	37	5	0
NON-WHITE	94	4	2	1	0	1	18	34	31	7	0	0
RACE UNKNOWN	2	2	0	1	1	0	0	0	0	0	0	0
23 YEARS												
TOTAL	548	38	5	5	9	19	90	202	162	40	14	0
WHITE	450	26	2	2	7	15	73	162	140	34	13	0
NON-WHITE	97	12	3	3	2	4	17	40	21	6	1	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0
24 YEARS												
TOTAL	556	40	2	3	8	27	110	201	161	41	2	0
WHITE	454	33	1	3	8	21	87	163	131	38	2	0
NON-WHITE	100	7	1	0	0	6	23	38	28	3	0	0
RACE UNKNOWN	2	0	0	0	0	0	0	0	2	0	0	0

TABLE 13A - RESIDENT LIVE BIRTHS BY AGE AND RACE OF MOTHER, AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 2000

RACE AND AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS*									
			1000 OR LESS	1001- 1500	1501- 2000	2001- 2500	2501- 3000	3001- 3500	3501- 4000	4000- 4500	4501- 5000	5001- & OVER
25-29 YEARS												
TOTAL	3255	199	27	21	41	110	485	1193	998	318	49	5
WHITE	2797	150	23	15	31	81	394	1029	873	295	45	4
NON-WHITE	439	48	4	5	10	29	90	154	120	22	4	1
RACE UNKNOWN	19	1	0	1	0	0	1	10	5	1	0	0
30-34 YEARS												
TOTAL	3359	216	25	19	60	112	414	1198	1059	395	58	9
WHITE	3021	185	18	16	55	96	361	1062	968	374	55	9
NON-WHITE	322	28	5	3	4	16	52	129	89	20	3	0
RACE UNKNOWN	16	3	2	0	1	0	1	7	2	1	0	0
35-39 YEARS												
TOTAL	1692	140	16	12	41	71	224	564	548	186	24	3
WHITE	1510	110	13	9	25	63	201	504	494	173	23	3
NON-WHITE	169	28	3	3	15	7	22	58	48	12	1	0
RACE UNKNOWN	13	2	0	0	1	1	1	2	6	1	0	0
40-44 YEARS												
TOTAL	302	27	2	1	12	12	49	85	106	28	6	0
WHITE	270	22	2	1	10	9	41	78	96	26	6	0
NON-WHITE	31	5	0	0	2	3	8	6	10	2	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
45-49 YEARS												
TOTAL	13	2	0	2	0	0	0	6	4	0	1	0
WHITE	9	2	0	2	0	0	0	5	1	0	1	0
NON-WHITE	3	0	0	0	0	0	0	1	2	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 14A - RESIDENT PLURAL LIVE BIRTHS BY AGE AND RACE OF MOTHER, AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 2000

RACE AND AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	1000 OR LESS	1001- 1500	1501- 2000	BIRTH WEIGHT IN GRAMS*						
						2001- 2500	2501- 3000	3001- 3500	3501- 4000	4000- 4500	4501- 5000	5001- & OVER
ALL AGES TOTAL	375	203	30	23	70	80	117	49	5	0	0	0
WHITE	327	166	24	21	57	64	110	45	5	0	0	0
NON-WHITE	44	33	4	2	12	15	7	4	0	0	0	0
RACE UNKNOWN	4	4	2	0	1	1	0	0	0	0	0	0
17 YEARS TOTAL	4	2	1	1	0	0	2	0	0	0	0	0
WHITE	4	2	1	1	0	0	2	0	0	0	0	0
18 YEARS TOTAL	16	10	8	1	1	0	4	2	0	0	0	0
WHITE	12	6	6	0	0	0	4	2	0	0	0	0
NON-WHITE	4	4	2	1	1	0	0	0	0	0	0	0
19 YEARS TOTAL	12	10	2	0	5	3	2	0	0	0	0	0
WHITE	8	6	2	0	3	1	2	0	0	0	0	0
NON-WHITE	4	4	0	0	2	2	0	0	0	0	0	0
20 YEARS TOTAL	12	6	0	1	2	3	6	0	0	0	0	0
WHITE	12	6	0	1	2	3	6	0	0	0	0	0
21 YEARS TOTAL	4	2	0	0	0	2	0	2	0	0	0	0
WHITE	4	2	0	0	0	2	0	2	0	0	0	0
22 YEARS TOTAL	5	2	0	0	0	2	2	1	0	0	0	0
WHITE	5	2	0	0	0	2	2	1	0	0	0	0

TABLE 14A - RESIDENT PLURAL LIVE BIRTHS BY AGE AND RACE OF MOTHER, AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 2000

RACE AND AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	1000 OR LESS	1001- 1500	1501- 2000	BIRTH WEIGHT IN GRAMS*						
						2001- 2500	2501- 3000	3001- 3500	3501- 4000	4000- 4500	4501- 5000	5001- & OVER
23 YEARS												
TOTAL	10	4	0	1	1	2	4	2	0	0	0	0
WHITE	6	2	0	0	0	2	3	1	0	0	0	0
NON-WHITE	4	2	0	1	1	0	1	1	0	0	0	0
24 YEARS												
TOTAL	12	8	0	0	4	4	3	1	0	0	0	0
WHITE	12	8	0	0	4	4	3	1	0	0	0	0
25-29 YEARS												
TOTAL	95	47	7	6	13	21	35	12	1	0	0	0
WHITE	75	34	7	6	11	10	30	10	1	0	0	0
NON-WHITE	20	13	0	0	2	11	5	2	0	0	0	0
30-34 YEARS												
TOTAL	120	65	5	7	26	27	34	17	3	0	0	0
WHITE	114	61	3	7	26	25	33	16	3	0	0	0
NON-WHITE	4	2	0	0	0	2	1	1	0	0	0	0
RACE UNKNOWN	2	2	2	0	0	0	0	0	0	0	0	0
35-39 YEARS												
TOTAL	64	39	7	3	14	15	16	8	1	0	0	0
WHITE	54	29	5	3	7	14	16	8	1	0	0	0
NON-WHITE	8	8	2	0	6	0	0	0	0	0	0	0
RACE UNKNOWN	2	2	0	0	1	1	0	0	0	0	0	0
40-44 YEARS												
TOTAL	19	6	0	1	4	1	9	4	0	0	0	0
WHITE	19	6	0	1	4	1	9	4	0	0	0	0

TABLE 14A - RESIDENT PLURAL LIVE BIRTHS BY AGE AND RACE OF MOTHER, AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 2000

RACE AND AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	1000 OR LESS	1001- 1500	1501- 2000	BIRTH WEIGHT IN GRAMS*						
						2001- 2500	2501- 3000	3001- 3500	3501- 4000	4000- 4500	4501- 5000	5001- & OVER
45-49 YEARS												
TOTAL	2	2	0	2	0	0	0	0	0	0	0	0
WHITE	2	2	0	2	0	0	0	0	0	0	0	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT

LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 15A - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE AND RACE OF MOTHER, AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 2000

RACE AND AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	1000 OR LESS	1001- 1500	1501- 2000	BIRTH WEIGHT IN GRAMS*						
						2001- 2500	2501- 3000	3001- 3500	3501- 4000	4000- 4500	4501- 5000	5001- & OVER
ALL AGES TOTAL	4429	401	53	43	80	225	831	1672	1145	307	53	1
WHITE	3418	262	34	23	50	155	629	1286	921	258	46	1
NON-WHITE	988	135	17	18	30	70	199	378	218	49	6	0
RACE UNKNOWN	23	4	2	2	0	0	3	8	6	0	1	0
UNDER 15 YEARS TOTAL	27	1	1	0	0	0	8	9	7	1	0	0
WHITE	16	1	1	0	0	0	5	4	5	1	0	0
NON-WHITE	11	0	0	0	0	0	3	5	2	0	0	0
15 YEARS TOTAL	57	9	1	1	2	5	7	24	12	4	0	0
WHITE	40	2	1	0	0	1	6	15	12	4	0	0
NON-WHITE	17	7	0	1	2	4	1	9	0	0	0	0
16 YEARS TOTAL	122	18	1	3	3	11	32	42	20	6	2	0
WHITE	96	11	0	2	1	8	22	36	18	5	2	0
NON-WHITE	26	7	1	1	2	3	10	6	2	1	0	0
17 YEARS TOTAL	221	23	3	3	5	12	47	87	53	9	2	0
WHITE	172	18	2	2	3	11	42	61	43	7	1	0
NON-WHITE	49	5	1	1	2	1	5	26	10	2	1	0
18 YEARS TOTAL	330	31	9	3	1	18	73	123	76	22	2	1
WHITE	254	17	7	0	0	10	50	103	63	19	0	1
NON-WHITE	74	14	2	3	1	8	23	19	13	3	1	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	0	0	1	0

TABLE 15A - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE AND RACE OF MOTHER, AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 2000

RACE AND AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	1000 OR LESS	1001- 1500	1501- 2000	BIRTH WEIGHT IN GRAMS*						
						2001- 2500	2501- 3000	3001- 3500	3501- 4000	4000- 4500	4501- 5000	5001- & OVER
19 YEARS												
TOTAL	417	33	5	2	9	17	75	175	108	25	1	0
WHITE	333	19	4	1	6	8	55	142	93	23	1	0
NON-WHITE	80	14	1	1	3	9	19	32	13	2	0	0
RACE UNKNOWN	4	0	0	0	0	0	1	1	2	0	0	0
20 YEARS												
TOTAL	400	33	2	3	5	23	91	150	100	23	3	0
WHITE	307	24	1	2	3	18	67	110	83	20	3	0
NON-WHITE	91	9	1	1	2	5	23	39	17	3	0	0
RACE UNKNOWN	2	0	0	0	0	0	1	1	0	0	0	0
21 YEARS												
TOTAL	365	33	3	5	6	19	61	158	88	20	4	0
WHITE	291	22	1	5	2	14	48	122	80	14	4	0
NON-WHITE	74	11	2	0	4	5	13	36	8	6	0	0
22 YEARS												
TOTAL	329	21	3	2	4	12	48	132	97	25	5	0
WHITE	250	16	1	0	4	11	34	102	71	21	5	0
NON-WHITE	78	4	2	1	0	1	14	30	26	4	0	0
RACE UNKNOWN	1	1	0	1	0	0	0	0	0	0	0	0
23 YEARS												
TOTAL	323	27	3	4	7	13	55	122	83	25	9	0
WHITE	253	17	1	1	5	10	42	94	68	22	8	0
NON-WHITE	70	10	2	3	2	3	13	28	15	3	1	0
24 YEARS												
TOTAL	264	23	1	1	6	15	45	99	80	16	0	0
WHITE	194	16	0	1	6	9	32	74	58	14	0	0
NON-WHITE	70	7	1	0	0	6	13	25	22	2	0	0

TABLE 15A - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE AND RACE OF MOTHER, AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 2000

RACE AND AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	1000 OR LESS	1001- 1500	1501- 2000	BIRTH WEIGHT IN GRAMS*						
						2001- 2500	2501- 3000	3001- 3500	3501- 4000	4000- 4500	4501- 5000	5001- & OVER
25-29 YEARS												
TOTAL	862	69	9	10	13	37	159	313	225	80	12	0
WHITE	655	43	8	6	6	23	117	243	169	69	10	0
NON-WHITE	200	25	1	3	7	14	42	66	54	11	2	0
RACE UNKNOWN	7	1	0	1	0	0	0	4	2	0	0	0
30-34 YEARS												
TOTAL	422	40	7	4	5	24	80	148	113	31	6	0
WHITE	329	30	4	3	4	19	67	107	91	25	6	0
NON-WHITE	87	8	1	1	1	5	12	40	21	6	0	0
RACE UNKNOWN	6	2	2	0	0	0	1	1	1	0	0	0
35-39 YEARS												
TOTAL	249	32	4	2	10	16	46	77	74	14	6	0
WHITE	196	20	2	0	7	11	40	62	60	9	5	0
NON-WHITE	52	12	2	2	3	5	6	15	13	5	1	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0
40-44 YEARS												
TOTAL	39	8	1	0	4	3	4	12	8	6	1	0
WHITE	31	6	1	0	3	2	2	10	7	5	1	0
NON-WHITE	8	2	0	0	1	1	2	2	1	1	0	0
45-49 YEARS												
TOTAL	2	0	0	0	0	0	0	1	1	0	0	0
WHITE	1	0	0	0	0	0	0	1	0	0	0	0
NON-WHITE	1	0	0	0	0	0	0	0	1	0	0	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 (GRAMS (5 LB 8 OZ) OR LESS

TABLE 16A - BIRTHS BY CITY OR TOWN, RACE OF MOTHER, AND SELECTED CHARACTERISTICS,
RHODE ISLAND, 2000

CITY OR TOWN	ALL RACES				WHITE				NON-WHITE				UNKNOWN RACE
	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL
RHODE ISLAND	12498	12465	4429	899	10720	10697	3418	690	1712	1703	988	201	66
BARRINGTON	170	169	11	5	158	157	10	5	9	9	0	0	3
BRISTOL	214	213	43	16	209	208	41	15	5	5	2	1	0
BURRILLVILLE	159	159	34	14	157	157	34	14	2	2	0	0	0
CENTRAL FALLS	375	373	228	28	316	314	192	21	58	58	35	7	1
CHARLESTOWN	88	88	22	4	81	81	20	3	6	6	2	0	1
COVENTRY	420	419	91	36	409	409	89	35	9	8	2	1	2
CRANSTON	823	822	191	52	742	741	157	46	78	78	34	6	3
CUMBERLAND	327	326	54	22	312	311	52	19	14	14	2	3	1
EAST GREENWICH	116	116	13	0	109	109	12	0	6	6	1	0	1
EAST PROVIDENCE	515	515	158	24	425	425	111	10	89	89	46	14	1
EXETER	70	70	11	2	68	68	11	2	2	2	0	0	0
FOSTER	37	37	5	2	37	37	5	2	0	0	0	0	0
GLOCESTER	91	91	12	6	91	91	12	6	0	0	0	0	0
HOPKINTON	77	77	18	4	76	76	18	4	0	0	0	0	1
JAMESTOWN	40	40	3	2	40	40	3	2	0	0	0	0	0
JOHNSTON	308	308	74	24	290	290	67	17	15	15	4	5	3
LINCOLN	188	188	32	10	181	181	31	8	6	6	1	2	1
LITTLE COMPTON	38	38	3	2	37	37	3	2	1	1	0	0	0
MIDDLETOWN	224	224	40	7	197	197	30	5	27	27	10	2	0
NARRAGANSETT	122	122	21	7	116	116	16	7	4	4	4	0	2
NEWPORT	318	317	134	23	260	259	85	14	56	56	49	9	2
NEW SHOREHAM	4	4	3	0	4	4	3	0	0	0	0	0	0
NORTH KINGSTOWN	293	293	66	11	274	274	56	8	16	16	10	1	3
NORTH PROVIDENCE	324	324	94	23	274	274	82	17	47	47	12	6	3
NORTH SMITHFIELD	104	104	17	7	100	100	17	5	4	4	0	2	0
PAWTUCKET	999	997	497	81	737	736	345	53	252	251	146	27	10
PORTSMOUTH	173	172	17	10	168	167	16	10	5	5	1	0	0
PROVIDENCE	2801	2789	1631	244	1990	1984	1089	149	792	787	533	93	19
RICHMOND	100	100	19	6	98	98	18	6	2	2	1	0	0
SCITUATE	89	89	13	7	88	88	13	7	0	0	0	0	1
SMITHFIELD	159	159	17	8	156	156	17	8	3	3	0	0	0
SOUTH KINGSTOWN	246	244	46	20	222	221	31	17	23	22	15	3	1
TIVERTON	153	152	27	6	151	150	26	6	2	2	1	0	0
WARREN	117	117	31	16	111	111	31	16	6	6	0	0	0
WARWICK	917	914	219	65	864	861	203	59	50	50	16	6	3
WESTERLY	246	245	61	15	229	228	55	14	14	14	5	1	3
WEST GREENWICH	41	41	5	1	39	39	5	1	2	2	0	0	0
WEST WARWICK	434	433	169	34	410	410	158	30	24	23	11	4	0
WOONSOCKET	578	576	299	55	494	492	254	47	83	83	45	8	1

TABLE 17 - RESIDENT LIVE BIRTHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 2000

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	12498	1001	946	1042	956	1145	1051	1058	1176	1055	1094	972	1002
BARRINGTON	170	12	23	9	12	23	10	15	13	17	12	9	15
BRISTOL	214	19	16	18	21	18	20	16	21	21	16	12	16
BURRILLVILLE	159	8	16	14	10	14	15	10	16	15	14	12	15
CENTRAL FALLS	375	31	30	27	20	34	37	33	40	22	34	33	34
CHARLESTOWN	88	13	3	5	9	6	7	5	12	7	10	6	5
COVENTRY	420	30	31	35	39	40	32	43	31	44	29	34	32
CRANSTON	823	70	59	60	59	88	76	66	81	56	74	62	72
CUMBERLAND	327	21	24	23	30	35	22	36	32	30	27	20	27
EAST GREENWICH	116	7	7	7	19	9	12	6	8	9	10	11	11
EAST PROVIDENCE	515	39	44	37	50	52	39	47	34	45	41	45	42
EXETER	70	4	4	2	14	3	8	7	6	4	10	5	3
FOSTER	37	4	4	5	0	1	5	4	5	3	2	3	1
GLOCESTER	91	10	8	5	11	7	10	10	5	8	7	6	4
HOPKINTON	77	5	5	6	7	8	12	5	8	4	2	10	5
JAMESTOWN	40	2	4	5	3	6	3	6	2	2	4	1	2
JOHNSTON	308	29	21	30	19	21	29	28	32	29	24	22	24
LINCOLN	188	17	13	15	15	24	13	15	17	14	19	14	12
LITTLE COMPTON	38	3	3	2	3	6	2	4	4	6	1	1	3
MIDDLETOWN	224	22	14	18	23	22	26	18	22	11	19	15	14
NARRAGANSETT	122	12	12	7	5	15	11	5	14	13	16	6	6
NEWPORT	318	16	29	28	23	34	21	33	33	26	33	19	23
NEW SHOREHAM	4	1	0	0	0	0	0	0	1	1	1	0	0
NORTH KINGSTOWN	293	26	22	27	22	25	24	19	38	21	28	20	21
NORTH PROVIDENCE	324	26	24	41	24	22	15	36	31	27	29	23	26
NORTH SMITHFIELD	104	9	5	5	9	7	15	10	10	12	10	6	6
PAWTUCKET	999	80	63	89	67	96	88	88	99	82	84	75	88
PORTSMOUTH	173	14	12	11	15	16	12	12	17	21	19	12	12
PROVIDENCE	2801	232	204	239	200	240	232	210	255	263	246	241	239
RICHMOND	100	7	9	9	6	8	13	6	10	14	9	5	4
SCITUATE	89	10	9	8	8	8	5	10	6	7	6	7	5
SMITHFIELD	159	4	13	17	14	14	11	14	19	10	12	16	15
SOUTH KINGSTOWN	246	21	17	27	13	28	24	14	18	15	22	21	26
TIVERTON	153	14	11	15	15	12	14	15	12	11	15	10	9
WARREN	117	15	7	13	10	7	7	13	11	8	9	11	6
WARWICK	917	77	79	79	61	78	83	68	84	82	76	75	75
WESTERLY	246	15	24	18	13	25	19	24	21	16	21	23	27
WEST GREENWICH	41	4	2	3	6	4	5	1	4	5	5	0	2
WEST WARWICK	434	29	35	39	33	44	36	48	31	34	44	32	29
WOONSOCKET	578	43	40	44	48	45	38	58	73	40	54	49	46

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 2000

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL- FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN			NO CARE	NOT STATED
					1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH		
RHODE ISLAND	12498	4429	899	405	11036	962	110	38	352
BARRINGTON	170	11	5	3	164	1	0	0	5
301	60	5	0	0	58	0	0	0	2
302	32	4	0	1	30	1	0	0	1
303	43	2	1	1	41	0	0	0	2
304	35	0	4	1	35	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
BRISTOL	214	43	16	12	194	12	1	0	7
307	42	15	2	2	33	4	1	0	4
308	40	10	5	3	37	3	0	0	0
309	132	18	9	7	124	5	0	0	3
UNKNOWN	0	0	0	0	0	0	0	0	0
BURRILLVILLE	159	34	14	5	143	11	0	1	4
129	57	20	8	4	51	5	0	0	1
130	102	14	6	1	92	6	0	1	3
CENTRAL FALLS	375	228	28	15	313	48	4	3	7
108	83	57	2	1	68	14	1	0	0
109	105	67	12	2	85	15	1	2	2
110	96	52	7	5	86	8	0	1	1
111	91	52	7	7	74	11	2	0	4
UNKNOWN	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	88	22	4	3	79	6	2	0	1
COVENTRY	420	91	36	12	386	28	3	1	2
206	289	71	26	5	266	20	2	0	1
207	131	20	10	7	120	8	1	1	1
CRANSTON	823	191	52	29	772	36	1	1	13
134	63	7	9	2	62	0	0	0	1
135	47	10	1	0	43	3	0	0	1
136	29	12	0	2	27	1	0	1	0
137	85	19	5	6	78	4	0	0	3

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 2000

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL- FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN			NO CARE	NOT STATED
					1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH		
CRANSTON (CONT.)									
138	48	10	3	2	46	2	0	0	0
139	23	5	0	0	22	0	0	0	1
140	53	11	2	3	49	3	0	0	1
141	63	33	9	3	57	6	0	0	0
142	24	7	0	2	24	0	0	0	0
143	41	5	2	1	39	2	0	0	0
144	25	4	1	1	24	1	0	0	0
145	109	10	6	3	104	3	0	0	2
146	78	6	5	0	76	1	0	0	1
147	84	39	7	4	77	7	0	0	0
148	50	12	2	0	43	3	1	0	3
UNKNOWN	1	1	0	0	1	0	0	0	0
CUMBERLAND	327	54	22	8	289	17	2	0	19
112	57	20	3	1	52	4	1	0	0
113	85	16	8	3	75	6	1	0	3
114	185	18	11	4	162	7	0	0	16
UNKNOWN	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	116	13	0	3	108	3	1	1	3
EAST PROVIDENCE	515	158	24	10	464	34	3	1	13
101	84	15	6	1	76	3	1	0	4
102	73	31	3	3	64	8	0	0	1
103	41	18	1	0	39	2	0	0	0
104	91	25	2	4	81	6	2	0	2
105	93	34	10	1	81	6	0	1	5
106	64	22	2	1	57	6	0	0	1
107	69	13	0	0	66	3	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
EXETER-505	70	11	2	1	66	3	1	0	0
FOSTER-133	37	5	2	2	34	1	1	0	1
GLOCESTER-131	91	12	6	2	84	3	2	1	1

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 2000

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL- FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN			NO CARE	NOT STATED
					1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH		
HOPKINTON-507	77	18	4	1	62	13	2	0	0
JAMESTOWN-413	40	3	2	2	38	0	0	0	2
JOHNSTON	308	74	24	13	284	14	1	1	8
122	67	8	8	6	61	6	0	0	0
123	78	23	6	3	70	2	0	1	5
124	117	32	9	2	109	5	1	0	2
125	46	11	1	2	44	1	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0
LINCOLN	188	32	10	3	169	8	0	0	11
115	67	17	3	2	58	3	0	0	6
116	44	4	1	0	41	2	0	0	1
117	77	11	6	1	70	3	0	0	4
UNKNOWN	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	38	3	2	1	32	2	0	0	4
MIDDLETOWN	224	40	7	5	208	5	1	0	10
402	49	4	2	0	46	1	0	0	2
403	109	24	4	3	101	2	1	0	5
404	65	11	0	2	60	2	0	0	3
UNKNOWN	1	1	1	0	1	0	0	0	0
NARRAGANSETT-515	122	21	7	6	117	5	0	0	0
NEWPORT	318	134	23	8	266	27	4	0	21
405	113	76	13	4	86	17	2	0	8
406	63	25	4	1	51	4	1	0	7
407	35	8	3	1	32	1	0	0	2
408	27	9	1	1	24	1	0	0	2
409	37	4	0	0	35	1	1	0	0
410	14	5	0	0	12	1	0	0	1
411	20	4	2	1	17	2	0	0	1
412	9	3	0	0	9	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 2000

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL- FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN			NO CARE	NOT STATED
					1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH		
NEW SHOREHAM-415	4	3	0	0	2	1	1	0	0
NORTH KINGSTOWN	293	66	11	7	264	17	5	1	6
501	105	29	3	1	91	11	2	0	1
502	18	4	0	0	18	0	0	0	0
503	77	20	5	1	70	3	2	0	2
504	93	13	3	5	85	3	1	1	3
UNKNOWN	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	324	94	23	13	302	14	1	2	5
118	78	21	5	5	70	7	0	0	1
119	63	17	8	3	58	1	1	2	1
120	54	10	2	2	50	2	0	0	2
121	129	46	8	3	124	4	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	104	17	7	3	95	6	0	0	3
PAWTUCKET	999	497	81	43	843	102	13	4	37
149	9	5	0	0	8	1	0	0	0
150	64	30	6	1	57	2	0	2	3
151	80	54	9	5	57	17	1	0	5
152	22	12	1	0	17	3	0	0	2
153	34	19	5	2	29	4	0	1	0
154	47	29	3	3	39	6	0	0	2
155	58	26	3	2	44	5	6	0	3
156	25	13	2	0	23	1	0	0	1
157	37	8	2	1	34	3	0	0	0
158	37	15	4	1	31	6	0	0	0
159	40	16	1	3	33	3	0	0	4
160	40	24	4	4	38	2	0	0	0
161 **	103	66	10	5	84	15	2	0	2
163	31	7	4	1	27	3	0	0	1
164 **	91	57	13	6	77	7	2	1	4

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 2000

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL- FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN			NO CARE	NOT STATED
					1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH		
PAWTUCKET (CONT.)									
165	39	9	2	0	38	0	1	0	0
166	25	14	0	1	24	1	0	0	0
167	53	27	4	2	43	6	1	0	3
168	34	9	2	0	31	2	0	0	1
169	18	7	1	0	17	1	0	0	0
170	39	8	2	0	32	5	0	0	2
171	73	42	3	6	60	9	0	0	4
UNKNOWN	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	173	17	10	3	162	4	0	0	7
PROVIDENCE	2801	1631	244	110	2382	297	30	14	78
1	155	98	16	4	141	7	2	0	5
2	219	132	25	5	179	28	3	1	8
3	125	90	9	0	98	25	1	0	1
4	75	52	7	7	62	9	1	1	2
5	65	52	3	5	52	8	3	1	1
6	22	14	2	1	19	0	0	0	3
7	52	44	3	1	45	3	1	0	3
8	12	6	1	0	11	1	0	0	0
9	28	18	0	0	22	4	2	0	0
10	49	29	5	0	36	10	1	0	2
11	43	34	5	0	34	5	1	1	2
12	56	36	3	2	45	10	1	0	0
13	91	66	11	4	70	16	1	1	3
14	140	107	16	8	119	14	2	0	5
15	39	15	2	0	34	3	1	0	1
16	155	90	11	7	128	20	2	1	4
17	60	38	3	1	52	8	0	0	0
18	135	84	7	5	116	17	1	1	0
19	142	96	11	4	119	14	1	2	6
20	78	56	10	3	71	5	1	0	1

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 2000

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL- FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN			NO CARE	NOT STATED
					1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH		
PROVIDENCE (CONT.)									
21	142	75	11	5	124	16	0	0	2
22	88	50	10	7	74	7	0	2	5
23	65	25	4	4	60	1	1	0	3
24	59	9	5	1	56	0	1	1	1
25	51	27	7	2	44	5	0	0	2
26	64	45	2	4	55	9	0	0	0
27	106	79	12	8	89	13	2	0	2
28	100	49	6	4	80	15	0	1	4
29	93	47	12	5	80	10	0	0	3
30	2	1	0	0	1	1	0	0	0
31	43	23	3	0	38	4	0	0	1
32	43	13	2	0	38	2	1	0	2
33	74	11	12	4	69	3	0	0	2
34	38	0	3	3	38	0	0	0	0
35	48	6	2	1	44	3	0	0	1
36	16	1	2	1	14	0	0	0	2
37	25	12	1	4	24	1	0	0	0
UNKNOWN	3	1	0	0	1	0	0	1	1
INNER CITY	1071	745	88	42	882	137	15	6	31
RICHMOND-506	100	19	6	3	94	5	0	0	1
SCITUATE-132	89	13	7	2	80	1	5	0	3
SMITHFIELD	159	17	8	6	155	3	1	0	0
126	73	7	2	5	72	1	0	0	0
127	86	10	6	1	83	2	1	0	0
SOUTH KINGSTOWN	246	46	20	6	223	18	2	1	2
512	97	20	4	1	92	5	0	0	0
513	143	26	16	5	126	12	2	1	2
514	6	0	0	0	5	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 2000

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL- FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN			NO CARE	NOT STATED
					1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH		
TIVERTON	153	27	6	0	127	7	2	0	17
416	57	14	1	0	43	6	1	0	7
417	96	13	5	0	84	1	1	0	10
WARREN	117	31	16	2	105	7	0	0	5
305	36	14	6	0	34	1	0	0	1
306	81	17	10	2	71	6	0	0	4
WARWICK	917	219	65	27	862	32	3	4	16
210	82	22	3	3	75	3	1	0	3
211	69	19	3	2	62	3	1	0	3
212	47	9	6	2	45	1	0	1	0
213	42	7	3	3	39	2	0	0	1
214	79	17	4	3	78	1	0	0	0
215	100	28	8	2	92	6	0	1	1
216	18	3	3	1	17	1	0	0	0
217	75	24	5	3	69	5	0	1	0
218	45	8	4	1	44	1	0	0	0
219	124	31	14	2	118	3	0	1	2
220	38	13	3	0	36	1	0	0	1
221	48	11	4	1	46	1	0	0	1
222	85	10	3	1	82	1	0	0	2
223	42	15	1	3	38	3	0	0	1
224	23	2	1	0	21	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0
WESTERLY	246	61	15	6	184	56	3	0	3
508	117	33	6	5	85	29	1	0	2
509	122	28	9	1	95	24	2	0	1
510	7	0	0	0	4	3	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
WEST GREENWICH-208	41	5	1	0	39	2	0	0	0
WEST WARWICK	434	169	34	12	392	35	3	0	4
201	162	57	15	3	152	9	0	0	1

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 2000

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL- FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN			NO CARE	NOT STATED
					1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH		
WEST WARWICK (CONT.)									
202	51	22	2	3	48	3	0	0	0
203	111	49	9	0	91	16	1	0	3
204	51	22	3	1	47	3	1	0	0
205	58	19	5	5	54	4	0	0	0
UNKNOWN	1	0	0	0	0	0	1	0	0
WOONSOCKET	578	299	55	18	453	78	12	2	33
172	19	14	1	0	17	1	1	0	0
173	41	14	4	0	35	4	0	0	2
174	61	40	11	2	45	9	0	0	7
175	31	11	3	1	19	6	1	0	5
176	49	29	4	1	31	12	2	0	4
177	27	9	2	2	23	2	0	0	2
178	33	13	3	2	26	6	1	0	0
179	51	28	3	0	42	5	2	1	1
180	22	10	3	1	14	6	1	1	0
181	66	45	5	3	49	9	4	0	4
182	41	17	3	2	36	4	0	0	1
183	27	17	3	1	19	4	0	0	4
184	79	39	6	3	70	7	0	0	2
185	30	12	3	0	26	3	0	0	1
UNKNOWN	1	1	1	0	1	0	0	0	0

TABLE 18A - BIRTHS OUT OF WEDLOCK, 2000
ALL AGES AND UNDER AGE 20 BY CITY OR TOWN OF RESIDENCE

CITY OR TOWN	ALL BIRTHS		BIRTHS OUT OF WEDLOCK	
	TOTAL BIRTHS	UNDER AGE 20	TOTAL BIRTHS	UNDER AGE 20
STATE TOTAL	12498	1279	4429	1174
BARRINGTON	170	(a)	11	(a)
BRISTOL	214	11	43	10
BURRILLVILLE	159	10	34	10
CENTRAL FALLS	375	77	228	70
CHARLESTOWN	88	7	22	7
COVENTRY	420	35	91	34
CRANSTON	823	41	191	40
CUMBERLAND	327	13	54	13
EAST GREENWICH	116	(a)	13	(a)
EAST PROVIDENCE	515	41	158	36
EXETER	70	(a)	11	(a)
FOSTER	37	(a)	(a)	(a)
GLOCESTER	91	(a)	12	(a)
HOPKINTON	77	(a)	18	(a)
JAMESTOWN	40	0	(a)	0
JOHNSTON	308	7	74	7
LINCOLN	188	(a)	32	(a)
LITTLE COMPTON	38	0	(a)	0
MIDDLETOWN	224	10	40	7
NARRAGANSETT	122	6	21	(a)
NEWPORT	318	31	134	30
NEW SHOREHAM	4	0	(a)	0
NORTH KINGSTOWN	293	17	66	17
NORTH PROVIDENCE	324	24	94	21
NORTH SMITHFIELD	104	(a)	17	(a)
PAWTUCKET	999	151	497	139
PORTSMOUTH	173	(a)	17	(a)
PROVIDENCE	2801	481	1631	439
RICHMOND	100	9	19	9
SCITUATE	89	8	13	8
SMITHFIELD	159	8	17	8
SOUTH KINGSTOWN	246	14	46	14
TIVERTON	153	9	27	8
WARREN	117	8	31	6
WARWICK	917	53	219	48
WESTERLY	246	17	61	12
WEST GREENWICH	41	(a)	(a)	(a)
WEST WARWICK	434	49	169	43
WOONSOCKET	578	114	299	107

(a) - NUMBER IS GREATER THAN ZERO BUT LESS THAN SIX

TABLE 19A - FETAL DEATHS OCCURRING IN RHODE ISLAND BY
RACE OF MOTHER, WEEKS OF UTEROGESTATION, AND MODE OF DELIVERY, 2000

MODE OF DELIVERY	TOTAL	RACE			WEEKS OF UTEROGESTATION			
		WHITE	NON-WHITE	UNKNOWN	UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	6440	4701	1170	569	6295	52	47	46
SPONTANEOUS	1027	500	59	468	915	30	47	35
INDUCED	5413	4201	1111	101	5380	22	0	11

TABLE 19B - FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MONTH OF DELIVERY BY WEEKS OF UTEROGESTATION, 2000

MONTH	TOTAL	WEEKS OF UTEROGESTATION			
		UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	6440	6295	52	47	46
JANUARY	492	477	1	4	10
FEBRUARY	550	537	3	7	3
MARCH	629	616	8	2	3
APRIL	591	580	6	3	2
MAY	529	516	5	5	3
JUNE	507	496	2	5	4
JULY	560	545	6	6	3
AUGUST	536	524	3	5	4
SEPTEMBER	501	491	4	3	3
OCTOBER	479	464	5	5	5
NOVEMBER	536	526	5	1	4
DECEMBER	530	523	4	1	2

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY
MARITAL STATUS OF MOTHER, 2000

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
RHODE ISLAND	5177	867	2507	949	339	198	4228	528	2309
BARRINGTON	50	17	13	18	11	2	32	6	11
301	14	4	2	3	3	0	11	1	2
302	10	3	2	4	2	1	6	1	1
303	20	8	7	10	5	1	10	3	6
304	3	2	1	1	1	0	2	1	1
UNKNOWN	3	0	1	0	0	0	3	0	1
BRISTOL	97	15	33	20	7	0	77	8	33
307	24	2	8	3	0	0	21	2	8
308	14	0	5	3	0	0	11	0	5
309	45	10	12	12	7	0	33	3	12
UNKNOWN	14	3	8	2	0	0	12	3	8
BURRILLVILLE	49	10	23	15	5	4	34	5	19
129	22	5	11	6	2	2	16	3	9
130	27	5	12	9	3	2	18	2	10
CENTRAL FALLS	122	8	49	11	2	1	111	6	48
108	25	1	11	1	0	0	24	1	11
109	26	1	14	4	0	1	22	1	13
110	38	4	12	4	2	0	34	2	12
111	30	2	10	2	0	0	28	2	10
UNKNOWN	3	0	2	0	0	0	3	0	2
CHARLESTOWN-511	22	4	8	4	0	0	18	4	8
COVENTRY	117	19	62	19	8	1	98	11	61
206	79	10	42	12	3	1	67	7	41
207	38	9	20	7	5	0	31	4	20
CRANSTON	352	80	174	56	28	10	296	52	164
134	11	2	4	0	0	0	11	2	4
135	33	6	24	1	0	1	32	6	23
136	20	4	10	1	1	0	19	3	10
137	33	4	16	4	0	1	29	4	15

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY
MARITAL STATUS OF MOTHER, 2000

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
CRANSTON (CONT.)									
138	20	6	10	2	2	0	18	4	10
139	16	3	10	2	1	0	14	2	10
140	24	5	16	1	0	1	23	5	15
141	40	9	20	9	4	2	31	5	18
142	9	3	3	2	2	0	7	1	3
143	17	6	6	4	1	0	13	5	6
144	9	2	3	1	1	0	8	1	3
145	25	10	10	8	5	1	17	5	9
146	23	7	8	8	5	1	15	2	7
147	47	9	21	10	4	3	37	5	18
148	13	2	7	2	2	0	11	0	7
UNKNOWN	12	2	6	1	0	0	11	2	6
CUMBERLAND	76	25	23	23	14	0	53	11	23
112	20	4	9	3	2	0	17	2	9
113	21	8	6	4	2	0	17	6	6
114	33	13	7	15	10	0	18	3	7
UNKNOWN	2	0	1	1	0	0	1	0	1
EAST GREENWICH-209	32	7	14	8	2	1	24	5	13
EAST PROVIDENCE	232	32	115	32	10	8	200	22	107
101	21	7	7	8	5	0	13	2	7
102	44	4	23	8	1	6	36	3	17
103	13	2	5	1	0	0	12	2	5
104	43	6	16	4	1	0	39	5	16
105	45	5	25	4	0	1	41	5	24
106	34	5	20	4	2	1	30	3	19
107	27	3	15	3	1	0	24	2	15
UNKNOWN	5	0	4	0	0	0	5	0	4
EXETER-505	21	4	12	4	2	0	17	2	12
FOSTER-133	14	2	8	1	0	1	13	2	7
GLOCESTER-131	30	6	16	6	3	1	24	3	15

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY
MARITAL STATUS OF MOTHER, 2000

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
HOPKINTON-507	23	7	8	13	5	0	10	2	8
JAMESTOWN-413	17	2	8	3	1	0	14	1	8
JOHNSTON	115	33	54	21	13	3	94	20	51
122	14	6	5	3	3	0	11	3	5
123	27	8	13	5	4	1	22	4	12
124	45	16	22	8	5	2	37	11	20
125	23	1	12	5	1	0	18	0	12
UNKNOWN	6	2	2	0	0	0	6	2	2
LINCOLN	62	20	19	15	8	3	47	12	16
115	17	4	9	2	1	1	15	3	8
116	8	4	2	4	3	0	4	1	2
117	33	11	7	8	3	2	25	8	5
UNKNOWN	4	1	1	1	1	0	3	0	1
LITTLE COMPTON-414	5	0	2	2	0	0	3	0	2
MIDDLETOWN	72	12	29	23	1	0	49	11	29
402	11	3	1	6	0	0	5	3	1
403	36	4	20	7	0	0	29	4	20
404	24	5	7	10	1	0	14	4	7
UNKNOWN	1	0	1	0	0	0	1	0	1
NARRAGANSETT-515	62	5	31	12	2	1	50	3	30
NEWPORT	157	5	89	27	0	1	130	5	88
405	44	1	21	12	0	1	32	1	20
406	14	0	12	1	0	0	13	0	12
407	20	1	13	4	0	0	16	1	13
408	12	0	7	1	0	0	11	0	7
409	22	2	9	5	0	0	17	2	9
410	12	0	6	2	0	0	10	0	6
411	15	0	9	1	0	0	14	0	9
412	5	0	2	1	0	0	4	0	2
UNKNOWN	13	1	10	0	0	0	13	1	10

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY
MARITAL STATUS OF MOTHER, 2000

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
NEW SHOREHAM-415	4	0	3	1	0	0	3	0	3
NORTH KINGSTOWN	94	19	48	21	9	2	73	10	46
501	36	6	19	5	3	0	31	3	19
502	11	4	5	2	2	0	9	2	5
503	20	3	10	7	1	1	13	2	9
504	17	5	7	6	3	1	11	2	6
UNKNOWN	10	1	7	1	0	0	9	1	7
NORTH PROVIDENCE	168	33	75	38	18	8	130	15	67
118	43	6	21	9	4	3	34	2	18
119	19	3	8	3	1	0	16	2	8
120	28	7	14	8	5	1	20	2	13
121	70	16	28	17	8	4	53	8	24
UNKNOWN	8	1	4	1	0	0	7	1	4
NORTH SMITHFIELD-128	33	13	12	13	10	1	20	3	11
PAWTUCKET	523	73	247	76	24	24	447	49	223
149	9	2	1	0	0	0	9	2	1
150	32	7	11	8	2	3	24	5	8
151	59	1	31	6	0	2	53	1	29
152	7	1	3	1	0	0	6	1	3
153	15	5	6	6	3	1	9	2	5
154	14	1	9	2	0	0	12	1	9
155	35	8	13	5	3	2	30	5	11
156	7	1	5	1	0	1	6	1	4
157	7	2	4	2	0	1	5	2	3
158	13	2	4	3	2	0	10	0	4
159	10	1	4	1	0	1	9	1	3
160	28	4	11	4	0	0	24	4	11
161 **	54	7	26	4	1	2	50	6	24
163	17	0	12	0	0	0	17	0	12
164 **	59	6	35	9	1	6	50	5	29

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY
MARITAL STATUS OF MOTHER, 2000

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
PAWTUCKET (CONT.)									
165	31	8	15	9	5	2	22	3	13
166	18	3	7	3	1	1	15	2	6
167	36	2	17	2	0	1	34	2	16
168	14	3	2	0	0	0	14	3	2
169	5	2	2	2	2	0	3	0	2
170	14	4	5	3	2	0	11	2	5
171	24	2	16	4	2	1	20	0	15
UNKNOWN	15	1	8	1	0	0	14	1	8
PORTSMOUTH-401	42	9	19	9	1	0	33	8	19
PROVIDENCE	1529	190	800	189	57	71	1340	133	729
1	95	8	48	8	4	3	87	4	45
2	80	12	44	5	2	2	75	10	42
3	58	3	33	10	2	4	48	1	29
4	38	8	18	12	4	5	26	4	13
5	30	2	16	4	1	3	26	1	13
6	17	2	7	4	0	2	13	2	5
7	29	2	15	3	0	2	26	2	13
8	25	3	16	2	1	1	23	2	15
9	31	4	19	4	1	2	27	3	17
10	25	2	13	4	2	2	21	0	11
11	40	4	14	3	0	2	37	4	12
12	28	3	18	4	2	2	24	1	16
13	41	7	14	7	2	3	34	5	11
14	78	9	38	12	5	2	66	4	36
15	29	3	14	4	0	2	25	3	12
16	68	10	39	11	2	5	57	8	34
17	26	2	15	4	0	1	22	2	14
18	37	3	22	6	1	4	31	2	18
19	39	2	23	5	1	3	34	1	20
20	41	6	24	8	2	3	33	4	21

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY
MARITAL STATUS OF MOTHER, 2000

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
PROVIDENCE (CONT.)									
21	74	5	49	6	1	2	68	4	47
22	54	7	28	7	2	3	47	5	25
23	27	4	15	6	2	1	21	2	14
24	37	4	13	4	2	1	33	2	12
25	41	9	25	4	3	1	37	6	24
26	41	8	19	6	2	3	35	6	16
27	43	6	27	5	1	4	38	5	23
28	63	10	32	4	0	1	59	10	31
29	47	8	23	6	2	1	41	6	22
30	1	0	1	0	0	0	1	0	1
31	25	1	12	3	0	0	22	1	12
32	23	3	10	1	1	0	22	2	10
33	28	4	13	4	1	1	24	3	12
34	26	6	11	4	4	0	22	2	11
35	36	8	14	4	3	0	32	5	14
36	18	0	6	0	0	0	18	0	6
37	24	2	12	1	0	0	23	2	12
UNKNOWN	66	10	40	4	1	0	62	9	40
RICHMOND-506	22	3	13	5	1	1	17	2	12
SCITUATE-132	32	11	13	9	7	0	23	4	13
SMITHFIELD	63	11	31	17	8	3	46	3	28
126	40	5	20	9	4	1	31	1	19
127	23	6	11	8	4	2	15	2	9
SOUTH KINGSTOWN	98	18	44	22	6	1	76	12	43
512	24	0	16	3	0	1	21	0	15
513	49	13	19	13	5	0	36	8	19
514	8	0	4	1	0	0	7	0	4
UNKNOWN	17	5	5	5	1	0	12	4	5

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY
MARITAL STATUS OF MOTHER, 2000

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
TIVERTON	28	7	16	4	2	0	24	5	16
416	13	3	6	1	0	0	12	3	6
417	15	4	10	3	2	0	12	2	10
WARREN	62	17	23	18	13	2	44	4	21
305	16	0	9	1	0	0	15	0	9
306	46	17	14	17	13	2	29	4	12
WARWICK	309	69	142	55	23	1	254	46	141
210	29	7	12	5	3	0	24	4	12
211	21	2	12	5	2	0	16	0	12
212	18	4	10	4	2	0	14	2	10
213	16	2	7	2	0	0	14	2	7
214	21	5	8	4	1	0	17	4	8
215	35	12	16	3	3	0	32	9	16
216	4	0	2	1	0	0	3	0	2
217	26	3	15	3	1	0	23	2	15
218	17	6	6	1	1	0	16	5	6
219	39	10	15	9	2	0	30	8	15
220	14	2	8	3	2	0	11	0	8
221	10	3	5	3	2	1	7	1	4
222	25	8	9	6	3	0	19	5	9
223	15	2	7	1	0	0	14	2	7
224	6	1	4	1	1	0	5	0	4
UNKNOWN	13	2	6	4	0	0	9	2	6
WESTERLY	76	7	35	31	2	1	45	5	34
508	29	3	16	12	2	1	17	1	15
509	39	3	17	17	0	0	22	3	17
510	6	1	1	2	0	0	4	1	1
UNKNOWN	2	0	1	0	0	0	2	0	1
WEST GREENWICH-208	17	5	8	4	2	0	13	3	8
WEST WARWICK	114	20	53	20	8	1	94	12	52
201	36	9	16	11	7	1	25	2	15

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY
MARITAL STATUS OF MOTHER, 2000

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
WEST WARWICK (CONT.)									
202	18	2	10	4	0	0	14	2	10
203	28	4	12	4	1	0	24	3	12
204	13	2	7	0	0	0	13	2	7
205	15	3	6	1	0	0	14	3	6
UNKNOWN	4	0	2	0	0	0	4	0	2
WOONSOCKET	236	49	135	84	26	45	152	23	90
172	17	2	11	6	0	6	11	2	5
173	16	2	11	5	1	2	11	1	9
174	28	2	20	8	1	5	20	1	15
175	11	2	6	1	1	0	10	1	6
176	25	6	13	9	2	4	16	4	9
177	15	4	6	5	4	0	10	0	6
178	16	4	8	7	2	4	9	2	4
179	24	2	17	8	0	7	16	2	10
180	10	1	6	3	0	3	7	1	3
181	11	3	6	5	2	2	6	1	4
182	14	6	6	6	3	3	8	3	3
183	7	1	4	2	1	1	5	0	3
184	27	10	12	12	6	4	15	4	8
185	6	1	4	3	1	2	3	0	2
UNKNOWN	9	3	5	4	2	2	5	1	3

* TOTALS MAY INCLUDE ITEMS WITH UNKNOWN MARITAL STATUS

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 21 - INDUCED FETAL DEATHS - RHODE ISLAND OCCURRENCES, 2000
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER.

		AGE OF MOTHER IN YEARS																			
		ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25- 29	30- 34	35- 39	40- 44	45- 49	50+	UN- KNOWN	
TOTAL		5413	30	45	91	121	316	366	423	403	373	326	296	1132	821	470	184	16	0	0	
MARITAL STATUS OF MOTHER																					
MARRIED		686	0	1	0	3	3	6	5	19	16	22	33	165	204	145	57	7	0	0	
UNMARRIED		3192	18	34	50	73	213	228	289	270	248	225	183	683	378	215	80	5	0	0	
UNKNOWN		1535	12	10	41	45	100	132	129	114	109	79	80	284	239	110	47	4	0	0	
PREVIOUS DELIVERIES TO MOTHER																					
NONE		1491	26	43	75	88	196	204	184	135	96	85	66	162	86	33	12	0	0	0	
ONE		1174	2	2	14	24	82	99	120	133	107	82	72	235	125	58	17	2	0	0	
PREVIOUS DELIVERIES TO MOTHER																					
*L.B.	S.F.D.	I.F.D.																			
0	0	1	446	0	1	7	12	42	38	50	52	36	21	34	91	40	16	5	1	0	0
0	1	0	68	0	0	0	3	2	10	9	11	6	3	1	9	8	3	3	0	0	0
1	0	0	660	2	1	7	9	38	51	61	70	65	58	37	135	77	39	9	1	0	0
TWO		989	0	0	2	8	25	44	72	77	76	61	58	250	166	114	32	4	0	0	
PREVIOUS DELIVERIES TO MOTHER																					
*L.B.	S.F.D.	I.F.D.																			
0	0	2	133	0	0	0	3	4	9	13	12	11	9	9	36	13	11	3	0	0	0
0	1	1	37	0	0	0	0	1	6	3	4	3	2	4	8	3	3	0	0	0	0
0	2	0	3	0	0	0	0	0	0	1	1	0	0	0	1	0	0	0	0	0	0
1	0	1	362	0	0	1	3	12	16	30	36	29	28	18	92	53	36	7	1	0	0
1	1	0	70	0	0	0	1	4	2	8	8	9	5	2	11	11	8	0	1	0	0
2	0	0	384	0	0	1	1	4	11	17	16	24	17	25	103	85	56	22	2	0	0

TABLE 21 - INDUCED FETAL DEATHS - RHODE ISLAND OCCURRENCES, 2000
 BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
 NATURE OF PREVIOUS DELIVERIES TO MOTHER.

				AGE OF MOTHER IN YEARS																		
				ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25- 29	30- 34	35- 39	40- 44	45- 49	50+	UN- KNOWN
THREE				729	1	0	0	1	10	11	30	30	48	42	44	194	169	109	37	3	0	0
PREVIOUS DELIVERIES TO MOTHER																						
*L.B.	S.F.D.	I.F.D.																				
0	0	3	27	0	0	0	0	0	0	2	3	1	1	2	0	7	6	4	1	0	0	0
0	1	2	13	0	0	0	0	0	1	1	0	2	0	1	0	3	1	3	1	0	0	0
0	2	1	3	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0
0	3	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
1	0	2	129	0	0	0	0	0	2	2	7	9	10	9	8	34	27	18	3	0	0	0
1	1	1	62	0	0	0	0	0	1	2	9	1	2	4	5	13	18	5	2	0	0	0
1	2	0	12	0	0	0	1	1	0	1	1	0	1	2	3	0	2	0	0	0	0	0
2	0	1	279	0	0	0	0	0	3	3	5	11	23	18	15	85	59	39	16	2	0	0
2	1	0	69	0	0	0	0	0	0	1	0	1	7	1	7	19	21	10	2	0	0	0
3	0	0	134	1	0	0	0	0	1	0	5	4	5	6	7	29	35	28	12	1	0	0

TABLE 21 - INDUCED FETAL DEATHS - RHODE ISLAND OCCURRENCES, 2000
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER.

			AGE OF MOTHER IN YEARS																		
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25- 29	30- 34	35- 39	40- 44	45- 49	50+	UN- KNOWN
FOUR			443	0	0	0	0	2	3	11	19	31	32	31	118	103	62	28	3	0	0
PREVIOUS DELIVERIES TO MOTHER																					
*L.B.	S.F.D.	I.F.D.																			
0	0	4	18	0	0	0	0	0	0	0	0	2	1	2	7	2	2	2	0	0	0
0	1	3	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
0	2	2	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
1	0	3	51	0	0	0	0	1	0	0	6	6	3	4	23	2	3	3	0	0	0
1	1	2	23	0	0	0	0	0	1	2	3	1	1	1	6	4	3	1	0	0	0
1	2	1	6	0	0	0	0	0	0	0	0	1	0	1	0	2	2	0	0	0	0
1	3	0	7	0	0	0	0	0	0	0	0	1	1	0	0	1	2	1	1	0	0
2	0	2	100	0	0	0	0	0	0	4	3	6	12	6	29	23	13	3	1	0	0
2	1	1	53	0	0	0	0	0	0	0	3	6	5	8	14	10	5	2	0	0	0
2	2	0	13	0	0	0	0	0	1	0	0	1	0	0	1	3	6	1	0	0	0
3	0	1	94	0	0	0	0	1	0	3	3	4	5	6	22	28	12	10	0	0	0
3	1	0	28	0	0	0	0	0	0	2	1	0	1	1	4	8	9	2	0	0	0
4	0	0	46	0	0	0	0	0	1	0	0	2	2	2	12	18	5	3	1	0	0

TABLE 21 - INDUCED FETAL DEATHS - RHODE ISLAND OCCURRENCES, 2000
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER.

			AGE OF MOTHER IN YEARS																		
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25- 29	30- 34	35- 39	40- 44	45- 49	50+	UN- KNOWN
FIVE			244	0	0	0	0	0	4	4	5	6	11	16	79	66	30	23	0	0	0
PREVIOUS DELIVERIES TO MOTHER																					
*L.B.	S.F.D.	I.F.D.																			
0	0	5	4	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0
0	1	4	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
0	2	3	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
0	3	2	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
1	0	4	17	0	0	0	0	0	0	0	0	1	0	2	6	6	2	0	0	0	0
1	1	3	7	0	0	0	0	0	0	0	0	1	0	1	1	3	0	1	0	0	0
1	2	2	4	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0
1	3	1	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
1	4	0	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0
2	0	3	52	0	0	0	0	0	0	2	0	0	1	3	18	14	8	6	0	0	0
2	1	2	29	0	0	0	0	0	0	1	1	0	3	0	9	3	6	6	0	0	0
2	2	1	6	0	0	0	0	0	0	0	0	0	1	0	4	1	0	0	0	0	0
2	3	0	7	0	0	0	0	0	1	0	0	0	1	1	1	2	0	1	0	0	0
3	0	2	37	0	0	0	0	0	0	0	2	1	0	3	12	13	1	5	0	0	0
3	1	1	20	0	0	0	0	0	3	0	0	1	3	1	4	5	2	1	0	0	0
3	2	0	4	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0	0	0	0
4	0	1	26	0	0	0	0	0	0	1	0	1	0	4	5	10	4	1	0	0	0
4	1	0	11	0	0	0	0	0	0	0	1	0	0	1	5	3	1	0	0	0	0
5	0	0	11	0	0	0	0	0	0	0	0	0	0	0	5	1	4	1	0	0	0

TABLE 21 - INDUCED FETAL DEATHS - RHODE ISLAND OCCURRENCES, 2000
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER.

			AGE OF MOTHER IN YEARS																		
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25- 29	30- 34	35- 39	40- 44	45- 49	50+	UN- KNOWN
SIX			135	1	0	0	0	0	1	0	3	5	7	6	34	44	22	11	1	0	0
PREVIOUS DELIVERIES TO MOTHER																					
*L.B.	S.F.D.	I.F.D.																			
0	0	6	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
0	1	5	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
1	0	5	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
1	1	4	4	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0
1	2	3	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
1	3	2	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
1	4	1	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	0	4	26	0	0	0	0	0	0	0	1	1	0	2	6	9	5	2	0	0	0
2	1	3	14	0	0	0	0	0	0	0	1	1	3	2	1	6	0	0	0	0	0
2	2	2	6	0	0	0	0	0	0	0	0	0	0	0	3	3	0	0	0	0	0
2	3	1	5	0	0	0	0	0	1	0	0	1	0	0	2	0	0	1	0	0	0
2	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
3	0	3	23	0	0	0	0	0	0	0	0	0	2	1	8	4	7	1	0	0	0
3	1	2	8	0	0	0	0	0	0	0	0	0	1	0	1	2	2	2	0	0	0
3	2	1	6	0	0	0	0	0	0	0	0	0	0	1	0	3	1	1	0	0	0
3	3	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
4	0	2	12	0	0	0	0	0	0	0	0	0	0	0	5	4	2	1	0	0	0
4	1	1	7	0	0	0	0	0	0	0	0	0	0	0	1	5	0	1	0	0	0
4	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
5	0	1	6	0	0	0	0	0	0	0	0	0	1	0	1	1	1	1	1	0	0

TABLE 21 - INDUCED FETAL DEATHS - RHODE ISLAND OCCURRENCES, 2000
 BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
 NATURE OF PREVIOUS DELIVERIES TO MOTHER.

			AGE OF MOTHER IN YEARS																		
ALL			< 15	15	16	17	18	19	20	21	22	23	24	25- 29	30- 34	35- 39	40- 44	45- 49	50+	UN- KNOWN	
SIX - CONTINUED																					
PREVIOUS DELIVERIES TO MOTHER																					
*L.B.	S.F.D.	I.F.D.																			
5	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
6	0	0	4	1	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0	0	
SEVEN OR MORE			181	0	0	0	0	0	0	2	1	3	4	2	54	57	39	18	1	0	0
UNKNOWN			27	0	0	0	0	1	0	0	0	1	2	1	6	5	3	6	2	0	0
* L.B. REFERS TO PREVIOUS LIVE BIRTHS, S.F.D. TO PREVIOUS SPONTANEOUS FETAL DEATHS, AND I.F.D. TO PREVIOUS INDUCED FETAL DEATHS.																					

TABLE 21A - INDUCED FETAL DEATHS - RHODE ISLAND RESIDENTS, 2000
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER.

AGE OF MOTHER IN YEARS																			
	ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25- 29	30- 34	35- 39	40- 44	45- 49	50+	UN- KNOWN
TOTAL	4228	23	31	77	105	240	299	338	306	302	242	218	874	642	370	148	13	0	0
MARITAL STATUS OF MOTHER																			
MARRIED	528	0	0	0	3	1	6	2	10	14	19	24	126	159	113	45	6	0	0
UNMARRIED	2309	11	21	37	58	149	173	219	192	186	148	125	489	271	164	63	3	0	0
UNKNOWN	1391	12	10	40	44	90	120	117	104	102	75	69	259	212	93	40	4	0	0
PREVIOUS DELIVERIES TO MOTHER																			
NONE	1216	19	30	63	79	149	166	161	114	83	66	47	135	72	24	8	0	0	0
ONE	916	2	1	12	19	61	83	89	100	84	58	60	189	96	45	15	2	0	0
PREVIOUS DELIVERIES TO MOTHER																			
*L.B. S.F.D. I.F.D.																			
0 0 1	361	0	0	7	10	32	36	39	44	27	13	29	73	32	13	5	1	0	0
0 1 0	47	0	0	0	3	2	6	8	8	4	1	0	6	4	3	2	0	0	0
1 0 0	508	2	1	5	6	27	41	42	48	53	44	31	110	60	29	8	1	0	0
TWO	767	0	0	2	6	20	37	60	52	61	54	40	187	131	89	25	3	0	0
PREVIOUS DELIVERIES TO MOTHER																			
*L.B. S.F.D. I.F.D.																			
0 0 2	116	0	0	0	2	4	8	10	11	10	9	8	30	12	9	3	0	0	0
0 1 1	28	0	0	0	0	1	5	3	3	3	2	3	3	3	2	0	0	0	0
0 2 0	2	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0
1 0 1	270	0	0	1	3	11	14	24	21	19	22	9	68	46	27	5	0	0	0
1 1 0	54	0	0	0	0	1	1	8	7	9	5	1	7	9	5	0	1	0	0
2 0 0	297	0	0	1	1	3	9	14	10	20	16	19	79	60	46	17	2	0	0

TABLE 21A - INDUCED FETAL DEATHS - RHODE ISLAND RESIDENTS, 2000
 BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
 NATURE OF PREVIOUS DELIVERIES TO MOTHER.

			AGE OF MOTHER IN YEARS																		
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25- 29	30- 34	35- 39	40- 44	45- 49	50+	UN- KNOWN
THREE			529	1	0	0	1	7	9	17	24	36	25	29	134	123	90	30	3	0	0
PREVIOUS DELIVERIES TO MOTHER																					
*L.B.	S.F.D.	I.F.D.																			
0	0	3	22	0	0	0	0	0	2	1	1	1	1	0	7	5	3	1	0	0	0
0	1	2	10	0	0	0	0	0	1	0	1	0	1	0	2	1	3	1	0	0	0
1	0	2	95	0	0	0	0	2	1	6	8	7	8	6	21	20	14	2	0	0	0
1	1	1	43	0	0	0	0	1	2	5	1	2	2	3	9	11	5	2	0	0	0
1	2	0	7	0	0	0	1	1	0	1	0	0	1	0	2	0	1	0	0	0	0
2	0	1	187	0	0	0	0	2	3	2	8	15	6	9	57	40	31	12	2	0	0
2	1	0	59	0	0	0	0	0	0	0	1	6	1	6	18	17	9	1	0	0	0
3	0	0	106	1	0	0	0	1	0	2	4	5	5	5	18	29	24	11	1	0	0

TABLE 21A - INDUCED FETAL DEATHS - RHODE ISLAND RESIDENTS, 2000
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER.

			AGE OF MOTHER IN YEARS																		
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25- 29	30- 34	35- 39	40- 44	45- 49	50+	UN- KNOWN
FOUR			338	0	0	0	0	2	2	8	11	28	27	22	94	85	39	18	2	0	0
PREVIOUS DELIVERIES TO MOTHER																					
*L.B.	S.F.D.	I.F.D.																			
0	0	4	15	0	0	0	0	0	0	0	0	2	1	1	6	1	2	2	0	0	0
0	1	3	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
0	2	2	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
1	0	3	39	0	0	0	0	1	0	0	3	6	3	3	17	1	3	2	0	0	0
1	1	2	18	0	0	0	0	0	1	2	2	0	1	1	6	2	2	1	0	0	0
1	2	1	4	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	0
1	3	0	5	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	1	0	0
2	0	2	82	0	0	0	0	0	0	3	1	6	10	6	24	21	9	2	0	0	0
2	1	1	36	0	0	0	0	0	0	0	2	4	4	4	9	9	3	1	0	0	0
2	2	0	9	0	0	0	0	0	0	0	0	1	0	0	1	3	3	1	0	0	0
3	0	1	69	0	0	0	0	1	0	1	2	4	4	4	17	23	8	5	0	0	0
3	1	0	20	0	0	0	0	0	0	2	1	0	1	1	4	5	5	1	0	0	0
4	0	0	38	0	0	0	0	0	1	0	0	2	1	1	10	17	2	3	1	0	0

TABLE 21A - INDUCED FETAL DEATHS - RHODE ISLAND RESIDENTS, 2000
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER.

				AGE OF MOTHER IN YEARS																		
				ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25- 29	30- 34	35- 39	40- 44	45- 49	50+	UN- KNOWN
FIVE				190	0	0	0	0	0	2	2	4	4	6	12	60	53	26	21	0	0	0
PREVIOUS DELIVERIES TO MOTHER																						
*L.B.	S.F.D.	I.F.D.																				
0	0	5	3	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0
0	1	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
0	3	2	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
1	0	4	15	0	0	0	0	0	0	0	0	0	1	0	2	6	4	2	0	0	0	0
1	1	3	5	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0	1	0	0	0
1	2	2	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
1	3	1	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
1	4	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	0	3	44	0	0	0	0	0	0	0	0	0	0	0	2	18	12	6	6	0	0	0
2	1	2	23	0	0	0	0	0	0	0	1	0	0	2	0	7	3	5	5	0	0	0
2	2	1	5	0	0	0	0	0	0	0	0	0	0	1	0	3	1	0	0	0	0	0
2	3	0	4	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0
3	0	2	29	0	0	0	0	0	0	0	0	2	0	0	2	9	10	1	5	0	0	0
3	1	1	14	0	0	0	0	0	0	2	0	0	1	1	1	1	5	2	1	0	0	0
3	2	0	4	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0	0	0	0
4	0	1	18	0	0	0	0	0	0	0	1	0	1	0	2	3	7	3	1	0	0	0
4	1	0	8	0	0	0	0	0	0	0	0	1	0	0	1	3	2	1	0	0	0	0
5	0	0	10	0	0	0	0	0	0	0	0	0	0	0	0	4	1	4	1	0	0	0

TABLE 21A - INDUCED FETAL DEATHS - RHODE ISLAND RESIDENTS, 2000
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER.

			AGE OF MOTHER IN YEARS																		
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25- 29	30- 34	35- 39	40- 44	45- 49	50+	UN- KNOWN
SIX			99	1	0	0	0	0	0	0	1	3	3	6	23	31	20	10	1	0	0
PREVIOUS DELIVERIES TO MOTHER																					
*L.B.	S.F.D.	I.F.D.																			
0	0	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
1	1	4	3	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0
1	2	3	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
1	4	1	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	0	4	22	0	0	0	0	0	0	0	0	1	0	2	5	7	5	2	0	0	0
2	1	3	8	0	0	0	0	0	0	0	0	1	0	2	0	5	0	0	0	0	0
2	2	2	4	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0
2	3	1	3	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0	0	0
2	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
3	0	3	18	0	0	0	0	0	0	0	0	0	2	1	6	2	6	1	0	0	0
3	1	2	5	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	0	0	0
3	2	1	6	0	0	0	0	0	0	0	0	0	0	1	0	3	1	1	0	0	0
4	0	2	9	0	0	0	0	0	0	0	0	0	0	0	4	2	2	1	0	0	0
4	1	1	6	0	0	0	0	0	0	0	0	0	0	0	1	4	0	1	0	0	0
4	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
5	0	1	4	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	0	0
5	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
6	0	0	3	1	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0
SEVEN OR MORE			149	0	0	0	0	0	0	1	0	3	1	2	46	46	34	15	1	0	0
UNKNOWN			24	0	0	0	0	1	0	0	0	0	2	0	6	5	3	6	1	0	0

* L.B. REFERS TO PREVIOUS LIVE BIRTHS, S.F.D. TO PREVIOUS SPONTANEOUS FETAL DEATHS,
AND I.F.D. TO PREVIOUS INDUCED FETAL DEATHS

TABLE 22A - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND -- BY
NUMBER OF CHILD IN TOTAL BIRTH ORDER, NUMBER OF PREVIOUS FETAL DEATHS, AND AGE OF MOTHER, 2000

BIRTH ORDER OF THIS FETUS	TOTAL	AGE OF MOTHER IN YEARS								UNKNOWN
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45+	
TOTAL FETAL DEATHS OF 20 WEEKS OR MORE	77	100.0	6	24	21	14	10	2	0	0
FIRST DELIVERY	2	2.6	1	0	0	0	1	0	0	0
SECOND DELIVERY	1	1.3	0	1	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	1	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
THIRD DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
FOURTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
FIFTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SIXTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SEVENTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
EIGHTH OR MORE DELIVERIES	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
UNKNOWN BIRTH ORDER	74	96.1	5	23	21	14	9	2	0	0

TABLE 22B - ALL SPONTANEOUS FETAL DEATHS OCCURRING IN RHODE ISLAND -- BY
NUMBER OF CHILD IN TOTAL BIRTH ORDER, NUMBER OF PREVIOUS FETAL DEATHS, AND AGE OF MOTHER, 2000

BIRTH ORDER OF THIS FETUS	TOTAL		AGE OF MOTHER IN YEARS							UNKNOWN
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45+	
TOTAL SPONTANEOUS FETAL DEATHS	1027	100.0	78	162	222	263	227	70	5	0
FIRST DELIVERY	35	3.4	4	3	10	12	4	2	0	0
SECOND DELIVERY	27	2.6	0	4	9	8	5	1	0	0
NO PREVIOUS FETAL DEATHS	20		0	4	6	7	3	0	0	0
ONE PREVIOUS FETAL DEATH	7		0	0	3	1	2	1	0	0
THIRD DELIVERY	26	2.5	0	1	2	11	11	1	0	0
NO PREVIOUS FETAL DEATHS	16		0	1	2	5	7	1	0	0
ONE PREVIOUS FETAL DEATH	8		0	0	0	4	4	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	0	0	2	0	0	0	0
FOURTH DELIVERY	12	1.2	0	3	3	2	3	1	0	0
NO PREVIOUS FETAL DEATHS	5		0	1	2	1	1	0	0	0
ONE PREVIOUS FETAL DEATH	3		0	0	1	0	1	1	0	0
TWO PREVIOUS FETAL DEATHS	4		0	2	0	1	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
FIFTH DELIVERY	6	0.6	0	1	0	3	2	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	0	0	0	2	0	0	0
THREE+ PREVIOUS FETAL DEATHS	3		0	1	0	2	0	0	0	0
SIXTH DELIVERY	3	0.3	0	3	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	2	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	1	0	0	0	0	0	0
SEVENTH DELIVERY	1	0.1	0	0	0	1	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
EIGHTH OR MORE DELIVERIES	3	0.3	0	1	0	0	1	1	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	3		0	1	0	0	1	1	0	0
UNKNOWN BIRTH ORDER	914	89.0	74	146	198	226	201	64	5	0

TABLE 22C - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION FOR RHODE ISLAND RESIDENTS -- BY
NUMBER OF CHILD IN TOTAL BIRTH ORDER, NUMBER OF PREVIOUS FETAL DEATHS, AND AGE OF MOTHER, 2000

BIRTH ORDER OF THIS FETUS	TOTAL	AGE OF MOTHER IN YEARS								
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45+	UNKNOWN
TOTAL FETAL DEATHS OF 20 WEEKS OR MORE	66	100.0	6	22	16	10	10	2	0	0
FIRST DELIVERY	2	3.0	1	0	0	0	1	0	0	0
SECOND DELIVERY	1	1.5	0	1	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	1	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
THIRD DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
FOURTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
FIFTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SIXTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SEVENTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
EIGHTH OR MORE DELIVERIES	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
UNKNOWN BIRTH ORDER	63	95.5	5	21	16	10	9	2	0	0

TABLE 22D - ALL SPONTANEOUS FETAL DEATHS FOR RHODE ISLAND RESIDENTS -- BY
NUMBER OF CHILD IN TOTAL BIRTH ORDER, NUMBER OF PREVIOUS FETAL DEATHS, AND AGE OF MOTHER, 2000

BIRTH ORDER OF THIS FETUS	TOTAL		AGE OF MOTHER IN YEARS							UNKNOWN
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45+	
TOTAL SPONTANEOUS FETAL DEATHS	949	100.0	75	157	200	236	209	67	5	0
FIRST DELIVERY	31	3.3	3	3	9	11	3	2	0	0
SECOND DELIVERY	26	2.7	0	4	8	8	5	1	0	0
NO PREVIOUS FETAL DEATHS	20		0	4	6	7	3	0	0	0
ONE PREVIOUS FETAL DEATH	6		0	0	2	1	2	1	0	0
THIRD DELIVERY	25	2.6	0	1	2	11	10	1	0	0
NO PREVIOUS FETAL DEATHS	15		0	1	2	5	6	1	0	0
ONE PREVIOUS FETAL DEATH	8		0	0	0	4	4	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	0	0	2	0	0	0	0
FOURTH DELIVERY	12	1.3	0	3	3	2	3	1	0	0
NO PREVIOUS FETAL DEATHS	5		0	1	2	1	1	0	0	0
ONE PREVIOUS FETAL DEATH	3		0	0	1	0	1	1	0	0
TWO PREVIOUS FETAL DEATHS	4		0	2	0	1	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
FIFTH DELIVERY	5	0.5	0	1	0	3	1	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	3		0	1	0	2	0	0	0	0
SIXTH DELIVERY	3	0.3	0	3	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	2	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	1	0	0	0	0	0	0
SEVENTH DELIVERY	1	0.1	0	0	0	1	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
EIGHTH OR MORE DELIVERIES	3	0.3	0	1	0	0	1	1	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	3		0	1	0	0	1	1	0	0
UNKNOWN BIRTH ORDER	843	88.8	72	141	178	200	186	61	5	0

TABLE 23 - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY
WEIGHT OF FETUS AND AGE OF MOTHER, 2000

FETAL WEIGHT IN GRAMS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	UNKNOWN
TOTAL	77	100.0	6	24	21	14	10	2	0	0
1,000 OR LESS	26	33.8	3	6	8	7	2	0	0	0
1,001 - 1,500	7	9.1	0	5	1	0	1	0	0	0
1,501 - 2,000	3	3.9	1	0	1	0	1	0	0	0
2,001 - 2,500	5	6.5	1	1	1	0	1	1	0	0
LOW WEIGHT TOTAL	41	53.2	5	12	11	7	5	1	0	0
2,501 - 3,000	10	13.0	0	3	3	1	2	1	0	0
3,001 - 3,500	8	10.4	0	0	3	3	2	0	0	0
3,501 - 4,000	7	9.1	1	1	3	2	0	0	0	0
4,001 - 4,500	2	2.6	0	1	0	0	1	0	0	0
4,501 - 5,000	1	1.3	0	1	0	0	0	0	0	0
5,001 OR MORE	0	0.0	0	0	0	0	0	0	0	0
NOT STATED	8	10.4	0	6	1	1	0	0	0	0

TABLE 23A - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION FOR RHODE ISLAND RESIDENTS -- BY
WEIGHT OF FETUS AND AGE OF MOTHER, 2000

FETAL WEIGHT IN GRAMS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	UNKNOWN
TOTAL	66	100.0	6	22	16	10	10	2	0	0
1,000 OR LESS	21	31.8	3	6	6	4	2	0	0	0
1,001 - 1,500	6	9.1	0	4	1	0	1	0	0	0
1,501 - 2,000	3	4.5	1	0	1	0	1	0	0	0
2,001 - 2,500	4	6.1	1	1	0	0	1	1	0	0
LOW WEIGHT TOTAL	34	51.5	5	11	8	4	5	1	0	0
2,501 - 3,000	10	15.2	0	3	3	1	2	1	0	0
3,001 - 3,500	6	9.1	0	0	2	2	2	0	0	0
3,501 - 4,000	6	9.1	1	1	2	2	0	0	0	0
4,001 - 4,500	1	1.5	0	0	0	0	1	0	0	0
4,501 - 5,000	1	1.5	0	1	0	0	0	0	0	0
5,001 OR MORE	0	0.0	0	0	0	0	0	0	0	0
NOT STATED	8	12.1	0	6	1	1	0	0	0	0

TABLE 24 - ALL FETAL DEATHS OCCURRING IN RHODE ISLAND IN 2000 BY SELECTED CAUSES OF FETAL DEATH (ICD-10, 1992)				
			TOTAL	
			NUMBER	PERCENT
ALL CAUSES			6440	100.0%
CONGENITAL ANOMALIES (Q00-Q99)			6	0.1%
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)			6434	99.9%
MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (P00)			7	0.1%
MATERNAL COMPLICATIONS OF PREGNANCY (P01)			851	13.2%
COMPLICATIONS OF PLACENTA, CORD & MEMBRANES (P02)			19	0.3%
OTHER COMPLICATIONS OF LABOR & DELIVERY (P03)			1	0.0%
NOXIOUS INFLUENCES TRANSMITTED VIA PLACENTA (P04)			1	0.0%
SLOW FETAL GROWTH & FETAL MALNUTRITION (P05)			1	0.0%
SHORT GESTATION & LOW BIRTH WEIGHT NOT ELSEWHERE CLASSIFIED (P07)			5	0.1%
INTRAUTERINE HYPOXIA & BIRTH ASPHYXIA (P20)			2	0.0%
CARDIOVASCULAR DISORDERS (P29)			1	0.0%
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (P35-P39)			4	0.1%
OTHER CONDITIONS ARISING IN THE PERINATAL PERIOD (P80-P96)			5542	86.1%
OTHER CONDITIONS OF INTEGUMENT (P83)			1	
UNSPECIFIED CAUSE (P95)			128	2.0%
TERMINATION OF PREGNANCY (P96.4)			5413	84.1%

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
All Causes																		
TOTAL	10028	79	8	13	12	39	50	98	309	513	360	416	651	1012	1514	1677	1638	1635
White Male	4376	37	2	6	7	25	28	57	177	272	187	218	345	541	768	723	597	386
White Female	5231	26	4	3	1	4	12	27	100	187	155	168	272	427	706	909	1014	1216
Non-White Male	221	9	1	3	2	7	8	10	21	31	15	14	16	21	16	21	13	13
Non-White Female	186	6	1	1	1	2	2	4	11	21	3	16	16	23	23	24	13	19
Unknown Male	9	0	0	0	0	1	0	0	0	2	0	0	1	0	1	0	0	0
Unknown Female	5	1	0	0	1	0	0	0	0	0	0	0	1	0	0	0	1	1
Certain Other Intestinal Infections [A04, A07-A09]																		
TOTAL	11	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	4	2
White Male	5	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	0
White Female	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2
Non-White Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Septicemia [A40-A41]																		
TOTAL	139	0	0	0	0	0	0	0	4	8	2	8	8	11	20	28	25	25
White Male	54	0	0	0	0	0	0	0	1	6	2	4	0	4	10	12	9	6
White Female	77	0	0	0	0	0	0	0	2	1	0	4	5	6	9	16	16	18
Non-White Male	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
Non-White Female	4	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	1
Unknown Male	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Viral hepatitis [B15-B19]																		
TOTAL	20	0	0	0	0	0	0	0	3	6	3	0	2	2	3	1	0	0
White Male	10	0	0	0	0	0	0	0	2	3	3	0	0	1	1	0	0	0
White Female	7	0	0	0	0	0	0	0	1	1	0	0	2	0	2	1	0	0
Non-White Male	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Non-White Female	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
Human immunodeficiency virus (HIV) Disease [B20-B24]																		
TOTAL	40	0	0	0	0	0	0	8	17	10	2	0	0	1	0	0	0	1
White Male	24	0	0	0	0	0	0	7	10	6	1	0	0	0	0	0	0	0
White Female	6	0	0	0	0	0	0	1	3	1	0	0	0	0	0	0	0	1
Non-White Male	6	0	0	0	0	0	0	0	3	1	1	0	0	1	0	0	0	0
Non-White Female	3	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
Unknown Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other & unspecified infectious and parasitic diseases & their sequelae [A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.8, A86-B04, B06-B09, B25-B49, B55-B99]																		
TOTAL	21	1	0	0	0	0	0	0	2	1	1	1	3	2	4	4	1	1
White Male	14	1	0	0	0	0	0	0	1	0	0	1	2	2	2	3	1	1
White Female	7	0	0	0	0	0	0	0	1	1	1	0	1	0	2	1	0	0
Malignant Neoplasms [C00-C97]																		
TOTAL	2432	0	0	4	3	2	4	12	73	181	145	181	256	359	436	378	255	143
White Male	1158	0	0	2	2	1	2	7	27	70	70	93	139	189	227	179	108	42
White Female	1196	0	0	2	0	1	2	4	41	99	70	77	114	159	201	191	138	97
Non-White Male	39	0	0	0	0	0	0	1	2	5	4	5	2	4	4	5	5	2
Non-White Female	37	0	0	0	0	0	0	0	3	7	1	6	0	7	4	3	4	2
Unknown Female	2	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Malignant neoplasms of lip, oral cavity & pharynx [C00-C14]																		
TOTAL	23	0	0	0	0	0	0	0	0	4	1	1	5	3	2	1	4	2
White Male	10	0	0	0	0	0	0	0	0	4	1	0	1	1	1	0	2	0
White Female	12	0	0	0	0	0	0	0	0	0	0	1	4	2	1	1	1	2
Non-White Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Malignant neoplasm of esophagus [C15]																		
TOTAL	55	0	0	0	0	0	0	0	1	8	5	6	7	6	7	9	3	3
White Male	39	0	0	0	0	0	0	0	1	6	5	4	6	6	5	5	1	0
White Female	15	0	0	0	0	0	0	0	0	1	0	2	1	0	2	4	2	3
Non-White Female	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Malignant neoplasm of stomach [C16]																		
TOTAL	62	0	0	0	1	0	0	0	3	2	2	5	2	4	15	10	9	9
White Male	25	0	0	0	0	0	0	0	2	1	1	1	1	0	8	7	3	1
White Female	30	0	0	0	0	0	0	0	1	1	1	2	1	2	5	3	6	8
Non-White Male	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
Non-White Female	4	0	0	0	0	0	0	0	0	0	0	1	0	2	1	0	0	0
Unknown Female	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of colon, rectum & anus [C18-C21]																		
TOTAL	259	0	0	0	0	0	0	1	4	12	14	12	28	33	51	41	33	30
White Male	108	0	0	0	0	0	0	1	1	7	5	6	16	17	23	14	11	7
White Female	143	0	0	0	0	0	0	0	2	4	8	6	11	16	27	26	21	22
Non-White Male	6	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	1	1
Non-White Female	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
Malignant neoplasms of liver & intrahepatic bile ducts [C22]																		
TOTAL	59	0	0	0	0	0	0	0	2	4	4	5	4	13	13	10	4	0
White Male	37	0	0	0	0	0	0	0	2	2	2	3	3	8	9	7	1	0
White Female	14	0	0	0	0	0	0	0	0	1	1	0	1	3	2	3	3	0
Non-White Male	7	0	0	0	0	0	0	0	0	1	1	2	0	2	1	0	0	0
Non-White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Malignant neoplasm of pancreas [C25]																		
TOTAL	143	0	0	0	0	0	0	0	2	7	11	16	22	18	18	26	17	6
White Male	65	0	0	0	0	0	0	0	1	4	7	11	10	10	10	8	4	0
White Female	77	0	0	0	0	0	0	0	1	3	4	5	11	8	8	18	13	6
Unknown Female	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Malignant neoplasm of larynx [C32]																		
TOTAL	20	0	0	0	0	0	0	0	0	2	1	3	2	3	5	3	0	1
White Male	16	0	0	0	0	0	0	0	0	2	1	3	2	2	3	3	0	0
White Female	4	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	1
Malignant neoplasms of trachea, bronchus & lung [C33-C34]																		
TOTAL	679	0	0	0	0	0	0	2	10	48	45	59	101	134	114	96	56	14
White Male	363	0	0	0	0	0	0	1	6	20	24	39	54	82	69	42	20	6
White Female	299	0	0	0	0	0	0	1	3	25	19	18	46	51	44	52	32	8
Non-White Male	10	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	3	0
Non-White Female	7	0	0	0	0	0	0	0	1	2	1	1	0	0	0	1	1	0

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Malignant neoplasm of skin [C43]																		
TOTAL	32	0	0	0	0	0	0	0	1	8	3	0	5	1	4	5	3	2
White Male	16	0	0	0	0	0	0	0	1	3	3	0	2	0	1	3	2	1
White Female	15	0	0	0	0	0	0	0	0	5	0	0	3	0	3	2	1	1
Non-White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Malignant neoplasm of breast [C50]																		
TOTAL	187	0	0	0	0	0	0	2	21	23	16	10	9	19	40	17	16	14
White Female	181	0	0	0	0	0	0	2	20	21	16	10	9	18	39	16	16	14
Non-White Female	6	0	0	0	0	0	0	0	1	2	0	0	0	1	1	1	0	0
Malignant neoplasm of cervix uteri [C53]																		
TOTAL	20	0	0	0	0	0	0	1	1	5	2	3	0	1	0	5	1	1
White Female	19	0	0	0	0	0	0	1	1	4	2	3	0	1	0	5	1	1
Non-White Female	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Malignant neoplasms of corpus uteri & uterus, part unspecified [C54-C55]																		
TOTAL	14	0	0	0	0	0	0	0	0	1	0	3	2	3	2	1	1	1
White Female	13	0	0	0	0	0	0	0	0	1	0	2	2	3	2	1	1	1
Non-White Female	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Malignant neoplasm of ovary [C56]																		
TOTAL	49	0	0	0	0	0	0	0	1	8	3	6	5	5	9	5	4	3
White Female	49	0	0	0	0	0	0	0	1	8	3	6	5	5	9	5	4	3
Malignant neoplasm of prostate [C61]																		
TOTAL	129	0	0	0	0	0	0	0	1	0	1	2	11	16	22	35	26	15
White Male	127	0	0	0	0	0	0	0	1	0	1	2	11	16	22	34	25	15
Non-White Male	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
Malignant neoplasms of kidney & renal pelvis [C64-C65]																		
TOTAL	57	0	0	0	0	0	0	0	4	4	4	4	3	6	10	12	9	1
White Male	30	0	0	0	0	0	0	0	2	1	3	2	2	3	5	7	4	1
White Female	26	0	0	0	0	0	0	0	2	3	1	2	1	3	5	5	4	0
Non-White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Malignant neoplasm of bladder [C67]																		
TOTAL	71	0	0	0	0	0	0	0	1	3	2	3	5	7	18	13	12	7
White Male	47	0	0	0	0	0	0	0	1	2	1	2	3	4	10	10	10	4
White Female	24	0	0	0	0	0	0	0	0	1	1	1	2	3	8	3	2	3
Malignant neoplasms of meninges, brain & other parts of central nervous system [C70-C72]																		
TOTAL	66	0	0	1	0	0	0	1	10	10	3	4	4	11	12	5	3	2
White Male	34	0	0	0	0	0	0	1	6	6	2	1	3	4	7	3	1	0
White Female	30	0	0	1	0	0	0	0	4	3	1	2	1	7	5	2	2	2
Non-White Male	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Non-White Female	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Malignant Neoplasms of lymphoid, hematopoietic and related tissue [C81-C96]																		
TOTAL	246	0	0	2	2	1	0	2	6	16	13	15	21	37	51	43	23	14
White Male	130	0	0	1	2	1	0	1	2	7	8	8	12	22	30	21	12	3
White Female	104	0	0	1	0	0	0	0	2	7	4	7	9	13	20	21	10	10
Non-White Male	5	0	0	0	0	0	0	1	2	0	1	0	0	0	0	1	0	0
Non-White Female	7	0	0	0	0	0	0	0	0	2	0	0	0	2	1	0	1	1

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Hodgkin's disease [C81]																		
TOTAL	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
White Male	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Non-Hodgkin's lymphoma [C82-C85]																		
TOTAL	120	0	0	0	1	1	0	0	2	10	9	6	11	18	24	21	10	7
White Male	59	0	0	0	1	1	0	0	0	4	7	4	7	10	11	9	3	2
White Female	58	0	0	0	0	0	0	0	1	5	2	2	4	7	13	12	7	5
Non-White Male	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Non-White Female	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
Leukemia [C91-C95]																		
TOTAL	84	0	0	2	1	0	0	2	3	3	3	6	6	14	16	15	10	3
White Male	51	0	0	1	1	0	0	1	1	2	1	3	4	10	10	9	8	0
White Female	28	0	0	1	0	0	0	0	1	1	1	3	2	4	5	5	2	3
Non-White Male	4	0	0	0	0	0	0	1	1	0	1	0	0	0	0	1	0	0
Non-White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Multiple myeloma & immunoproliferative neoplasms [C88, C90]																		
TOTAL	40	0	0	0	0	0	0	0	0	3	1	3	4	5	10	7	3	4
White Male	19	0	0	0	0	0	0	0	0	1	0	1	1	2	9	3	1	1
White Female	17	0	0	0	0	0	0	0	0	1	1	2	3	2	1	4	1	2
Non-White Female	4	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	1
All other & unspecified malignant neoplasms [C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69, C73-C80, C97]																		
TOTAL	261	0	0	1	0	1	4	3	5	16	15	24	20	39	43	41	31	18
White Male	111	0	0	1	0	0	2	3	1	5	6	11	13	14	24	15	12	4
White Female	141	0	0	0	0	1	2	0	4	11	9	10	7	23	19	24	19	12
Non-White Male	5	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0	1
Non-White Female	4	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	1
In situ neoplasms, benign neoplasms & neoplasms of uncertain or unknown behavior [D00-D48]																		
TOTAL	50	0	1	0	0	0	0	0	2	1	1	2	2	5	5	11	12	8
White Male	24	0	1	0	0	0	0	0	2	0	1	0	1	2	3	8	3	3
White Female	25	0	0	0	0	0	0	0	0	1	0	2	1	3	2	3	9	4
Non-White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Anemias [D50-D64]																		
TOTAL	22	0	0	0	0	0	0	0	2	0	0	1	0	0	2	6	8	3
White Male	8	0	0	0	0	0	0	0	1	0	0	1	0	0	1	3	2	0
White Female	13	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	6	3
Non-White Male	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Diabetes Mellitus [E10-E14]																		
TOTAL	291	0	0	0	0	0	0	0	3	14	14	13	28	36	70	51	46	16
White Male	112	0	0	0	0	0	0	0	1	8	5	3	10	17	21	26	20	1
White Female	153	0	0	0	0	0	0	0	2	4	8	8	14	12	43	21	26	15
Non-White Male	13	0	0	0	0	0	0	0	0	1	1	1	2	4	3	1	0	0
Non-White Female	13	0	0	0	0	0	0	0	0	1	0	1	2	3	3	3	0	0

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Nutritional deficiencies [E40-E64]																		
TOTAL	11	0	0	0	1	0	0	0	0	2	0	0	0	0	1	3	2	2
White Male	4	0	0	0	1	0	0	0	0	1	0	0	0	0	1	0	0	1
White Female	7	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	2	1
Malnutrition [E40-E46]																		
TOTAL	7	0	0	0	0	0	0	0	0	2	0	0	0	0	1	2	0	2
White Male	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1
White Female	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	1
Other nutritional deficiencies [E50-E64]																		
TOTAL	4	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	2	0
White Male	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
White Female	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0
Meningitis [G00, G03]																		
TOTAL	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
White Male	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Parkinson's disease [G20-G21]																		
TOTAL	41	0	0	0	0	0	0	0	0	0	0	1	0	6	8	12	10	4
White Male	23	0	0	0	0	0	0	0	0	0	0	1	0	6	4	8	4	0
White Female	16	0	0	0	0	0	0	0	0	0	0	0	0	0	4	4	6	2
Non-White Male	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Alzheimer's disease [G30]																		
TOTAL	242	0	0	0	0	0	0	0	0	0	0	1	2	6	29	43	61	100
White Male	55	0	0	0	0	0	0	0	0	0	0	1	0	2	11	12	11	18
White Female	180	0	0	0	0	0	0	0	0	0	0	0	2	4	15	30	49	80
Non-White Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Non-White Female	6	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	1	1
Major Cardiovascular Diseases [I00-I78]																		
TOTAL	3936	2	1	0	0	2	5	13	50	124	97	117	220	351	572	704	792	885
White Male	1655	0	0	0	0	1	4	9	31	84	61	70	135	205	298	284	277	196
White Female	2149	2	0	0	0	0	0	3	12	27	30	35	71	132	256	397	506	678
Non-White Male	56	0	0	0	0	0	1	0	5	7	5	4	6	8	6	9	3	2
Non-White Female	72	0	1	0	0	0	0	1	2	4	1	8	8	6	12	14	6	9
Unknown Male	4	0	0	0	0	1	0	0	2	0	0	0	0	0	0	0	0	0
Diseases of heart [I00-I09, I11, I13, I20-I51]																		
TOTAL	3114	2	0	0	0	2	5	9	37	112	80	101	181	288	451	543	612	690
White Male	1349	0	0	0	0	1	4	7	28	77	53	59	111	171	241	219	217	161
White Female	1661	2	0	0	0	0	0	2	8	24	23	30	57	103	197	306	388	521
Non-White Mal	46	0	0	0	0	0	1	0	1	7	4	4	6	8	4	8	2	1
Non-White Fem	55	0	0	0	0	0	0	0	0	3	0	8	7	6	9	10	5	7
Unknown Male	3	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0
Acute rheumatic fever and chronic rheumatic heart diseases [I00-I09]																		
TOTAL	12	0	0	0	0	0	0	0	1	0	0	0	3	0	2	4	2	0
White Male	3	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0
White Female	9	0	0	0	0	0	0	0	1	0	0	0	1	0	2	3	2	0

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Hypertensive heart disease [I11]																		
TOTAL	50	0	0	0	0	0	0	0	1	3	0	1	2	1	6	6	15	15
White Male	16	0	0	0	0	0	0	0	0	1	0	1	1	0	2	0	6	5
White Female	32	0	0	0	0	0	0	0	0	1	0	0	1	1	4	6	9	10
Non-White Male	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Non-White Female	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Hypertensive heart & renal disease [I13]																		
TOTAL	11	0	0	0	0	0	0	0	0	0	0	0	0	3	0	3	2	3
White Male	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0
White Female	7	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	3
Ischemic heart diseases [I20-I25]																		
TOTAL	2676	0	0	0	0	1	0	2	28	91	72	91	151	251	401	467	525	595
White Male	1188	0	0	0	0	0	0	2	22	67	49	54	98	152	216	194	190	144
White Female	1400	0	0	0	0	0	0	0	6	16	19	25	42	89	172	256	329	446
Non-White Male	40	0	0	0	0	0	0	0	0	6	4	4	4	7	4	8	2	1
Non-White Female	45	0	0	0	0	0	0	0	0	1	0	8	7	3	9	9	4	4
Unknown Male	3	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0
Acute myocardial infarction [I21-I22]																		
TOTAL	1005	0	0	0	0	1	0	1	10	39	30	52	72	114	168	170	183	164
White Male	481	0	0	0	0	0	0	1	7	29	21	28	49	75	96	67	67	41
White Female	487	0	0	0	0	0	0	0	3	7	7	16	20	36	68	93	115	122
Non-White Male	15	0	0	0	0	0	0	0	0	3	2	2	0	2	0	5	0	1
Non-White Female	20	0	0	0	0	0	0	0	0	0	0	6	3	1	4	5	1	0
Unknown Male	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Other acute ischemic heart diseases [I24]																		
TOTAL	8	0	0	0	0	0	0	0	1	0	0	0	0	3	1	0	1	2
White Male	3	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0
White Female	5	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1	2
Atherosclerotic cardiovascular disease [I25.0]																		
TOTAL	551	0	0	0	0	0	0	1	6	23	24	17	31	52	86	77	96	138
White Male	247	0	0	0	0	0	0	1	5	16	18	14	23	30	46	32	29	33
White Female	287	0	0	0	0	0	0	0	1	5	4	1	7	19	37	43	66	104
Non-White Male	8	0	0	0	0	0	0	0	0	0	2	1	1	2	2	0	0	0
Non-White Female	8	0	0	0	0	0	0	0	0	1	0	1	0	1	1	2	1	1
Unknown Male	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
All other forms of chronic ischemic heart disease [I20, I25.1-I25.9]																		
TOTAL	1112	0	0	0	0	0	0	0	11	29	18	22	48	82	146	220	245	291
White Male	457	0	0	0	0	0	0	0	10	22	10	12	26	45	73	95	94	70
White Female	621	0	0	0	0	0	0	0	1	4	8	8	15	33	67	120	147	218
Non-White Male	17	0	0	0	0	0	0	0	0	3	0	1	3	3	2	3	2	0
Non-White Female	17	0	0	0	0	0	0	0	0	0	0	1	4	1	4	2	2	3

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Other heart diseases [I26-I51]																		
TOTAL	365	2	0	0	0	1	5	7	7	19	8	9	25	33	42	63	68	77
White Male	138	0	0	0	0	1	4	5	6	9	4	4	10	17	23	23	20	12
White Female	213	2	0	0	0	0	0	2	1	7	4	5	13	12	19	39	47	62
Non-White Male	5	0	0	0	0	0	1	0	0	1	0	0	2	1	0	0	0	0
Non-White Female	9	0	0	0	0	0	0	0	0	2	0	0	0	3	0	1	1	3
Acute and subacute endocarditis [I33]																		
TOTAL	4	0	0	0	0	0	0	0	2	1	0	0	0	0	1	0	0	0
White Male	3	0	0	0	0	0	0	0	2	0	0	0	0	0	1	0	0	0
Non-White Male	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Diseases of pericardium & acute myocarditis [I30-I31, I40]																		
TOTAL	4	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2	0
White Male	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Non-White Female	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Heart Failure [I50]																		
TOTAL	107	0	0	0	0	0	0	0	0	2	0	2	5	6	10	24	23	35
White Male	32	0	0	0	0	0	0	0	0	1	0	0	1	2	6	7	8	7
White Female	71	0	0	0	0	0	0	0	0	1	0	2	4	3	4	16	15	26
Non-White Female	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2
All other forms of heart disease [I26-I28, I34-I38, I42-I49, I51]																		
TOTAL	250	2	0	0	0	1	5	7	5	14	8	6	20	27	31	39	43	42
White Male	101	0	0	0	0	1	4	5	4	8	4	3	9	15	16	16	11	5
White Female	141	2	0	0	0	0	0	2	1	6	4	3	9	9	15	23	31	36
Non-White Male	4	0	0	0	0	0	1	0	0	0	0	0	2	1	0	0	0	0
Non-White Female	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	1
Essential (primary) hypertension & hypertensive renal disease [I10, I12]																		
TOTAL	41	0	0	0	0	0	0	0	0	1	2	1	3	3	6	7	10	8
White Male	13	0	0	0	0	0	0	0	0	1	1	1	2	1	2	2	3	0
White Female	26	0	0	0	0	0	0	0	0	0	1	0	1	2	3	5	6	8
Non-White Male	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
Cerebrovascular diseases [I60-I69]																		
TOTAL	581	0	1	0	0	0	0	4	12	8	11	10	27	41	94	115	127	131
White Male	213	0	0	0	0	0	0	2	3	5	4	7	16	18	46	44	43	25
White Female	350	0	0	0	0	0	0	1	3	3	5	3	10	23	46	67	84	105
Non-White Male	7	0	0	0	0	0	0	0	4	0	1	0	0	0	1	1	0	0
Non-White Female	11	0	1	0	0	0	0	1	2	0	1	0	1	0	1	3	0	1
Atherosclerosis [I70]																		
TOTAL	83	0	0	0	0	0	0	0	0	0	1	0	2	4	5	14	17	40
White Male	25	0	0	0	0	0	0	0	0	0	0	0	1	3	2	8	4	7
White Female	55	0	0	0	0	0	0	0	0	0	1	0	1	1	2	6	12	32
Non-White Female	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Other diseases of circulatory system [I71-I78]																		
TOTAL	117	0	0	0	0	0	0	0	1	2	3	5	7	15	16	25	26	16
White Male	55	0	0	0	0	0	0	0	0	1	3	3	5	12	7	11	10	3
White Female	57	0	0	0	0	0	0	0	1	0	0	2	2	3	8	13	16	12
Non-White Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Non-White Female	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0
Unknown Male	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Aortic aneurysm & dissection [I71]																		
TOTAL	72	0	0	0	0	0	0	0	0	3	3	3	5	10	10	18	15	5
White Male	39	0	0	0	0	0	0	0	0	1	3	2	4	8	6	9	5	1
White Female	30	0	0	0	0	0	0	0	0	0	0	1	1	2	4	8	10	4
Non-White Female	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
Unknown Male	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Other diseases of arteries, arterioles & capillaries [I72-I78]																		
TOTAL	45	0	0	0	0	0	0	0	1	0	0	2	2	5	6	7	11	11
White Male	16	0	0	0	0	0	0	0	0	0	0	1	1	4	1	2	5	2
White Female	27	0	0	0	0	0	0	0	1	0	0	1	1	1	4	5	6	8
Non-White Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Non-White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Other disorders of circulatory system [I80-I99]																		
TOTAL	24	0	0	0	0	0	0	0	2	5	0	0	2	4	4	2	5	0
White Male	10	0	0	0	0	0	0	0	0	3	0	0	1	2	0	0	4	0
White Female	12	0	0	0	0	0	0	0	1	2	0	0	1	2	4	1	1	0
Non-White Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Non-White Female	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Influenza and pneumonia [J10-J18]																		
TOTAL	343	0	1	0	1	0	0	1	2	5	6	3	8	19	34	79	74	110
White Male	136	0	0	0	0	0	0	0	1	1	3	2	3	11	15	41	27	32
White Female	194	0	1	0	0	0	0	0	1	4	2	1	5	7	17	37	45	74
Non-White Male	8	0	0	0	1	0	0	1	0	0	1	0	0	1	2	0	0	2
Non-White Female	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2
Influenza [J10-J11]																		
TOTAL	7	0	0	0	1	0	0	0	0	0	1	0	0	1	2	0	0	2
White Male	3	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0
White Female	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2
Non-White Male	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Pneumonia [J12-J18]																		
TOTAL	336	0	1	0	0	0	0	1	2	5	5	3	8	18	32	79	74	108
White Male	133	0	0	0	0	0	0	0	1	1	2	2	3	10	14	41	27	32
White Female	191	0	1	0	0	0	0	0	1	4	2	1	5	7	16	37	45	72
Non-White Male	7	0	0	0	0	0	0	1	0	0	1	0	0	1	2	0	0	2
Non-White Female	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Other acute lower respiratory infections [J20-J22]																		
TOTAL	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
White Male	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Acute bronchitis & bronchiolitis [J20-J21]																		
TOTAL	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
White Male	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Chronic lower respiratory diseases [J40-J47]																		
TOTAL	499	0	0	0	0	1	1	0	2	12	13	9	37	70	109	112	93	40
White Male	216	0	0	0	0	0	1	0	2	5	2	4	13	28	58	44	45	14
White Female	274	0	0	0	0	1	0	0	0	5	10	5	22	42	51	68	44	26
Non-White Male	8	0	0	0	0	0	0	0	0	2	1	0	1	0	0	0	4	0
Non-White Female	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Bronchitis, chronic & unspecified [J40-J42]																		
TOTAL	9	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	3	3
White Male	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1
White Female	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	2
Emphysema [J43]																		
TOTAL	34	0	0	0	0	0	0	0	0	2	1	1	1	3	12	6	5	3
White Male	15	0	0	0	0	0	0	0	0	1	0	1	1	1	7	2	1	1
White Female	17	0	0	0	0	0	0	0	0	0	1	0	0	2	5	4	3	2
Non-White Male	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Asthma [J45-J46]																		
TOTAL	6	0	0	0	0	1	1	0	1	0	1	0	0	0	0	1	1	0
White Female	4	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	1	0
Non-White Female	2	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0
Other chronic lower respiratory diseases [J44, J47]																		
TOTAL	450	0	0	0	0	0	0	0	1	10	11	8	36	67	95	104	84	34
White Male	194	0	0	0	0	0	0	0	1	4	2	3	12	27	50	40	43	12
White Female	249	0	0	0	0	0	0	0	0	5	8	5	22	40	45	64	38	22
Non-White Male	6	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	3	0
Non-White Female	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Pneumoconioses & chemical effects [J60-J66, J68]																		
TOTAL	5	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	2	0
White Male	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	0
White Female	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Pneumonitis due to solids & liquids [J69]																		
TOTAL	74	0	0	0	0	0	0	0	0	0	0	3	1	2	14	9	26	19
White Male	38	0	0	0	0	0	0	0	0	0	0	1	0	0	8	5	16	8
White Female	36	0	0	0	0	0	0	0	0	0	0	2	1	2	6	4	10	11
Other diseases of respiratory system [J00-J06, J30-J39, J67, J70-J98]																		
TOTAL	95	2	0	1	1	0	0	1	1	2	3	7	8	11	15	20	14	9
White Male	47	0	0	0	1	0	0	1	1	1	2	2	6	7	8	9	6	3
White Female	47	2	0	1	0	0	0	0	0	1	1	5	2	4	7	11	8	5
Non-White Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Peptic Ulcer [K25-K28]																		
TOTAL	25	0	0	0	0	0	0	0	0	2	1	0	0	2	2	4	5	9
White Male	7	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	1
White Female	16	0	0	0	0	0	0	0	0	0	1	0	0	1	1	2	3	8
Non-White Male	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Hernia [K40-K46]																		
TOTAL	11	0	0	0	0	0	0	0	1	0	2	0	0	0	2	4	1	1
White Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
White Female	10	0	0	0	0	0	0	0	1	0	2	0	0	0	2	3	1	1
Chronic liver disease & cirrhosis [K70, K73-K74]																		
TOTAL	128	0	0	0	0	0	0	1	15	21	16	14	11	13	22	12	2	1
White Male	81	0	0	0	0	0	0	1	13	16	7	8	9	5	15	6	1	0
White Female	44	0	0	0	0	0	0	0	2	3	8	6	2	8	7	6	1	1
Non-White Male	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
Non-White Female	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Alcoholic liver disease [K70]																		
TOTAL	54	0	0	0	0	0	0	1	13	12	7	6	6	1	6	2	0	0
White Male	42	0	0	0	0	0	0	1	11	9	4	5	6	0	4	2	0	0
White Female	10	0	0	0	0	0	0	0	2	1	3	1	0	1	2	0	0	0
Non-White Male	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Non-White Female	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Other chronic liver disease & cirrhosis [K73-K74]																		
TOTAL	74	0	0	0	0	0	0	0	2	9	9	8	5	12	16	10	2	1
White Male	39	0	0	0	0	0	0	0	2	7	3	3	3	5	11	4	1	0
White Female	34	0	0	0	0	0	0	0	0	2	5	5	2	7	5	6	1	1
Non-White Male	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Cholelithiasis & other disorders of gallbladder [K80-K82]																		
TOTAL	13	0	0	0	0	0	0	0	0	1	0	1	1	2	1	1	2	4
White Male	9	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	2	3
White Female	4	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	1
Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]																		
TOTAL	122	0	0	0	0	0	0	2	1	6	2	4	8	14	25	20	21	21
White Male	60	0	0	0	0	0	0	1	1	3	1	3	4	6	15	9	9	8
White Female	59	0	0	0	0	0	0	1	0	3	1	1	3	7	10	11	12	13
Non-White Female	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
Unknown Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Acute and rapidly progressive nephritic and nephrotic syndrome [N00-N01, N04]																		
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Chronic glomerulonephritis, nephritis & nephropathy not specified as acute or chronic, & renal sclerosis unspecified [N02-N03, N05-N07, N26]																		
TOTAL	3	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	0	0
White Male	2	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0
White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Renal failure [N17-N19]																		
TOTAL	118	0	0	0	0	0	0	1	1	6	2	4	7	13	24	17	21	21
White Male	58	0	0	0	0	0	0	0	1	3	1	3	4	5	15	9	9	8
White Female	57	0	0	0	0	0	0	1	0	3	1	1	2	7	9	8	12	13
Non-White Female	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
Unknown Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Infections of kidney [N10-N12, N13.6, N15.1]																		
TOTAL	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0
White Female	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0
Hyperplasia of prostate [N40]																		
TOTAL	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1
White Male	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1
Inflammatory disease of female pelvic organs [N70-N76]																		
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Pregnancy, childbirth and the puerperium [O00-O99]																		
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
White Female	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Other complications of pregnancy, childbirth & the puerperium [O10-O99]																		
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
White Female	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Certain conditions originating in the perinatal period [P00-P96]																		
TOTAL	55	53	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
White Male	24	23	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
White Female	18	17	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Non-White Male	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-White Female	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations & chromosomal abnormalities [Q00-Q99]																		
TOTAL	30	9	1	1	0	2	1	2	4	3	1	1	1	1	2	1	0	0
White Male	12	5	0	0	0	2	0	1	1	1	0	0	0	1	1	0	0	0
White Female	14	2	1	0	0	0	1	1	2	2	1	1	1	0	1	1	0	0
Non-White Male	2	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Non-White Female	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Symptoms, signs & abnormal clinical & laboratory findings, not elsewhere classified [R00-R99]																		
TOTAL	66	4	0	0	0	1	1	6	14	15	2	4	1	0	4	5	2	7
White Male	32	3	0	0	0	1	0	3	10	6	1	2	0	0	2	2	0	2
White Female	29	1	0	0	0	0	1	3	2	7	1	2	1	0	1	3	2	5
Non-White Male	4	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0
Unknown Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
All other diseases (residual) [D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29, K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98]																		
TOTAL	842	2	2	1	1	0	7	5	26	41	34	32	37	73	102	140	146	193
White Male	308	1	1	1	1	0	2	1	14	24	18	13	14	34	52	53	41	38
White Female	498	1	0	0	0	0	3	3	10	12	15	17	19	33	49	80	104	152
Non-White Male	18	0	1	0	0	0	0	0	1	3	1	2	2	1	0	5	0	2
Non-White Female	17	0	0	0	0	0	2	1	1	2	0	0	2	5	1	2	0	1
Unknown Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Unintentional injuries (Accidents) [V01-X59, Y85-Y86]																		
TOTAL	234	2	1	4	4	15	12	7	29	22	7	8	9	15	19	24	27	29
White Male	123	2	0	2	1	9	7	6	17	16	6	5	5	11	8	14	6	8
White Female	83	0	1	0	1	1	0	1	7	4	1	2	3	3	11	10	21	17
Non-White Male	21	0	0	2	1	4	5	0	3	2	0	1	1	1	0	0	0	1
Non-White Female	6	0	0	0	1	1	0	0	2	0	0	0	0	0	0	0	0	2
Unknown Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Transport accidents [V01-V99, Y85]																		
TOTAL	85	0	0	0	1	14	9	5	19	14	3	4	2	3	5	1	3	2
White Male	48	0	0	0	0	8	4	4	11	12	2	3	1	2	0	0	0	1
White Female	21	0	0	0	1	1	0	1	5	1	1	0	1	1	5	1	3	0
Non-White Male	13	0	0	0	0	4	5	0	2	1	0	1	0	0	0	0	0	0
Non-White Female	3	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Motor vehicle accidents [V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2]																		
TOTAL	81	0	0	0	1	13	9	5	18	13	3	4	1	3	5	1	3	2
White Male	45	0	0	0	0	7	4	4	10	12	2	3	0	2	0	0	0	1
White Female	21	0	0	0	1	1	0	1	5	1	1	0	1	1	5	1	3	0
Non-White Male	12	0	0	0	0	4	5	0	2	0	0	1	0	0	0	0	0	0
Non-White Female	3	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Other land transport accidents [V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9]																		
TOTAL	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0
White Male	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0
Water, air & space, other & unspecified transport accidents & their sequelae [V90-V99, Y85]																		
TOTAL	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
White Male	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Non-White Male	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Nontransport accidents [W00-X59, Y86]																		
TOTAL	149	2	1	4	3	1	3	2	10	8	4	4	7	12	14	23	24	27
White Male	75	2	0	2	1	1	3	2	6	4	4	2	4	9	8	14	6	7
White Female	62	0	1	0	0	0	0	0	2	3	0	2	2	2	6	9	18	17
Non-White Male	8	0	0	2	1	0	0	0	1	1	0	0	1	1	0	0	0	1
Non-White Female	3	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	1
Unknown Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Falls [W00-W19]																		
TOTAL	81	0	0	0	0	0	0	0	0	4	1	2	6	6	9	20	13	20
White Male	35	0	0	0	0	0	0	0	0	2	1	1	3	5	5	11	4	3
White Female	41	0	0	0	0	0	0	0	0	1	0	1	2	1	4	9	9	14
Non-White Male	3	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1
Non-White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Unknown Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Accidental drowning & submersion [W65-W74]																		
TOTAL	5	0	0	0	0	0	1	1	0	1	0	0	0	1	1	0	0	0
White Male	4	0	0	0	0	0	1	1	0	1	0	0	0	1	0	0	0	0
White Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Accidental exposure to smoke, fire, & flames [X00-X09]																		
TOTAL	15	1	1	4	2	1	1	0	1	1	1	0	0	1	1	0	0	0
White Male	7	1	0	2	0	1	1	0	0	0	1	0	0	0	1	0	0	0
White Female	2	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Non-White Male	4	0	0	2	1	0	0	0	0	0	0	0	0	1	0	0	0	0
Non-White Female	2	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0
Accidental poisoning & exposure to noxious substances [X40-X49]																		
TOTAL	5	0	0	0	0	0	0	0	4	0	0	1	0	0	0	0	0	0
White Male	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
White Female	3	0	0	0	0	0	0	0	2	0	0	1	0	0	0	0	0	0
Non-White Male	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Other & unspecified nontransport accidents & their sequelae [W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86]																		
TOTAL	43	1	0	0	1	0	1	1	5	2	2	1	1	4	3	3	11	7
White Male	28	1	0	0	1	0	1	1	5	1	2	1	1	3	2	3	2	4
White Female	15	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	9	3
Intentional self-harm (suicide) [X60-X84, U03, Y87.0]																		
TOTAL	74	0	0	0	0	6	6	12	16	18	3	3	4	2	2	1	1	0
White Male	51	0	0	0	0	4	4	7	14	12	3	2	2	1	1	1	0	0
White Female	14	0	0	0	0	1	1	3	1	4	0	0	1	1	1	0	1	0
Non-White Male	9	0	0	0	0	1	1	2	1	2	0	1	1	0	0	0	0	0
Intentional self-harm (suicide) by discharge of firearms [X72-X74]																		
TOTAL	27	0	0	0	0	2	3	3	7	4	1	2	2	2	1	0	0	0
White Male	19	0	0	0	0	1	3	2	5	3	1	1	1	1	1	0	0	0
White Female	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0
Non-White Male	6	0	0	0	0	1	0	1	1	1	0	1	1	0	0	0	0	0
Intentional self-harm (suicide) by other & unspecified means & their sequelae [U03, X60-X71, X75-X84, Y87.0]																		
TOTAL	47	0	0	0	0	4	3	9	9	14	2	1	2	0	1	1	1	0
White Male	32	0	0	0	0	3	1	5	9	9	2	1	1	0	0	1	0	0
White Female	12	0	0	0	0	1	1	3	0	4	0	0	1	0	1	0	1	0
Non-White Male	3	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0

Table 25 - Resident Deaths from 113 Selected Causes by Race, Age, and Sex: Rhode Island, 2000

Causes (ICD-10 Codes) Race & Sex	Total Number*	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Assault (homicide) [X85-Y09, Y89.1, U01-U02]																		
TOTAL	39	1	0	1	0	8	7	13	7	2	0	0	0	0	0	0	0	0
White Male	22	0	0	0	0	5	5	5	6	1	0	0	0	0	0	0	0	0
White Female	6	1	0	0	0	1	1	2	1	0	0	0	0	0	0	0	0	0
Non-White Male	10	0	0	0	0	2	1	6	0	1	0	0	0	0	0	0	0	0
Non-White Female	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Assault (homicide) by discharge of firearms [U01.4, X93-X95]																		
TOTAL	27	0	0	0	0	8	6	8	3	2	0	0	0	0	0	0	0	0
White Male	15	0	0	0	0	5	4	2	3	1	0	0	0	0	0	0	0	0
White Female	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0
Non-White Male	10	0	0	0	0	2	1	6	0	1	0	0	0	0	0	0	0	0
Assault (homicide) by other & unspecified means & their sequelae [U01.0-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1]																		
TOTAL	12	1	0	1	0	0	1	5	4	0	0	0	0	0	0	0	0	0
White Male	7	0	0	0	0	0	1	3	3	0	0	0	0	0	0	0	0	0
White Female	4	1	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0
Non-White Female	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Events of undetermined intent [Y10-Y34, Y87.2, Y89.9]																		
TOTAL	3113	2	1	0	0	2	6	14	31	9	4	1	1	0	0	0	0	0
White Male	1349	1	0	0	0	2	4	8	21	4	1	1	0	0	0	0	0	0
White Female	1661	0	1	0	0	0	2	4	8	3	3	0	0	0	0	0	0	0
Non-White Male	46	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0
Non-White Female	55	0	0	0	0	0	0	2	0	1	0	0	1	0	0	0	0	0
Unknown Male	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other & unspecified events of undetermined intent & their sequelae [Y10-Y21, Y25-Y34, Y87.2, Y89.9]																		
TOTAL	71	2	1	0	0	2	6	14	31	9	4	1	1	0	0	0	0	0
White Male	42	1	0	0	0	2	4	8	21	4	1	1	0	0	0	0	0	0
White Female	21	0	1	0	0	0	2	4	8	3	3	0	0	0	0	0	0	0
Non-White Male	3	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0
Non-White Female	4	0	0	0	0	0	0	2	0	1	0	0	1	0	0	0	0	0
Unknown Female	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical & surgical care [Y40-Y84, Y88]																		
TOTAL	9	0	0	0	1	0	0	0	0	2	1	1	0	2	2	0	0	0
White Male	5	0	0	0	1	0	0	0	0	1	0	0	0	2	1	0	0	0
White Female	2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
Non-White Female	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0

* Totals may include deaths of unknown age, race, or sex.

Table 26 - Resident Deaths by City or Town by Month
Rhode Island, 2000

City or Town	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Rhode Island	10028	1128	874	838	744	808	746	763	769	782	837	818	921
Barrington	110	13	12	10	4	7	5	11	9	11	11	9	8
Bristol	254	35	28	19	20	21	12	17	14	28	17	17	26
Burrillville	148	24	6	8	15	15	14	14	13	4	7	15	13
Central Falls	188	21	14	10	19	16	18	17	9	17	12	16	19
Charlestown	49	2	1	1	6	4	1	5	6	5	8	5	5
Coventry	335	41	27	20	25	20	36	35	24	27	24	26	30
Cranston	769	80	81	73	59	57	60	44	68	59	52	71	65
Cumberland	263	30	30	28	15	20	19	17	25	17	17	19	26
East Greenwich	98	10	10	5	3	7	6	16	6	4	13	9	9
East Providence	670	87	60	68	41	56	41	52	44	59	60	44	58
Exeter	31	1	2	5	2	2	2	2	3	1	3	5	3
Foster	32	3	2	2	3	2	4	4	1	2	2	3	4
Glocester	60	6	7	6	6	8	3	3	5	1	5	5	5
Hopkinton	56	6	3	3	5	4	5	4	4	7	1	5	9
Jamestown	41	4	4	2	1	2	7	4	4	2	2	6	3
Johnston	331	30	32	31	25	21	20	28	24	35	30	20	35
Lincoln	196	20	15	19	18	16	15	16	15	15	18	21	8
Little Compton	43	10	4	3	3	0	5	5	3	2	2	4	2
Middletown	179	18	12	25	4	15	16	14	11	14	15	14	21
Narragansett	116	12	12	4	8	16	13	6	12	6	7	10	10
Newport	222	26	26	19	17	13	13	18	10	17	19	15	29
New Shoreham	14	1	0	2	3	2	1	1	2	1	1	0	0
North Kingstown	212	28	19	21	11	22	9	16	18	17	23	17	11
North Providence	390	31	33	42	30	36	25	25	29	18	39	44	38
North Smithfield	136	12	10	9	8	8	9	14	11	11	15	13	16
Pawtucket	742	83	55	58	57	63	50	55	60	54	76	64	67
Portsmouth	120	9	9	9	11	11	12	8	8	12	13	7	11
Providence	1439	157	126	114	119	118	89	106	128	122	115	114	131
Richmond	35	8	3	3	6	4	0	2	2	2	3	1	1
Scituate	70	13	3	3	5	4	7	3	9	6	6	7	4
Smithfield	241	17	20	21	18	21	24	23	24	17	24	17	15
South Kingstown	184	20	15	17	10	15	20	7	16	15	17	13	19
Tiverton	146	15	7	9	9	17	19	10	10	10	14	13	13
Warren	164	29	15	9	9	18	12	17	7	11	12	11	14
Warwick	961	117	83	72	75	68	70	71	65	79	84	84	93
Westerly	236	31	17	17	17	29	21	21	19	17	16	14	17
West Greenwich	18	1	1	3	2	2	1	1	0	1	2	2	2
West Warwick	280	27	28	28	21	21	28	22	18	26	21	16	24
Woonsocket	449	50	42	40	34	27	34	29	33	30	31	42	57

Table 27 - Resident Infant Deaths for 130 Selected Causes* by Age Rhode Island, 2000

Cause of Death (ICD-10 Codes)	All Infants*	Neonatal (- 28 Days)	Under 1 Day	1 - 6 Days	7 - 27 Days	28 Days - 11 Months
All Causes - TOTAL	79	63	40	17	6	16
Certain infectious and parasitic diseases (A00-B99)	1	0	0	0	0	1
Viral diseases (A80-B34)	1	0	0	0	0	1
Other and unspecified viral diseases (A81-B00, B02-B04, B06-B19, B25, B27-B34)	1	0	0	0	0	1
Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)	1	0	0	0	0	1
Hemorrhagic conditions and other diseases of blood and blood-forming organs (D65-D76)	1	0	0	0	0	1
Endocrine, nutritional and metabolic diseases (E00-E88)	1	1	0	0	1	0
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)	1	1	0	0	1	0
Diseases of the circulatory system (I00-I99)	2	0	0	0	0	2
Cardiomyopathy (I42)	1	0	0	0	0	1
Cardiac arrest (I46)	1	0	0	0	0	1
Diseases of the respiratory system (J00-J98)	3	1	0	0	1	2
Acute bronchitis and acute bronchiolitis (J20-J21)	1	0	0	0	0	1
Other and unspecified diseases of respiratory system (J22,J30-J39,J43-J44,J47-J68,J70-J98)	2	1	0	0	1	1
Certain conditions originating in the perinatal period (P00-P96)	53	52	35	14	3	1
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)	7	7	6	1	0	0
Newborn affected by maternal complications of pregnancy (P01)	1	1	1	0	0	0
Newborn affected by premature rupture of membranes (P01.1)	1	1	1	0	0	0
Newborn affected by complications of placenta, cord and membranes (P02)	6	6	5	1	0	0
Newborn affected by complications involving placenta (P02.0-P02.3)	1	1	1	0	0	0
Newborn affected by chorioamnionitis (P02.7)	5	5	4	1	0	0
Disorders related to length of gestation and fetal malnutrition (P05-P08)	29	29	27	2	0	0
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)	29	29	27	2	0	0
Extremely low birth weight or extreme immaturity (P07.0, P07.2)	17	17	16	1	0	0
Other low birth weight or preterm (P07.1, P07.3)	12	12	11	1	0	0
Intrauterine hypoxia and birth asphyxia (P20-P21)	2	2	0	2	0	0
Birth asphyxia (P21)	2	2	0	2	0	0
Respiratory distress of newborn (P22)	3	3	0	3	0	0
Other respiratory conditions originating in the perinatal period (P23-P28)	5	5	0	3	2	0
Congenital pneumonia (P23)	2	2	0	2	0	0
Interstitial emphysema and related conditions originating in the perinatal period (P25)	1	1	0	0	1	0
Pulmonary hemorrhage originating in the perinatal period (P26)	1	1	0	1	0	0
Chronic respiratory disease originating in the perinatal period (P27)	1	1	0	0	1	0

Table 27 - Resident Infant Deaths for 130 Selected Causes* by Age Rhode Island, 2000

Cause of Death (ICD-10 Codes)	All Infants*	Neonatal (- 28 Days)	Under 1 Day	1 - 6 Days	7 - 27 Days	28 Days - 11 Months
Certain conditions originating in the perinatal period (P00-P96) - continued						
Infections specific to the perinatal period (P35-P39)	3	2	1	0	1	1
Bacterial sepsis of newborn (P36)	1	1	1	0	0	0
All other infections specific to the perinatal period (P35, P37, P39)	2	1	0	0	1	1
Hemorrhagic and hematological disorders of newborn (P50-P61)	2	2	0	2	0	0
Neonatal hemorrhage (P50-P52, P54)	2	2	0	2	0	0
Other perinatal conditions (P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P96)	2	2	1	1	0	0
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)						
Other congenital malformations of nervous system (Q01-Q02, Q04, Q06-Q07)	1	1	0	0	1	0
Congenital malformations of heart (Q20-Q24)	1	0	0	0	0	1
Other congenital malformations of circulatory system (Q25-Q28)	1	0	0	0	0	1
Congenital malformations of respiratory system (Q30-Q34)	1	1	1	0	0	0
Congenital malformations of genitourinary system (Q50-Q64)	1	1	1	0	0	0
Edward's syndrome (Q91.0-Q91.3)	2	2	0	2	0	0
Patau's syndrome (Q91.4-Q91.7)	1	1	1	0	0	0
Other congenital malformations and deformations (Q10-Q18, Q86-Q89)	1	1	1	0	0	0
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)						
Sudden infant death syndrome (R95)	2	1	0	1	0	1
Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53, R55-R94, R96-R99)	2	0	0	0	0	2
External causes of mortality (*U01,V01-Y84)						
Accidents (V01-X59)	2	0	0	0	0	2
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)	1	0	0	0	0	1
Accidents caused by exposure to smoke, fire and flames (X00-X09)	1	0	0	0	0	1
Assault (homicide) (*U01, X85-Y09)	1	0	0	0	0	1
Assault (homicide) by other and unspecified means (*U01.0-*U01.3, *U01.5-*U01.9, X85-X90, X92, X96-Y05, Y08-Y09)	1	0	0	0	0	1
Other external causes (X60-X84, Y10-Y36)	2	1	1	0	0	1

*Total(s) may include infants of unknown age.

The causes of death in this table are taken from the ICD-10 Cause-of-Death List of 130 Selected Causes of Infant Death for Tabulating Mortality Statistics for Health Statistics. If no deaths occurred in a specific classification, the category will not appear in this table.

**Table 28 - Resident Accidental Deaths by Sex and Age.
With Non-Motor Vehicle and Non-Transport Accidents Shown by New England Standard Locations*
Rhode Island, 2000**

Type or Place of Accident	Total**	Age of Decedent in Years																	
		Under 1	1- 4	5- 9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	
Total Accidents (V01-X59, Y85-Y86)																			
Total	234	2	1	4	4	15	12	7	29	22	7	8	9	15	19	24	27	29	
Male	144	2	0	4	2	13	12	6	20	18	6	6	6	12	8	14	6	9	
Female	90	0	1	0	2	2	0	1	9	4	1	2	3	3	11	10	21	20	
Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)																			
Total	81	0	0	0	1	13	9	5	18	13	3	4	1	3	5	1	3	2	
Male	57	0	0	0	0	11	9	4	12	12	2	4	0	2	0	0	0	1	
Female	24	0	0	0	1	2	0	1	6	1	1	0	1	1	5	1	3	1	
Non-Motor Vehicle and Non-Transport Accidents (V01, V05, V06, V09.1, V09.3- V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, W00-W99, X00-X59, Y85-Y86)																			
Total	153	2	1	4	3	2	3	2	11	9	4	4	8	12	14	23	24	27	
Male	87	2	0	4	2	2	3	2	8	6	4	2	6	10	8	14	6	8	
Female	66	0	1	0	1	0	0	0	3	3	0	2	2	2	6	9	18	19	
<u>0-Home</u>																			
Total	69	1	1	4	3	1	1	0	3	4	3	2	5	5	7	14	7	8	
Male	43	1	0	4	2	1	1	0	1	2	3	1	3	5	4	10	2	3	
Female	26	0	1	0	1	0	0	0	2	2	0	1	2	0	3	4	5	5	
<u>1-Resident institution, military reservation</u>																			
Total	19	0	0	0	0	0	0	0	0	0	0	0	1	0	0	5	5	8	
Male	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1	1	
Female	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4	7	
<u>2-Hospital, school, other institution, institutional recreation area</u>																			
Total	6	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	1	
Male	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	
Female	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	

Table 28 - Resident Accidental Deaths by Sex and Age.
With Non-Motor Vehicle and Non-Transport Accidents Shown by New England Standard Locations*
Rhode Island, 2000 (Continued)

Type or Place of Accident	Total**	Age of Decedent in Years																	
		Under 1	1- 4	5- 9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	
Non-Motor Vehicle and Non-Transport Accidents (V01, V05, V06, V09.1, V09.3- V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, W00-W99, X00-X59, Y85-Y86) - Continued																			
<u>4-Street or highway</u>																			
Total	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
<u>5-Garage/warehouse, trade/service areas</u>																			
Total	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
<u>6-Industrial/construction area, mine or quarry</u>																			
Total	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	
Male	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<u>8-Public recreation area, other building/other specified place</u>																			
Total	16	0	0	0	0	0	2	1	2	2	1	0	1	1	4	1	1	0	
Male	12	0	0	0	0	0	2	1	2	2	1	0	1	1	2	0	0	0	
Female	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	
<u>9-Unspecified place</u>																			
Total	31	1	0	0	0	0	0	1	2	1	0	2	1	2	2	1	9	9	
Male	16	1	0	0	0	0	0	1	1	1	0	1	1	2	1	1	2	4	
Female	15	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	7	5	

* New England Standard Location Categories, or Place of Injury codes, are assigned only to deaths classified to ICD W00-Y34.

** Totals may include deaths of unknown age.

TABLE 30 - RESIDENT ACCIDENTAL DEATHS BY TYPE AND AGE, RHODE ISLAND, 2000

Type of Unintentional Injury (Accident) and ICD-10 Code	Age in Years									
	All Ages*	< 1	1- 4	5-14	15-19	20-24	25-44	45-64	65-84	85+
ALL UNINTENTIONAL INJURIES (Accidents) [V01-X59, Y85-Y86]	234	2	1	8	15	12	36	37	67	56
Transport Accidents [V01-V99, Y85]	85	0	0	1	14	9	24	21	11	5
<u>Railway accidents</u> [V05, V15, V80.6, V81.2-V81.9]	1	0	0	0	0	0	1	0	0	0
<u>Motor vehicle accidents</u> [V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2]	81	0	0	1	13	9	23	20	10	5
Pedestrian involved in collision w/motor vehicle [V02-V04]	7	0	0	0	1	0	1	4	1	0
Pedalcyclist involved in collision w/ motor vehicle [V12,-V14, V19.0-V19.2, V19.4-V19.6]	4	0	0	0	2	0	2	0	0	0
Motorcyclist involved in any accident, except collision with railway train [V20-V24, V26-V34, V36-V39]	13	0	0	0	1	1	7	3	1	0
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian [V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77]	30	0	0	1	7	6	8	4	2	2
Occupant of car, pickup truck or van involved in collision with other motor vehicle [V42-V44, V49, V52-V54, V59]	16	0	0	0	1	1	2	4	5	3
Occupant of motor vehicle involved in noncollision accident [V48, V58, V68, V78]	1	0	0	0	0	0	0	1	0	0
Occupant of special-use motor vehicle involved in any accident [V83-V86]	1	0	0	0	0	0	0	1	0	0
Other & unspecified motor vehicle accidents [V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2]	9	0	0	0	1	1	3	3	1	0
<u>Other & unspecified land transport accidents</u> [V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9]	1	0	0	0	1	0	0	0	0	0
<u>Air & space transport accidents</u> [V95-V97]	1	0	0	0	0	0	0	0	1	0
<u>Other & unspecified transport accidents & sequelae</u> [V98-V99, Y85]	1	0	0	0	0	0	0	1	0	0

TABLE 30 - RESIDENT ACCIDENTAL DEATHS BY TYPE AND AGE, RHODE ISLAND, 2000 (Continued)

Type of Unintentional Injury (Accident) and ICD-10 Code	Age in Years									
	All Ages*	<1	1- 4	5-14	15-19	20-24	25-44	45-64	65-84	85+
ALL UNINTENTIONAL INJURIES (Accidents) [V01-X59, Y85-Y86]	234	2	1	8	15	12	36	37	67	56
Nontransport accidents [W00-X59, Y86]	149	2	1	7	1	3	12	16	56	51
<u>Falls [W00-W19]</u>	81	0	0	0	0	0	0	7	41	33
Fall on same level [W00-W09, W18]	42	0	0	0	0	0	0	1	18	23
Fall from one level to another [W10-W17]	18	0	0	0	0	0	0	3	14	1
Unspecified fall [W19]	21	0	0	0	0	0	0	3	9	9
<u>Accidental drowning & submersion [W65-W74]</u>	5	0	0	0	0	1	1	1	2	0
<u>Accidental inhalation & ingestion of food or other objects causing obstruction of respiratory tract [W78-W80]</u>	13	1	0	0	0	0	1	0	5	6
<u>Other accidental & unspecified threats to breathing [W75-W77, W81-W84]</u>	2	0	0	1	0	0	0	0	0	1
<u>Accidental exposure to smoke, fire & flames [X00-X09]</u>	15	1	1	6	1	1	1	2	2	0
<u>Accidental poisoning by & exposure to noxious substances [X40-X49]</u>	5	0	0	0	0	0	4	1	0	0
Accidental poisoning by & exposure to drugs & other biological substances [X40-X44]	5	0	0	0	0	0	4	1	0	0
<u>All other & unspecified nontransport accidents & their sequelae [W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86]</u>	28	0	0	0	0	1	5	5	6	11

*Totals may include deaths where age of deceased was unknown.

Table 31 - Ten Leading Causes of Death, by Sex, with Rates
Rhode Island, 2000
[Rhode Island Residents; Rate per 100,000, Except Total Rate per 1,000]

Rank Order	Cause of Death [ICD-10, 1992]	2000 Number*	Rate	1999 Number	Rate
BOTH SEXES					
	TOTAL*	10028	9.6	9706	9.8
1	Diseases of heart [I00-I09, I11, I13, I20-I51]	3114	297.0	3007	303.5
2	Malignant neoplasms [C00-C97]	2432	232.0	2466	248.9
3	Cerebrovascular diseases [I60-I69]	581	55.4	632	63.8
4	Chronic lower respiratory diseases [J40-J47]	499	47.6	497	50.2
5	Influenza and pneumonia [J10-J18]	343	32.7	301	30.4
6	Diabetes mellitus [E10-E14]	291	27.8	236	23.8
7	Alzheimer's disease [G30]	242	23.1	219	22.1
8	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	234	22.3	241	24.3
9	Septicemia [A40-A41]	139	13.3	85	8.6
10	Chronic liver disease & cirrhosis {K70, K73-K74}	128	12.2	119	12.0
	All other causes	2025	193.2	1903	192.1
MALE					
	TOTAL	4606	9.1	4487	9.4
1	Diseases of heart [I00-I09, I11, I13, I20-I51]	1398	277.6	1404	295.3
2	Malignant neoplasms [C00-C97]	1197	237.7	1204	253.2
3	Cerebrovascular diseases [I60-I69]	220	43.7	224	47.1
3	Chronic lower respiratory diseases [J40-J47]	220	43.7	225	47.3
5	Influenza and pneumonia [J10-J18]	144	28.6	116	24.4
5	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	144	28.6	141	29.7
7	Diabetes mellitus [E10-E14]	125	24.8	117	24.6
8	Chronic liver disease & cirrhosis {K70, K73-K74}	83	16.5	71	14.9
9	Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]	61	12.1	49	10.3
10	Intentional self-harm (suicide) [U03, X60-X84, Y87.0]	60	11.9	75	15.8
	All Other Causes	954	189.4	861	181.1
FEMALES					
	TOTAL	5422	10.0	5219	10.1
1	Diseases of heart [I00-I09, I11, I13, I20-I51]	1716	315.0	1603	311.0
2	Malignant neoplasms [C00-C97]	1235	226.7	1262	244.8
3	Cerebrovascular diseases [I60-I69]	361	66.3	408	79.2
4	Chronic lower respiratory diseases [J40-J47]	279	51.2	272	52.8
5	Influenza and pneumonia [J10-J18]	199	36.5	185	35.9
6	Alzheimer's disease [G30]	186	34.1	164	31.8
7	Diabetes mellitus [E10-E14]	166	30.5	119	23.1
8	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	90	16.5	100	19.4
9	Septicemia [A40-A41]	81	14.9	48	9.3
10	Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]	61	11.2	60	11.6
	All Other Causes	1048	192.4	998	193.6

*Total(s) may include deaths of unknown sex.

Table 32 - Five Leading Causes of Death in Specific Age Groups:

Rhode Island, 2000

[Rhode Island Residents: Rate per 100,000 Population for Specified Groups]

Age Group & Rank	Cause of Death [ICD-10, 1992]	2000		1999		Percent Change
		Number*	Rate	Number	Rate	
Under 5 Years	All Causes	87	131.6	84	127.0	0.0
	1 Certain Conditions Originating in the Perinatal Period [P00-P96]	53	82.9	40**	60.5**	37.0**
	2 Congenital Malformations, Deformations & Chromosomal Abnormalities [Q00-Q99]	10	15.7	16**	24.2**	-35.1**
	3 Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	3	4.7	2	3.0	0.6
	4 Diseases of heart [I00-I09, I11, I13, I20-I51]	2	3.1	3	4.5	-0.3
	5 In situ neoplasms, benign neoplasms & neoplasms of uncertain or unknown behavior [D00-D48]	1	1.6	2	3.0	-0.5
	5 Cerebrovascular diseases [I60-I69]	1	1.6	1	1.5	0.0
	5 Influenza & pneumonia [J10-J18]	1	1.6	0	0.0	N/A
	5 Acute bronchitis & bronchiolitis [J20-J21]	1	1.6	0	0.0	N/A
	5 Assault (Homicide) [U01-U02, X85-Y09, Y87.1]	1	1.6	2	3.0	-0.5
	All Other Causes	14	21.9	18	27.2	-0.2
5-19 Years	All Causes	64	29.3	54	28.2	0.0
	1 Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	23	10.5	15	7.8	0.3
	2 Malignant Neoplasms [C00-C97]	9	4.1	6	3.1	0.3
	2 Assault (Homicide) [U01-U02, X85-Y09, Y87.1]	9	4.1	8	4.2	0.0
	4 Intentional self-harm (suicide) [U03, X60-X84, Y87.1]	6	2.7	4	2.1	0.3
	5 Congenital Malformations, Deformations & Chromosomal Abnormalities [Q00-Q99]	3	1.4	3	1.6	-0.1
	All Other Causes	14	6.4	18	9.4	-0.3
20-44 Years	All Causes	457	119.5	450	112.2	0.1
	1 Malignant Neoplasms [C00-C97]	89	23.3	91	22.7	0.0
	2 Diseases of heart [I00-I09, I11, I13, I20-I51]	51	13.3	55	13.7	0.0
	3 Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	48	12.6	58	14.5	-0.1
	4 Intentional self-harm (suicide) [U03, X60-X84, Y87.1]	34	8.9	55	13.7	-0.4
	5 Assault (Homicide) [U01-U02, X85-Y09, Y87.1]	27	7.1	20	5.0	0.4
	All Other Causes	208	54.4	171	42.6	0.3
45-64 Years	All Causes	1289	558.4	1271	693.4	-0.2
	1 Malignant Neoplasms [C00-C97]	507	219.6	496	270.6	-0.2
	2 Diseases of heart [I00-I09, I11, I13, I20-I51]	293	126.9	287	156.6	-0.2
	3 Chronic liver disease and cirrhosis [K70, K73-K74]	51	22.1	48	26.2	-0.2
	4 Diabetes Mellitus [E10-E14]	41	17.8	47	25.6	-0.3
	5 Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	37	16.0	47	25.6	-0.4
	All Other Causes	360	155.9	346	188.8	-0.2
65 Years & Over	All Causes	8127	5332.6	7846	5278.2	0.0
	1 Diseases of heart [I00-I09, I11, I13, I20-I51]	2765	1814.3	2660	1789.4	0.0
	2 Malignant Neoplasms [C00-C97]	1827	1198.8	1872	1259.3	0.0
	3 Cerebrovascular diseases [I60-I69]	535	351.0	591	397.6	-0.1
	4 Chronic lower respiratory diseases [J40-J47]	461	302.5	452	304.1	0.0
	5 Influenza & pneumonia [J10-J18]	324	212.6	286	192.4	0.1
	All Other Causes	2215	1453.4	1985	1335.4	0.1

*Total(s) for each age group do not include deaths where age is unknown.

**Number, rate and percent change for 1999 corrected 8/15/2005.

Table 39 Divorces by County of Occurrence, Rhode Island, 2000	
County of Occurrence	Number
Bristol	Included in Providence County
Kent	644
Newport	197
Providence (including Bristol County)	1,845
Washington	380
Total	3,066

Table 40 Divorces, by Month of Occurrence, Rhode Island, 2000	
Month of Divorce	Number
January	259
February	268
March	217
April	268
May	248
June	272
July	223
August	285
September	337
October	212
November	227
December	250
Total	3,066

Table 41
Marriages by Month of Occurrence, Rhode Island, 2000

Month of Marriage	Number
January	288
February	348
March	344
April	469
May	812
June	978
July	926
August	907
September	1113
October	921
November	473
December	431
Total	8010